

City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 47 Meridan Street Peaks Island		Owner: Michael McNally	Phone: 799-6246	Permit No: 991001
Owner Address: 401 Lincoln St. So. Portland		Lessee/Buyer's Name:	Phone:	BusinessName:
Contractor Name: Dale Freudenberger **Scottsdale Construction		Address: 10 Allen Ave. Ext. Falmouth, ME 04105		Phone: 878-3696
Past Use: 1-Family	Proposed Use: Same	COST OF WORK: \$ 3,800.00	PERMIT FEE: \$ 48.00	Permit Issued: PERMIT ISSUED SEP 14 1999 075-D-004 Zone: OCB: PORTLAND
		FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied	INSPECTION: Use Group R3 Type 5B <i>BOCAG</i>	
Proposed Project Description: Add deck to rear of house.		Signature: _____		
		PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)		Zoning Approval: <i>OK 9/14/99</i>
		Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved with Conditions <input type="checkbox"/> Denied	Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>	
Permit Taken By: UB	Date Applied For: 8-31-99	Signature: _____ Date: _____		10,100

- This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
- Building permits do not include plumbing, septic or electrical work.
- Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

***** Send To: Dale Freudenberger
Scottsdale Construction
10 Allen Ave. Extension
Falmouth, ME 04105**

PERMIT ISSUED WITH REQUIREMENTS

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

9-1-99

SIGNATURE OF APPLICANT ADDRESS: DATE: PHONE:

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE:

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

CEO DISTRICT

2

ub

BUILDING PERMIT REPORT

DATE: 2 Sept. 79 ADDRESS: 47 Meridan St. P.I. CBL. 085-D-004
 REASON FOR PERMIT: Add deck To rear of dwelling.
 BUILDING OWNER: Michael McNally
 PERMIT APPLICANT: Contractor Dale Frederberger
 USE GROUP R-3 CONSTRUCTION TYPE 503


The City's Adopted Building Code (The BOCA National Building Code/1996 with City Amendments) \$3900.
 The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993) 45.00

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions are met: X1, X2, X11, X13, X29, X31, X33
X15, X30
 Approved with the following conditions:

1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) **ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING.**
3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
4. Foundations anchors shall be a minimum of 1/4" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' o.c. between bolts. (Section 2305.17)
5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
6. Protection must be taken to protect concrete from freezing. Section 1908.0
7. It is strongly recommended that a registered land surveyor check all foundation marks before concrete is placed. This is done to verify that the proper setbacks are maintained.
8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code
- X11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 36" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/2" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)
12. Headroom in habitable space is a minimum of 76". (Section 1204.0)
- X13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/2" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (68") 1014.4
15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)

16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self-closers. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.6)
18. The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)
19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
 In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and (-1) shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2.
20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
21. The Fire Alarm System shall maintained to NFPA #72 Standard.
22. The Sprinkler System shall maintained to NFPA #13 Standard.
23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
24. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 13 of each year to April 13 of the following year".
25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min.72 hours notice) and plumbing inspections have been done.
28. All requirements must be met before a final Certificate of Occupancy is issued.
29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building Code/1996).
30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)
31. Please read and implement the attached Land Use Zoning report requirements.
32. Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.5.3 of the City's Building Code.
33. Glass and glazing shall meet the requirements of Chapter 24 of the building code.
34. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code 1996).
35. Fastening shall be used between Foundation (piers) and 4x4 columns and beam.
36. IF STAIRS are used code requirements shall be followed.
37. _____
38. _____


 Building Inspector
 cc: Li. McDougall, PFD
 Marge Schumackal, Zoning Administrator

PSH 72449

**On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

Inspection Services
Michael J. Nogent
Manager

Department of Urban Development
Joseph E. Gray, Jr.
Director



CITY OF PORTLAND

July 1, 1999

Keith C. McMullan
6 Reef Rd
Cape Elizabeth, ME 04107

RE: 12 May St
CHEL: 057-B-01400101

Dear Mr. McMullan:

Certified Mail Receipt # Z 397 901 689

An evaluation of your property at 12 May St on Jun-29-1999 revealed that the structure fails to comply with Chapter 6, Article V. of the Code of Ordinances of the City of Portland, The Housing Code. Attached is a list of the violations and copies of the referenced Code sections.

This is a notice of violation pursuant to Section 6-118 of the Code. All referenced violations shall be corrected within 30 days of the date of this notice. A reinspection of the premises will occur on Jul-29-1999 at which time compliance will be required. Failure to comply will result in this office referring the matter to the City of Portland Corporation Counsel for legal action and possible civil penalties, as provided for in Section 1-15 of the Code.

This constitutes an appealable decision pursuant to Section 6-127 of the Code. Please feel free to contact me at 874-8693, if you wish to discuss the matter or have any questions.

Please be advised that the Portland City Council has amended the Building regulations to include a \$75.00 reinspection fee. This violation will automatically cause a reinspection at no charge. If there are any subsequent inspections, however, the \$75.00 fee will be assessed for each inspection. A copy of the amendment has been attached for your convenience.

Sincerely


Tom Markley

Code Enforcement Officer

/sap

City of Portland

Planning and Urban Development
Joseph E. Gray Jr.
Director

Owner/Manager
McMullan Keith C S
8 Reed Rd
Cape Elizabeth, ME 04107

Inspection Type: Housing
Date: Tue, Jun-28-1999
Time: Thursday, July 28, 1999
Status: Re-inspect By: Reason For Re-inspection:
Note

Address: 12 May St
Parcel ID 087 - B-01400101
Units:
Inspector: Tom Markley

Completion Code	MFEI	Room	Appl/Unit No	Location	Description of Violation	Repair Code
1	6-113.5	Interior	Basement	Road	Reattached junction board/jumped wire	
2	6-108.5	Interior	2nd & 3rd	Reed Hill	Reattached/retied both chimneys	
3	6-108.4	Interior	Basement		Broken wood/door frame	
4	6-108.3	Interior	Basement		dirty	
5	6-113.8	Interior	Basement		270 (Its open ended at vent beneath not in junction box	
6	6-114.1	Interior	Basement		Weather double unseparated (trap)	
7	6-113.5	Interior	3rd	Front Room	Junction box unseparated	
8	6-113.5	Interior	Basement		Paint cover missing	
9	6-114.8	Interior	Basement		Attach sprayer head above boiler or sealant with smoke production	
10	6-114.1	Interior	Basement	Left side	Downspout dislodge in basement causing to leak/ need capping or removal	
11	6-114.3	Interior	Basement	Stairs	Paint protection around oil line	
12	6-108.4	Interior	Basement	Left Side	Reinforcing cables/stairs at backhead threshold	
13	6-108.1	Interior		Stairs	Reinforcing foundation bricks	
14	6-114.1	Interior		front	Downspout drains need to be sealed	
15	6-108.1	Interior		front	Gas/le trimm air focus	
16	6-113.8	Interior		Right front	MFC safety, service cables need to be sealed	
17	6-113.8	Interior	Basement	Front Hall	service panels not labeled	
18	6-108.3	Interior	1st & 2nd	Front Hall	Broken windows	
19	6-108.3	Interior	2nd	Kitchen	Broken wash spring/dishwasher windows	
20	6-108.3	Interior	3rd	Front Room	Broken wash spring/dishwasher	
21	6-108.3	Interior	2	Kitchen	Broken wash spring/dishwasher windows	
22	6-108.4	Interior	2nd	Rear porch	Wash in weather side	
23	6-114.3	Interior	2nd	Kitchen	Leaky condensation to hot water feed	
24	6-113.8	Interior	2nd	Throughout	Smoke detectors inoperable	
25	6-108.4	Interior	2nd	Rear Hall	Water in floor	

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

**Building or Use Permit Pre-Application
Additions/Alterations/Accessory Structures
To Detached Single Family Dwelling**

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTEIf you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.**

Location/Address of Construction: 47 Meriden Street Portland Island

Tax Assessor's Chart, Block & Lot Number Chart <u>085</u> Block# <u>D</u> Lot# <u>004</u>	Owner: <u>Michael McNally</u>	Telephone: <u>799-6246</u>
Owner's Address: <u>401 Lincoln Street S Portland</u>	Lessee/Buyer's Name (If Applicable)	Cost Of Work: <u>\$ 3800.00</u> Fee <u>\$ 48</u>


Proposed Project Description: (Please be as specific as possible)
Add Deck to rear of house

Contractor's Name, Address & Telephone: Scottsdale Construction 78-3696 Dale Freudenberger Road By US 10 Allen Ave Ext Falmouth ME 04101

- Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.
- All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II.
 - All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
 - All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.
 - HVAC (Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

You must Include the following with you application:

- 1) A Copy of Your Deed or Purchase and Sale Agreement
- 2) A Copy of your Construction Contract, if available
- 3) A Plot Plan (Sample Attached)



If there is expansion to the structure, a complete plot plan (Site Plan) must include:

- The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches, a bow windows cantilever sections and roof overhangs, awnings, awnings, pools, garages and any other accessory structures.
- Scale and required zoning district setbacks

4) Building Plans (Sample Attached)

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: <u>[Signature]</u>	Date: <u>8-31-99</u>
--	----------------------

Building Permit Fee: \$30.00 for the 1st \$1000.00 cost plus \$6.00 per \$1,000.00 construction cost thereafter.

Inspection Services
Michael J. Nugent
Manager



Department of Urban Development
Joseph E. Gray, Jr.
Director

CITY OF PORTLAND

November 30, 2000

Joy & William Childs
PO Box 802
Portland ME 04101

RE: 12 May St
CBL: 057B01400101

Dear Joy & William Childs:

A re-inspection at the above noted property was made on Nov-30-2000.

This is to certify that you have complied with our request to correct the violation(s) of the Municipal Code relating to housing conditions noted on our letter dated Jun-29-1999.

This notice is intended to document that you have corrected the specific violations as previously noted. It is not intended to indicate compliance with other City regulations, it also does not imply that the structure or premises is violation free.

Thank you for your cooperation. If you have any questions, feel free to contact this office Marland Wing @ 874-8696.

Sincerely,

Marland Wing @ 874-8696
Code Enforcement Officer
ka

26.	<input type="checkbox"/>	8-117.5	Interior	1st	Throughout	Smoke detectors improperly interconnected
27.	<input type="checkbox"/>	8-113.4	Interior	3rd	Kitchen/Living	Extension cords
28.	<input type="checkbox"/>	8-108.3	Exterior	1st & 2nd	Front Hall	Thermal covering interior should be exterior window
29.	<input type="checkbox"/>	8-116.5	Interior	1st	Front Hall	Storage of items in hallway
30.	<input type="checkbox"/>	8-108.4	Interior	1st	Rear Hall	Storage in hallway
31.	<input type="checkbox"/>	8-108.2	Exterior	2nd	Rear Hall	Misleading door handle/label
32.	<input type="checkbox"/>	8-108.6	Exterior	2nd	Rear Hall	Broken window
33.	<input type="checkbox"/>	8-116.3	Interior	1st	Front Hall	Weatherstrips in hallway needs removal and pipes capped - illegal placement
34.	<input type="checkbox"/>	8-117.6	Interior	1st	Front Room	Plate cover missing on light switch

Don Mackley
Code Enforcement Officer

Inspection Report

11 Certificate of Compliance

55 Notice of Violation

75 General Notice Viol.

Sec. Days

75 Refuse Violation Notice

75 T.A.C.I. Notice 1

75 T.A.C.I. Notice 2

75 Notice of Intent to Prosecute

75 Stop Work Order

75 Posting Notice

75 Junk Car

Sec. 6 Days 30
 Sec. 7 Days 30
 Sec. 7 Days 30
 Sec. 7 Days 30
 Sec. 7 Days 30
 Sec. 7 Days 30
 Sec. 7 Days 30
 Sec. 7 Days 30
 Sec. 7 Days 30
 Sec. 7 Days 30

Violation # _____
 Date of Inspection: 29 June 99
 CBL: 057-B-014
 Site Address: 12 May St.
 DU: 3 Insp. # 8

Inspection due to complaint: Yes/No

Owners Name and Address:

(Telephone if known)

Keith C. & Tonya M. McMullen

6 Reed Rd.

Cape Elizabeth, ME 04107

Insp: Tom Markley

#	Code	El	FI	Apt	Location	Description of Violation
1	108.50	E	Rf	-	Roof	Repair/Rebrick both chimneys
2	116.50	E	-	-	RT. Front	See safety service submerseds to be sealed
3	108.10	E	-	-	Front	Gable trims are loose
4	111.10	E	-	-	Sides	Downspout drains need to be sealed
5	108.10	E	-	-	Left side	Repair foundation bricks
6	108.40	I	B	-	Basement	Rebuild cellar stairs at Bulkhead/Threshold
7	114.90	I	B	-	Basement	Put protection around oil line
8	113.50	I	B	-	Basement	Reattach junction box / Remove wires
9	116.50	I	B	-	Basement	attach sprinkler head above boiler or enclose with smoke protection
10	113.50	I	B	-	Basement	Service Bonds not labeled
11	113.50	I	A	-	Basement	Junction box uncovered
12	111.10	I	B	-	Basement	Washer drain uncapped (TRAP)
13	113.50	I	B	-	Basement	220 line open ended at work bench
14	109.20	I	B	-	Basement	Basement is / dirty
15	109.40	I	2nd	-	Rear Hallway	Broken treads / loose treads
16	108.40	I	2nd	-	Rear Hallway	Hole in Floor
17	108.30	E	2nd	-	Rear Hallway	Broken window
18	108.20	E	2nd	-	Rear Hallway	Missing Door Handle / Knob
19	108.40	I	1st	-	Rear Hallway	Stairs in Hallway
20	116.30	I	1st	-	Hallway	STORAGE of items in hallway
21	108.30	E	1st	-	Front Hall	thermal insuring interior - should be exterior
22	108.30	E	2nd	-	Front Hall	Broken window

(window)

Inspection Report

#	Code	E/I	FI	APT	Location	Description of Violation
22	113.50	I	1st	-	Throughout apt	Smoke detectors inoperable/dismantled
23	113.50	I	1st	-	Front Room	Plate cover missing on light switch
24	113.50	I	2nd	-	Throughout	Smoke detectors inoperable
25	111.30	F	2nd	-	Kitchen	Leaky connection on hot water feed
26	108.40	I	2nd	-	Back Porch	Hole in wall/left side
27	108.30	F	2nd	-	Kitchen	Broken Sash Frame/Kitchen Window
28	108.30	F	3rd	-	Front Room	Broken Sash Spring/Front Window
29	108.30	E	3rd	-	Kitchen	Broken Sash Spring/Kitchen Window
30	113.40	F	3rd	-	Living Room	Extension cords/Kitchen + Liv. Room
31	113.50	I	3rd	-	Front Porch Left Side	Plate Cover Missing
32	111.10	I	B	-	Basement	Downspout drains in Basement venting to inside - need capping or removal
33	116.30	F	1st	-	Front Hallway	Washer/dryer in hallway needs removal and pipes capped - illegal placement

01 Certificate of Compliance
 Sec. 6 Days 30
 05 General Notice Viol. Sec. _____ Days _____
 Sec. _____ Days _____
 05 Refuse Violation Notice Sec. _____ Days _____
 05 T.A.C.I. Notice 1 Sec. _____ Days _____
 05 T.A.C.I. Notice 2 Sec. _____ Days _____
 05 Notice of Intent to Prosecute Sec. _____ Days _____
 05 Stop Work Order Sec. _____ Days _____
 05 Posting Notice Sec. _____ Days _____
 05 Junk Car Sec. _____ Days _____
 Violation # _____
 Date of Inspection: 29 June 99
 CBI: 057-B-014
 Site Address: 12 May St.
 DU: 3 Insp. # 8
 Inspection due to complaint: Yes/No
 Owners Name and Address:
 (Telephone if known)
Keith C. & Tanya M. McMillan
6 Reed Rd.
Cape Elizabeth, ME 04107

INSP: Tom Markley