


970128

FILL IN AND SIGN WITH INK



APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT



Portland, Maine,

To the INSPECTOR OF BUILDINGS, PORTLAND, ME. 18 February 1997

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications: 085-G-016

Location 48 Spruce St, Peaks Use of Building 1-fam No. Stories New Building Existing " Name and address of owner of appliance Eric West SAA Installer's name and address Paul Erico 58 Elizabeth St Pekas 04108 Telephone 766-2482

General Description of Work

To install Oil fired forced hot water heating system

IF HEATER, OR POWER BOILER

Location of appliance Basement Any burnable material in floor surface or beneath? no If so, how protected? Kind of fuel? #2 oil Minimum distance to burnable material, from top of appliance or casing top of furnace 4' From top of smoke pipe 18" From front of appliance 10' From sides or back of appliance 4' Size of chimney flue 6" Other connections to same flue no If gas fired, how vented? Rated maximum demand per hour 105,000 Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? yes

IF OIL BURNER

Name and type of burner Beckett Labelled by underwriters' laboratories? yes Will operator be always in attendance? no Does oil supply line feed from top or bottom of tank? bottom Type of floor beneath burner concrete Size of vent pipe 1 1/4" Location of oil storage Basement Number and capacity of tanks 1-275 Low water shut off yes Make OEM No. 170 Will all tanks be more than five feet from any flame? yes How many tanks enclosed? 1-275 Total capacity of any existing storage tanks for furnace burners

IF COOKING APPLIANCE

Location of appliance Any burnable material in floor surface or beneath? If so, how protected? Height of Legs, if any Skirting at bottom of appliance? Distance to combustibile material from top of appliance? From front of appliance From sides and back From top of smokepipe Size of chimney flue Other connections to same flue Is hood to be provided? If so, how vented? Forced or gravity? If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Paul Erico Master Oil Burner #5738

Cost: 2,000.00 30.00 Permit Fee

Amount of fee enclosed?

APPROVED:

[Signature]

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed?

[Signature: Paul Erico]

CS 300

Signature of Installer

INSPECTION FILE APPLICANT'S ASSESSOR'S COPY

110-9-58

Boiler has been installed

FEB 19