NOTES:

1.) ELECTRICAL, MECHANICAL, AND PLUMBING SPECIFICATIONS AND PERMITS BY OTHERS.

2.) PROVIDE AFCI CIRCUIT BREAKERS IN ELECTRICAL PANEL AND SUB-PANELS, AS REQUIRED BY CODE, TO PROTECT LISTED ROOM TYPES.

3.) CONTRACTOR RESPONSIBLE FOR ENSURING THAT PROJECT MEETS ALL LOCAL ELECTRICAL CODE REQUIREMENTS.

4.) CONTRACTOR TO PURCHASE, DELIVER, AND INSTALL ALL PROJECT MATERIALS, COMPONENTS, FINISHES, APPLIANCES AND FIXTURES, UNLESS OTHERWISE NOTED IN CONTRACT. PROVIDE STATED ALLOWANCES IN QUOTE/ESTIMATE FOR ITEMS TO BE SELECTED BY CLIENT AND PAID FOR BY CONTRACTOR.

EXISTING WALLS

NEW WALLS



A Proposed First Floor Lighting Plan

NOTES:

	DUPLEX RECEPTACLE		3-WAY SWITCH		CEILING MOUNT LIGHT FIXTURE		PENDANT LIGHT FIXTURE		UNDER-COUNTER LIGHTS
GFI	GROUND FAULT CIRCUIT INTERUPTER	D	DIMMER SWITCH		WALL SCONCE LIGHT FIXTURE	RC	RECESSED CAN LIGHT FIXTURE		TRACK LIGHTING
240	240 V	SD	SMOKE DETECTOR		LOW PROFILE WALL SCONCE LIGHT FIXTURE	FC	COMPACT FLUORESCENT RECESSED CAN LIGHT		LOCALLY SWITCHED CLOSET RATED LIGHT
$	SWITCH	CO	CARBON MONOXIDE DETECTOR	WL	WET LOCATION WALL SCONCE LIGHT FIXTURE	LED	3" LED RECESSED CAN LIGHT		

	CEILING FAN WITH INTEGRAL LIGHT		PHONE JACK
	CEILING FAN	DSL	DSL JACK
	MINIMUM 50 CFM VENT FAN	C	CABLE JACK
	MINIMUM 50 CFM VENT FAN/LIGHT COMBO	C5	CAT 5 JACK
		CV	CENTRAL VACUUM PORT

STATE OF MAINE
JAMES
No.
LICENSED
PROFESSIONAL

CITY OF PORTLAND, MAINE
RESURGAM

Inspections Division

Date: 12/21/16

Rachel Cor
26 Sterling S
Peaks Islan
207.766.562

DATE	NOTES
2016.11.07	
REVISED	

1/4" = 1'

PROJECT

Scott Residence
Peaks Island, ME
04108

E4

Proposed First Floor Lighting Plan