NOTES:

1.) ELECTRICAL, MECHANICAL, AND PLUMBING SPECIFICATIONS AND PERMITS BY OTHERS.

2.) PROVIDE AFCI CIRCUIT BREAKERS IN ELECTRICAL PANEL AND SUB-PANELS, AS REQUIRED BY CODE, TO PROTECT LISTED ROOM TYPES.

3.) CONTRACTOR RESPONSIBLE FOR ENSURING THAT PROJECT MEETS ALL LOCAL ELECTRICAL CODE REQUIREMENTS.

4.) CONTRACTOR TO PURCHASE, DELIVER, AND INSTALL ALL PROJECT MATERIALS, COMPONENTS, FINISHES, APPLIANCES AND FIXTURES, UNLESS OTHERWISE NOTED IN CONTRACT. PROVIDE STATED ALLOWANCES IN QUOTE/ESTIMATE FOR ITEMS TO BE SELECTED BY CLIENT AND PAID FOR BY CONTRACTOR.

EXISTING WALLS

NEW WALLS



A Proposed First Floor Power Plan

NOTES:

	DUPLEX RECEPTACLE
GFI	GROUND FAULT CIRCUIT INTERUPTER
240	240 V
$	SWITCH
3	3-WAY SWITCH
D	DIMMER SWITCH
SD	SMOKE DETECTOR
CO	CARBON MONOXIDE DETECTOR
	CEILING MOUNT LIGHT FIXTURE
	WALL SCONCE LIGHT FIXTURE
	LOW PROFILE WALL SCONCE LIGHT FIXTURE
WL	WET LOCATION WALL SCONCE LIGHT FIXTURE
	PENDANT LIGHT FIXTURE
RC	RECESSED CAN LIGHT FIXTURE
FC	COMPACT FLUORESCENT RECESSED CAN LIGHT
LED	3" LED RECESSED CAN LIGHT
	UNDER-COUNTER LIGHTS
	TRACK LIGHTING
$	LOCALLY SWITCHED CLOSET RATED LIGHT
	CEILING FAN WITH INTEGRAL LIGHT
	CEILING FAN
	MINIMUM 50 CFM VENT FAN
	MINIMUM 50 CFM VENT FAN/LIGHT COMBO
	PHONE JACK
DSL	DSL JACK
C	CABLE JACK
C5	CAT 5 JACK
CV	CENTRAL VACUUM PORT

Inspections Division

Date: 12/21/16

Rachel Cor
26 Sterling S
Peaks Islan
207.766.562

DATE	NOTES
2016.11.07	
REVISED	

1/4" = 1'

PROJECT

Scott Residence
Peaks Island, ME
04108

E3

Proposed First Floor Power Plan