	y of Portland, Maine	•		·		HT-ISSU	150	CBL:		
_	Congress Street, 04101	Tel: (207) 874-8703	3, Fax: (207) 874-87	16	02-0014	<u></u>		087 FG	100100	
Loca	ition of Construction:	Owner Name:		Owner	Address: -	B 5 201	קו	Phone:		
146 Central Ave P. L Kole Suzann B					Central Ave			207-766	5889	
Business Name: Contractor Name:			::	Contra	ctor Address	F PORT	AND	Phone		
n/a no contractor/s			<u>self</u>	n/a n/	<u>a</u>		<u> </u>		_	
Lessee/Buyer's Name Phone:			Permit Type:				Zone:			
n/a				Sheds					1R-2	
Past	Use:	Proposed Use:		Permit Fee: Cost of Work:			c CE	O District:	47 49	
Sin	gle Family	Single Family	/ Build Yard-King	\$48.00 \$3,351.20			1.20	3	1757	
]		natural pine 1	2' x 16' shed.					PECTION:		
•		1		Denied Use			Use Group	e Group: Type:		
					☐ Detited		a	0 00 00		
<u> </u>							<i>De</i>	CA	49	
_	oosed Project Description:				1]	\sim		
Bu	ild 12' x 16' Shed						Signature:	<u> </u>		
				PEDESTRIAN ACTIVITIES DISTR		RICT (P.A	ICT (P.A.D.)			
1			Action:		a: Approved Approved w/Canditions Den				Denied	
				Signatu	ure:		D	ate:		
Perr	nit Taken By:	Date Applied For:			Zoning	Approva	<u></u>			
gg		01/07/2002	<u> </u>							
1.	This permit application do	oes not preclude the	Special Zone or Revi	lews	Zoni	ng Appeal		Historic Pre	servation	
	Applicant(s) from meeting Federal Rules.		Shoreland		☐ Variaoce		J K	Not in District or Landmark		
2.	Building permits do not in septic or electrical work.	iclude plumbing,	Wetland		☐ Miscellaneous) [Does Not Require Review		
3.	Building permits are void within six (6) months of the		☐ Piood Zone		Conditional Use			Requires Review		
False information may invalidate a building permit and stop all work.		☐ Subdivision		Interpretation		\ _	Аррточе d			
	-									
	-		Site Plan		Approv	coi		Approved w	/Conditions	
	-		Site Plan Maj Minor MM	4 🗆		c d		Approved w	/Conditions	

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

1/31/02 Spoke with own (suzam) she will relocate the bldy so that it will be A min. of 201t from The side property line


BUILDING PERMIT INSPECTION PROCEDURES Please call 874-8703 or 874-8693 to schedule your inspections as agreed upon

Permits expire in 6 months, if the project is not started or ceases for 6 months.

The Owner or their designee is required to notify the inspections office for the following inspections and provide adequate notice. Notice must be called in 48-72 hours in advance in order to schedule an inspection:

By initializing at each inspection time, you are agreeing that you understand the

inspection procedure and additional fees from Work Order Release" will be incurred if the p	
Pre-construction Meeting: Must be sch receipt of this permit. Jay Reynolds, Developmentalso be contacted at this time, before any site work single family additions or alterations.	nt Review Coordinator at 874-8632 must
Footing/Building Location Inspection:	Prior to pouring concrete
Re-Bar Schedule Inspection:	Prior to pouring concrete
Foundation Inspection:	Prior to placing ANY backfill
Framing/Rough Plumbing/Electrical:	Prior to any insulating or drywalling
use.	r to any occupancy of the structure or NOTE: There is a \$75.00 fee per ection at this point.
Certificate of Occupancy is not required for certain you if your project requires a Certificate of Occup inspection If any of the inspections do not occur, to phase, REGARDLESS OF THE NOTICE OR	he project cannot go on to the next
MACERIFICATE OF OCCUPANICES M BEFORE THE SPACE MAY BE OCCUPIED	TUST BE ISSUED AND PAID FOR,
Hyllw 113 -	·
Signature of applicant/designee	Date /5/02
Signature of Inspections Official	Date
CBL: 087 700 Building Permit #: 07	400



	Correction List	
NO:	Description 50 0 11 0	Code
	0/1/50 0 11 11 0	Section
	11910 Called Con	,
0	0 6 1 10	
<u> </u>	Churen Suzann Role, lett	,
	MSO TEQUIPINA Front printa	900
<u> </u>		
	Dural of the Control	
	Tourism -	
	0.5	
L -	DUZGININ NOTE VETUCINA	
	Oull advised that Shed	10-6-
_	Can Can Sheet	8,42
	an America black Dissert	<u></u>
	CAL CALLORA LYNNISON	70
	avanced Lake	
	6×6203606 1600 0	
		_
_		
		
		
		
	 	
		
	_	
REV: P\$H 4-7-0		


Suzann KOLE-Berlagieri Berlingicri -back from sittle closest 100 n 655 = 700 # 5h YEAR : 30 220 Now S HONE DP WEWA THE CENTRAL AVE CENTRAL

020014


All Purpose Building Permit Application

If you or the property owner owes real estate or personal property taxes at user charges an any property within the City, payment arrangements must be made before permits at any kind are occepted.

Table On the Control of Control	6 Contral Ave Portl	
Total Square Footage of Proposed Struct 1945. F. two I Shud	₹ 44,100	
Tax Assessor's Chart, Black & Lot Chart# Block# Lot#	Owner: SuzANN Kole Barling William Barlingieri	766-589
Lessee/Buyer's Name (If Applicable)	Applicant name. address & telephone: 146 Lentral Am Portland, ME 04108	Cast Of 3357.20 Wark: \$ 3357.20
Current use: Sugle-family 1	rone_	
If the location is currently vacant, whot w	vos pilor use:	· ·
Approximately how long has it been voc	eant:	_
, – – – – – – – – – – – – – – – – – – –		·
, – – – – – – – – – – – – – – – – – – –	hed 12×16 L. Cambrel Roof.	
Project description: Uard-King S Natural Pine	·	
Project description: Uard-King S Vatural Pine Contractor's name, address & telephone	o: Owner - as a hove	Cold
Project description: Uard-King S Vatural Pine Contractor's name, address & telephone Who should we contact when the permit Mailing address: 146 (en trul Au-	e: Owner - as a hove	- Cald
Proposed use: Project description: Uard-King S Vatural Pine Contractor's name, address & telephone Who should we contact when the permit Mailing address: 146 (en trul Aur Port Land, ME	e: Owner - as a hove	Call
Project description: Uard-King S Natural Proc Contractor's name, address & telephone Who should we contact when the permit Mailing address: 146 (en trail Aur Port land, WE THE REQUIRED INFORMATION IS NOT INCHEDIED AT THE DISCRETION OF THE BUILDIN	e: Owner - as a live. It is ready: It is ready: ELUDED IN THE SUBMISSIONS THE PERMIT IN THE SUBMISSIONS THE PERMIT IN THE MAY RE	Phone: 766-5589 WILL BE AUTOMATICALLY
Project description: Uard-King S Vatural Pine Contractor's name, address & telephone Who should we contact when the permit Mailing address: 146 (en trul Au-	it is ready: LUDED IN THE SUBMISSIONS THE PERMIT IN ITS PERMIT IN ITS PERMIT IN ITS PERMIT. PERMIT. Pared properly, or that the owner of record out plication as his/her authorized agent. I agree to the other population is issued, I certify that the Cod	Phone: 766-5549 WILL BE AUTOMATICALLY EQUIRE ADDITIONAL Thorizes the proposed work and that conform to all applicable laws of this te Official's authorized representative



POSTWOODWORKING.COM



SHED ROOF & GAMBREL ROOF FEATURES

- 1. All buildings completely assembled on your property by skilled craftsmen.
- 2. Free set-up and delivery to most areas.
- 3. 16" on center kiln-dried framing.
- 4. Galvanized exterior nails.
- 5. Roofs and floors are made from top grade exterior plywood.
- 6. Top quality self-sealing asphalt shingles.
- 7. 4' x 4' pressure treated foundation beams for extended life.
- 8. Heavy-duty security latches.
- 9. Three heavy duty hinges on each door.
- 10. Post Woodworking, Inc.'s own Ironclad" decorative hinge covers.
- Crank-out aluminum windows with dark security plexiglass protects your valuable tools from visible detection. All windows come with screens.
- 12. Screened aluminum louvers on each gable end allows ventilation that ensures the longevity of the building. (Vents are important if flammables are being stored.)
- 13. Roof drip edge for a superior quality weather-tight finish.
- 14. Roof is supported by engineered trusses 16" on center.
- 15. Flashing is used to ensure weather-tight seal where gable and wall meet.
- 16. Meets nearly any residential or commercial building code.

YL, CEDAR, PINE OR TEXTURE 111

YARD KING ▶

Big in function and value

We can't seem to decide if this is a generously sized shed, or a small barn. Whatever you call it, it holds plenty of tools, bicycles, pool equipment, boating gear and still leaves room for a large lawn tractor. The Yard King has become our best seller, featuring a set of large double doors as well as a second entry for quick and simple access to your smaller things. Available in 8'x16' and up.

NOW IN MAINTENANCE - FREE VINYL!

Our high-quality storage sheds are now available with maintenance-free vinyl siding, solid vinyl

doors and vinyl trim. Built with the same care and craftsmanship as our other buildings, the siding comes with a lifetime warranty.



Vinyl colors available:

COLORS

HARBOR STONE

VICTORIAN SLATE

TERRA CLAY

WARM SANDALWOOD


SUMMER WHEAT

SUNNY MAIZE

CLASSIC SAND


Wнітє Віясн

Due to printing process, colors may vary slightly



Shown in Vinyl A

Shown in Vinyl ▼




Post Woodworking, Inc.

163 Kingston Road, Danville, NH 03819 Ph: (603) 382-4951 Fax: (603) 382-3087 1-800-537-0053

www.postwoodworking.com/info@postwoodworking.com

12x16 Pier Layout

Floor Size 138" X 190.75



Post Woodworking, Inc. • 163 Kingston Road • Danville, NH 03819

Dear Susan Kole / William Berlingleri,

We would like to thank you for your order and confirm it's accuracy.

If any of the following information is incorrect or missing, please call (800) 537-0053 to make corrections.

Order #: 2733-01 Order Date:12/21/2001

Order#: 2/33-01

Customer: Susan Kole / William Berlingieri

Order: Gembrel, Pine, 12x16 Yard King with Black shingles

Options: 1 Double Ramp

2 Barnwood Gray Arbortex

Delivery Address: 146 Central Ave Peeks Island, Me 04108

Phone: (Day) 766-5889 (Evening) Same Amt. Due: 3351.20 4 Setup.

Remember the PERMIT is your responsibility. Please take care of it immediately.

if delivery is postponed after delivery has been confirmed - a redeliver/restocking charge is added to your invoice.

(For example, if the installers arrive and you didn't get your permit and the building inspector will not let them build / or a day or two before your installation is scheduled you change your mind and want to change the delivery date / this charge is applied.)

Delivery / Installation preparation information:

- * Have a fairly level and cleared spot. Meaning it is not out of level by more than 12 inches from corner to comer.
- * We also need two feet of clearance in the front and the back of the shed.
- * The installation crew will first tay concrete block approximately every 4 feet under the pressure treated foundation beams and then the floor is mounted to this and your shed is built.
- * We usually call to schedule your delivery at least a week in advance. We give you the delivery day and a two hour window. Our crews deliver several buildings per day and some may take longer than others to install.
- * Please allow crews to drive as close as possible to the installation spot. This will make their job much easier.
- * On the other hand, if you think that a small truck may damage your property just let the crew know.
- * We accept personal check, Discover, MasterCard or Visa for payment.
- * It is very important to seal and stain your building as soon as possible to prevent damage from the elements.
- * We recommend ArbortexTM wood Sealer & Stain. To see the available colors look in your Storage with Style brochure. If you decide to use ArbortexTM, it can be shipped by UPS.

A Little Bit About Environmentally Friendly ArbortexTM

ArbortexTM was originally developed by Post Woodworking, Inc. to keep our more than 600 display buildings in good condition year after year. After trying all of the top brands of sealer and stain on the market we could not find one that would give long lasting results. We wanted a stain that was a sealer and stain in one, would be able to make water bead, would have an exceptional ability to protect against ultraviolet light, would have an outstanding ability to inhibit mildew, would be easy to use, would be oil based for the best quality yet, at the same time, must be easy to clean up with soap and water. Finally, we wanted a product that was environmentally friendly. Next, we hired a chemist and after 3 years of research and development, we created the ArbortexTM formula which allowed us to more than double the time that our buildings could stay on display without sealing and staining again. Imagine the savings we saw when we found that our 600 display sheds stayed looking good for more than twice as long as they did with the best sealers and stains on the market. After seeing the results and being contacted by major stain manufacturers and distributors about our formula, we have decided to keep our formula and offer it to our customers directly so that we can control the quality of our formula and keep a moderate price. ArbortexTM is also an excellent choice for sealing and staining your fence, porch, house or any other wood that needs the ultimate protection from the elements.

Your GP12x16 building requires 5 gallon(s) of Arbortex. The

As you can see, we are working to make everything go smoothly and will continue to do our very best until the last shingle is in place. We thank you for your cooperation.

SALE PRICING!!!

POST WOODWORKING, INC.

163 Kingston Road • Danville, NH 03819 1-866-PWI-SHED (794-7433) • 1-800-537-0053 • FAX (603) 382-3087 www.postwoodworking.com • sheds@ttlc.net


Vinyl or Cedar—Shed or Gambrel Roof								
MODEL	SIZE	REG PRICE	SALE PRICE	SAVINGS				
*Gardner	6 x 8	1,299.00	1,169.00	130.00				
*Country Hamlet	6 x 10	1,539.00	1,385.00	154.00				
Gardner	8 x 8	1,579.00	1,421.00	158.00				
Country Hamlet	8 x 10	1,869.00	1,682.00	187.00				
Town & Country	8 x 12	2,169.00	1,952.00	217.00				
Yard King	8 x 16	2,699.00	2,429.00	270.00				
Country Hamlet	10 x 10	2,199.00	1,979.00	220.00				
Town & Country	10 x 12	2,559.00	2,303.00	256.00				
Yard King	10 x 16	3,229.00	2,906.00	323.00				
Yard King	10 x 20	3,879.00	3,491.00	388.00				
Town & Country	12 x 12	2,999.00	2,699.00	300.00				
Yard King	12 x 16	3,739.00	3,365.00	374.00				
Yard King	12 x 20	4,599.00	4,139.00	460.00				

- The location of doors and windows may be changed if desired. Due to modern manufacturing methods using jigs to ensure uniformity, the cost of such changes will be the same as adding a new door and or window.
- The Storage King Style is available in all sizes. The price is based upon the shed size.

*The Gambrel Roof Style is not available in these sizes.

				7-				
(Natural Pine or T-111—Shed or Gambrel Roof)								
MODEL	SIZE	REG PRICE	SALE PRICE	SAVINGS				
*Gardner	6 x 8	1,029.00	926.00	103.00				
*Country Hamlet	6 x 10	1,239.00	1,115.00	124.00				
Gardner	8 x 8	1,279.00	1,151.00	128.00				
Country Hamlet	8 x 10	1,529.00	1,376.00	153.00				
Town & Country	8 x 12	1,779.00	1,601.00	178.00				
Yard King	8 x 16	2,249.00	2,024.00	225.00				
Country Hamlet	10 x 10	1,799.00	1,619.00	180.00				
Town & Country	10 x 12	2,119.00	1,907.00	212.00				
Yard King	10 x 16	2,689.00	2,420.00	269.00				
Yard King	10 x 20	3,279.00	2,951.00	328.00				
Town & Country	12 x 12	2,499.00	2,249.00	250.00				
Yard King	12 x 16	3,169.00	2,852.00	317.00				
Yard King	12 x 20	3,939.00	3,545.00	394.00				

OPTIONS AVAILABLE					
OPTIONS	PRICE				
Additional Door—Single (29") or Double (62")	100.00				
Extra Wide Double Door (Approximately 75")	150.00				
Additional Dark Plexiglass Security Window	65.00				
Pressure Treated Ramp — Single or Double	75.00				
Pressure Treated Extra Wide Double Ramp	125.00				
Custom Framed Pool Filter Hole	75.00				
Storage Loft (Lofts are 4 feet wide) Gambrel Roof Only	40				
8' x 4'	80.00				
10' x 4'	100.00				
12' x 4'	120.00				
Partitions (Partitions are 6 feet high)					
8' x 6'	125.00				
10' x 6'	150.00				
12' x 6'	175.00				
Arbortex [™] Sealer & Stain (cost per gallon)	29.95				



LIMITED WARRANTY

With proper maintenance, Post Woodworking, Inc. warranties your building to maintain structural integrity for at least ten years and expects your building to last a full lifetime and more. we expect that when we have been gone a hundred years, many of our buildings will still be standing all over the United States. This warranty does not include doors and windows (for obvious reasons) or any building that has been altered in any way. The roof shingles are warranteed for 20 years against leakage (natural disasters, damage by accident or neglect are excluded). Post Woodworking, Inc., gives no other guarantee expressed or implied, either oral or written.

POST WOODWORKING, INC.

163 Kingston Road • Danville, NH 03819 1-866-PWI-SHED (794-7433) • 1-800-537-0053 Fax: (603) 382-3087

> www.postwoodworking.com sheds@ttlc.net

799	410 +300 Harry
C.	Order #:
9 0053	Delivery Date:

Delivery Crew:

Acct. #:	Date:	20
Sold To:		

sheds@ttlc.net							Phone: Day		Night			
							Email:					
Size	Roof	Siding	No.	R	oof Color	Amount	Standard Styles					
	Shed	☐ Cedar ☐ T-111	☐ Vinyl		Brown		Available In These					
	Gambrel	Pine	Color:		Black		Sizes	T				
Model:				L	Gray							
Quantity	ntity Item Options				Cost		Gardner					
	Arbortex™ Wood Sealer and Stain				29.95		6'x8' & UP					
	☐ Cedartor	ne Barnwood Gray	Federal	Blue	(per gallon)		FII		LEFT END	RIGHT END		
	☐ Shed Bro	own 🗆 Redwood 🗆 A	Antique Gree	en								
	☐ Bar Harb	oor Gray 🗆 Brick Rec	I ☐ Sandsto	ne			Country Hamlet 6'x10' & UP					
		Door - Single (20") or	Double (62)	n\	100.00				+3			
		nal Door – Single (29") or Double (62")			150.00	-	─ │ ┃╚╝┼┼┤╚╝┃					
-	Extra Wide Double Door (75") Pressure Treated Ramp – Single or Double				75.00		Town & Country	_	FR	ONT		
	Pressure Treated Extra Wide Double Ramp				125.00		8'x12' & UP					
Additional Dark Plexiglass Security Window					65.00							
		amed Pool Filter Hole			75.00		Yard King	6				
	Storage Lo	ft (lofts are 4 feet wid	e) Gambrel	Only			8'x16' & UP					
	□ 8' - \$80	□ 10' - \$100 □ 12	2' - \$120				Storage King Style		В,	ACK		
	100	artitions are 6 feet hig			L.		Available In These Models					
	The state of the s	5 □ 10' - \$150 □	12' - \$175				In These Models					
	Other						(F)					
	Other						_ <u> [</u>	Ĺ_	-	000		
					Sub Total		Shed Roof 6'x8' & UP	NOTES:		OOR		
PE		THE CUSTOMER'S	S		Tax		6 X8 & UP	NOTES:				
	RESPO	NSIBILITY			Total		FT					
					Deposit							
Dealer Signat	ure:				Balance		Gambrel Roof					
Customer Sig	nature:			Delive	ry Charge		8'x8' & UP	ALL BUI	LDINGS SHIPPED A	S SHOWN IN BROCHURE		
				Bal	ance Due		VISA MANUCAIN CARE WER			FIED. INDICATE POSITION		

ALL BUILDINGS SHIPPED AS SHOWN IN BROCHURE UNLESS OTHERWISE SPECIFIED. INDICATE POSITION OF YOUR SELECTED OPTIONS AS YOU WOULD LIKE TO HAVE THEM INSTALLED.