


NOTES:

- IF FREE OF ORGANIC OR OTHER DELETERIOUS MATERIAL, EXCAVATED MATERIAL MAY BE USED FOR BACKFILL.
- IF NOT, PROVIDE CLEAN, COMPACTIBLE MATERIAL. COMPACT IN 8" LIFTS. REMOVE ANY LARGE ROCKS PRIOR TO BACKFILLING. CONTRACTOR TO VERIFY LOCATION OF EXISTING U/G UTILITIES PRIOR TO DIGGING.
- IF CURRENT AS-BUILT DRAWINGS ARE NOT AVAILABLE CONTRACTOR SHALL HAND DIG U/G TRENCHING.
- CONCRETE ENCASE CONDUIT WHEN TRENCHING UNDER SITE ACCESS ROAD.

JOINT SERVICE TRENCH BURIED CONDUIT (ELECTRIC/TELEPHONE)

SCALE: N.T.S.

1




NOTES:

- ICE BRIDGE SHALL BE SITE PRO GRIP STRUT TRANSMISSION LINE BRIDGE KIT (P/N: IB24B-T3) OR APPROVED EQUAL.
- ALL COMPONENTS SHALL BE INSTALLED ACCORDING TO MANUFACTURER'S SPECIFICATIONS.
- CONTRACTOR SHALL DETERMINE REQUIRED QUANTITY OF ALL ICE BRIDGE COMPONENTS.
- SNAP-IN HANGERS, SPLICE KITS, HINGE KITS, EXTENSION KITS, STIFFENERS, AND OTHER MISCELLANEOUS HARDWARE SHALL BE PROVIDED BY THE CONTRACTOR AS REQUIRED.
- ICE BRIDGE SHALL BE ROUTED TO ACCOMMODATE THE MINIMUM BENDING RADIUS OF THE COAXIAL CABLE.
- ICE BRIDGE COMPONENTS SHOWN ARE SCHEMATIC, CONSULT MANUFACTURER FOR EXACT AND CURRENT SPECIFICATIONS.

ICE BRIDGE DETAIL

SCALE: N.T.S.


2



BURIED COAX CHASE DETAIL

SCALE: N.T.S.

3



NOTES:

- MAINTAIN REQUIRED HYBRID CABLE BEND RADIUS.
- DO NOT REUSE ORGANIC OR DELETERIOUS MATERIALS OR LARGE ROCKS FOR BACK FILL.
- CONTACT DIG SAFE PRIOR TO TRENCHING.

COAX CHASE SECTION A-A

SCALE: N.T.S.

4



VERIZON WIRELESS
400 FRIBERG PARKWAY
WESTBOROUGH, MA 01581-3956

PORTLAND 6 ME

CONSTRUCTION DRAWINGS

| NO. | DATE | DESCRIPTION |
|-----|----------|---------------|
| 2 | 09/23/14 | FOR SUBMITTAL |
| 1 | 08/25/14 | FOR SUBMITTAL |
| A | 08/18/14 | FOR COMMENT |



Dewberry Engineers Inc.
280 SUMMER STREET
10TH FLOOR
BOSTON, MA 02210
PHONE: 617.895.3400
FAX: 617.895.3310



| | |
|-----------------|----------|
| DRAWN BY: | SK |
| REVIEWED BY: | MFT |
| CHECKED BY: | BBR |
| PROJECT NUMBER: | 50002925 |
| JOB NUMBER: | 50062235 |
| SITE ADDRESS: | |

25 CHURCH AVE
PEAKS ISLAND, ME 04108

SHEET TITLE

CONSTRUCTION
DETAILS - II

SHEET NUMBER

C-5