City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Location of Construction: Owner: Phone: 766-2636 Ann Hinderer Owner Address: Lessee/Buyer's Name: Phone: BusinessName: Permit Issued: Address: Phone: Contractor Name: COST OF WORK: PERMIT FEE: Proposed Use: Past Use: \$ 30.00 single family dame FIRE DEPT. Approved INSPECTION: Use Group \$ 2 Type: 5 5 ☐ Denied CBL: BOCA 96. Signature: Signature: Zoning Approval Proposed Project Description: PEDESTRIAN ACTIVITIES DISTRICT (PAID.) Action: Approved Special Zone or Reviews: Home Occupation Approved with Conditions: Shoreland Denied □Wetland □ Flood Zone □ Subdivision Signature: Date: ☐ Site Plan maj ☐minor ☐mm ☐ Date Applied For: Dec 30 1999 K Permit Taken By: Zoning Appeal □ Variance This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. ☐ Miscellaneous Building permits do not include plumbing, septic or electrical work. 2. ☐ Conditional Use Building permits are void if work is not started within six (6) months of the date of issuance. False informa-☐ Interpretation 3. □ Approved tion may invalidate a building permit and stop all work... ☐ Denied Historic Preservation ■Not in District or Landmark Does Not Require Review ☐ Requires Review Action: CERTIFICATION ☐ Appoved ☐ Approved with Conditions I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been ☐ Denied authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all Date: areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit Dec 30 1999 SIGNATURE OF APPLICANT ADDRESS: DATE: PHONE:

PHONE:

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

Other:	Plumbing:	Framing:	Type Foundation:	Inspection Record									COMMENTS
			Date										

BUILDING PERMIT REPORT I CBL: 687-4-62 /CONTRACTOR PERMIT APPLICANT CONSTRUCTION TYPE: The City's Adopted Bullding Code (The BOCA National Building code/1996 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993) CONDITION(S) OF APPROVAL This permit is being issued with the understanding that the following conditions are met: $m{x}$ This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A

24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."

- Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
- Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.

Precaution must be taken to protect concrete from freezing. Section 1908.0

It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.

- Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1.2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
- All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211

Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.

11. Guardrails & Handrails: A guardrail system is a system of building components located near the often sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". except Use Group R which is 36". In occupancies in Use Group A.B.H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38"). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/1" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway, (Section 1014.7)

Headroom in habitable space is a minimum of 7'6". (Section 1204.0)

13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/2" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)

14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4 (1)

15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)

16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)

17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)

18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

19.	All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City
	Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be
	installed and maintained at the following locations):
	 In the immediate vicinity of bedrooms
	- In all bedrooms
	 In each story within a dwelling unit, including basements
20.	A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
	(Section 921.0)
21.	The Fire Alarm System shall maintained to NFPA #72 Standard.
	The Sprinkler System shall maintained to NFPA #13 Standard.
	All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the
	City's Building Code. (The BOCA National Building Code/1996)
24.	Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any
	street or sidewalk from the time of November 15 of each year to April 15 of the following year.
25.	The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a
	design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection
	Services.
26.	Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & anics).
	All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all
	electrical (min. 72 hours notice) and plumbing inspections have been done.
28.	All requirements must be met before a final Certificate of Occupancy is issued.
29.	All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building
	Code/1996).
30.	Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical
31,	Code/1993). (Chapter M-16) Please read and implement the attached Land Use Zoning report requirements. See Attached Regions sutting and notching shall be done in accordance with Sections 2305 2, 2305 2, 1, 2305 4,4 and 2305 51) of the Circle Residing Code.
32.	Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.511 of the City's Building Code.
33.	Bridging shall comply with Section 2305.16.
	Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2405.0)
35.	All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1996).

P. Samuel Voor Assisting Inspector

Samuel Voor Assisting Inspector

Narge Schpruckal, Zoning Administrator

P21111/2528

"On the basis of plane submitted and conditions placed on these plans any deviations shall require a separate approval

...THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.

****CERTIFICATE OF OCCUPANCY FEE \$50.00

LAND USE - ZONING REPORT

4155	RESS: 227 I Sland AUC DATE: 12/30/99
ADD:	DATE: 12/30/ U
REAS	ON FOR PERMIT: Home Occupation
BUIL	DING OWNER: Ann Hiwher CB-1: 87-7-2)
PERN	OT APPLICANT:
APPR	OVED: with and in 9 DENTED:
***()	# Z , # & CONDITION(S) OF APPROVAL
	This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.
3)	During its existence, all aspects of the Horne Occupation criteria, Section 14-410, shall be maintained.
3.	The footprint of the existing shall not be increased during maintenance reconstruction.
4.	All the conditions placed on the original, previously approved, permit issued on
5.	ere still in effect for this amendment.
<i>J</i> .	Your present structure is legally noncorforming as to rear and side setbacks. If you were to demolish the building on your own volition, you will <u>not</u> be able to maintain these same
	setbacks. Instead you would need to meet the zoning setbacks set forth in today's
	ordinances. In order to preserve these legally non-conforming setbacks, you may only
6.	rebuild thein place and in phases.
o.	This property shall remain a single family dwelling. Any change of use shall require a separate permit application for review and approval.
7.	Our records indicate that this property has a legal use of units. Any change
8.	in this approved use shall require a separate permit application for review and approval.
	Separate permits shall be required for any signage, under low occupation quite le
9. 10.	Separate permits shall be required for future decks, sheds, pool(s), and/or garage. This is not an appropriate an additional deadline and the shall not add any additional decisions.
10.	This is <u>not</u> an approval for an additional dwelling unit. You shall not add any additional kitchen equipment, such as atoves, microwaves, refrigerators, or kitchen ainks, etc.
	without special approvals.
Π_{i}	Other requirements of condition
i I	
	-
 	Maria Sala Fil
	Marge Schmuckal, Zoning Administrator

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application Additions/Alterations/Accessory Structures To Detached Single Family Dwelling

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted. Location/Address of Construction Tax Assessor's Chart, Block & Lot Number Telephone: -2636 Blocks Lessee/Buyer's Name (If Applicable) Owner's Addr Cost Of Work: Home accupation Contractor's Nume, Address & Telephone Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation. It construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art H. All plant-ling must be conducted in compliance with the State of Maine Plumbing Code. All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III. HVAC(Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code. You must Include the following with you application: 1) A Copy of Your Deed or Purchase and Sale Agreement 2) A Copy of your Construction Contract, if available 3) A Plot Plan (Sample Attached) If there is expansion to the structure, a complete plot plan (Site Plan) must include: The shape and dimension of the lot, all existing buildings (if any), the proposed senses of all the lot, all existing buildings (if any), the proposed senses of all the lot, all existing buildings (if any), the proposed senses of all the lot, all existing buildings (if any), the proposed senses of all the lot, all existing buildings (if any), the proposed senses of all the lot, all existing buildings (if any), the proposed senses of all the lot, all existing buildings (if any), the proposed senses of all the lot, all existing buildings (if any), the proposed senses of all the lot, all existing buildings (if any), the proposed senses of all the lot, all existing buildings (if any), the proposed senses of all the lot, all the property lines. Structures include decks porches, a bow windows cantilever sections and roof overtiants, as well as sheds, pools, garages and any other accessory structures. OEC 3 () 1999 Scale and required zoning district setbacks 4) Building Plans (Sample Attached) [1] A complete set of construction drawings showing all of the following elements of

Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)

- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout, Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the cod

coces appus	aose to tuis permit.	\sim	<u>. f</u>			
Signatu	re of applicant:	Din-12	Hanlerer	Date: /೭/	29/	97
	Building Permit Fee: \$30	0.00 for the 1st \$1000	Lost plus \$6.00 per \$1,0	000.00 construction	cost,there	eafter.

page one of two

227 Island Avenue Peaks Island, Maine 04108-1169 December 29,1999

re: Home Occupation Application To Whom it May Concern:

I am requesting a permit to allow me the use of my residence at 227 Island Avenue, Peaks Island, Maine for a home occupation. I intend to have a small craft business making greeting cards, standled and hand printed shirts, holiday crafts and baskets for craft fairs and to place in gift shops locally.

The following is an explanation of how my home occupation meets the criteria listed under item one. In effect, my work will be making handmade crafts which I understand to be an acceptable home occupation listed under item two of section 14-410 of the City of Portland code. Listed below is information requested;

- a. My home occupation will occupy approximately 1 percent of the floor area in the residence. 1/1/5 165 by 655 Thom 500 P i less Thom 1/4
 - b.No goods will be stored, displayed, or visible from outside my residence.
- c.Storage of materials necessary to perform the work of my craft business is minimal and included in the number of feet of floor space mentioned above.
 - d.There will be no external signage relating to my home occupation.
 - e. No exterior alterations to the building are necessary.
- f. Since I will not be meeting customers at my residence, no additional parking is necessary.
 - g. No objectional effects will result from my home occupation.
 - h.l will not require the services of any emplyees.
- i.Since I will not be meeting customers at my residence, no additional traffic will be generated.
- j.No vahicles even nearing a weight of six thousand(6,000) pounds are necessary for my home occupation.

December 29,1999
page two of two
re: Home Occupation Application(continued)

Therefore, my home occupation is a secondary and incidential use of my residence. The external activity level and impact is negligible and in keeping with the residential character of the neighborhood.

Attached you will find a copy of a floor plan of my residence showing the dimensions of the home occupation space. My husband, William R. Hinderer, Jr. and I are joint owners of the residence.

Thank you for your assistance in this matter. Your consideration of my application is appreciated.

Respectfully yours,

Ann & William Hinderer 227 Island Ave Peaks Island, ME 04108 Sque fee Island Ary Peak To. Master Bodrom Mall 50 thrown Middle Rum 24 111 Daughters hall Korm = sprivare. Deck bunstairs 9 Ming Rum 141 Husband's Close Living Room 13/ 5×51 141-> Porch