NOTES:

1.) MECHANICAL, ELECTRICAL, AND PLUMBING SPECIFICATIONS AND PERMITS BY OTHERS, TO CODE.
2.) PROVIDE HARD-WIRED SMOKE AND CARBON MONOXIDE ALARMS IN LOCATIONS NOTED.
3.) REUSE EXISTING OUTLET AND LIGHTING LOCATIONS WHERE POSSIBLE. (EXCEPTIONS TO LIGHTING PLAN TO BE INDIVIDUALLY APPROVED)
5.) ENSURE THAT ALL DIMMER SWITCHES, LIGHT FIXTURES AND BULBS ARE COMPATIBLE.

EXISTING WALLS
NEW WALLS

A Proposed Power Plan

NOTES:

	DUPLEX RECEPTACLE		3-WAY SWITCH		CEILING MOUNT LIGHT FIXTURE		PENDANT LIGHT FIXTURE		UNDER-COUNTER LIGHTS		CEILING FAN WITH INTEGRAL LIGHT		PHONE JACK
GFI	GROUND FAULT CIRCUIT INTERUPTER	D	DIMMER SWITCH		WALL SCONCE LIGHT FIXTURE	RC	RECESSED CAN LIGHT FIXTURE		TRACK LIGHTING		CEILING FAN	DSL	DSL JACK
240	240 V	SD	SMOKE DETECTOR		LOW PROFILE WALL SONCE LIGHT FIXTURE	FC	COMPACT FLUORESCENT RECESSED CAN LIGHT	$	LOCALLY SWITCHED CLOSET RATED LIGHT			C	CABLE JACK
$	SWITCH	CO	CARBON MONOXIDE DETECTOR	WL	WET LOCATION WALL SONCE LIGHT FIXTURE	LED	3" LED RECESSED CAN LIGHT				MINIMUM 50 CFM VENT FAN	C5	CAT 5 JACK
											MINIMUM 50 CFM VENT FAN/LIGHT COMBO	CV	CENTRAL VACUUM PORT

STATE OF MAINE
ANDREW M. JACKSON
No. 13082
LICENSED
PROFESSIONAL ENGINEER

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 01/09/18

Rachel Conly Design LLC
26 Sterling Street
Peaks Island, Maine 04108
207.766.5625

NOTES
PERMIT SET

DATE 2017.11.28
REVISED

1/4" = 1'

PROJECT
Gilbert Residence
141 Island Avenue, #3
Peaks Island, ME

E1

Proposed Power Plan