DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK



This is to certify that

CITYVIEW LLC /Bill Flynn

Located at

61 UPPER A ST, Peaks Island

PERMIT ID: 2013-02691

ISSUE DATE: 01/30/2014

CBL: 087 II032001

has permission to Second floor remodel/addition (within existing footprint) - adding dormers in front & adding full second floor in rear

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise clsoed-in. 48 HOUR NOTICE IS REQUIRED.

A final inspection must be completed by owner before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

N/A

/s/ Tammy Munson

Fire Official

Building Official

THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY THERE IS A PENALTY FOR REMOVING THIS CARD

Approved Property Use - ZoningSingle family

Building Inspections

Fire Department

PERMIT ID: 2013-02691 Located at: 61 UPPER A ST, Peaks Island CBL: 087 II032001

BUILDING PERMIT INSPECTION PROCEDURES Please call 874-8703 (ONLY)

or email: buildinginspections@portlandmaine.gov

Check the Status or Schedule an Inspection On-Line at http://www.portlandmaine.gov/planning/permitstatus.asp

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the city of Portland Inspections Services for the following inspections. Appointments must be requested 48 to 72 hours in advance of the required inspection. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that is attached to this permit!! Contact this office if you have any questions.
- Permits expire in 6 months. If the project is not started or ceases for 6 months.
- If the inspection requirements are not followed as stated below additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.
- Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC). One set of printed approved stamped construction documents shall be kept at the site of work and shall be open to inspection by building officials.

REQUIRED INSPECTIONS:

Close-in Plumbing/Framing Electrical - Residential Final Inspection

The project cannot move to the next phase prior to the required inspection and approval to continue, REGARDLESS OF THE NOTICE OF CIRCUMSTANCES.

IF THE PERMIT REQUIRES A CERTIFICATE OF OCCUPANCY, IT MUST BE PAID FOR AND ISSUED TO THE OWNER OR DESIGNEE BEFORE THE SPACE MAY BE OCCUPIED.

City of Portland, Maine - Building or Use Permit

389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716

Permit No: 2013-02691

Date Applied For: 12/06/2013

CBL:

087 II032001

Proposed Use:

Single Family

Proposed Project Description:

Second floor remodel/addition (within existing footprint) - adding dormers in front & adding full second floor in rear

Dept: Zoning Status: Approved w/Conditions Reviewer: Ann Machado Approval Date: 01/13/2014

Note: IR-1 Zone Ok to Issue: ✓

Front - 30' min. - 18.25' - nonconforming

Rear - 30' min.- ok for house Side yard - 20' min. - ok

Lot coverage - 20% = 2700 sf footprint not changing

max. height - 35' - 20 to ridge - ok

using section 14-436(b) - 80% 1st floor footprint = 1023 sf - adding 217.5 sf rear addition & two front gablle

dormers) - 217.5/1023 = 21.3% increase in floor area

Conditions:

1) This property shall remain a single family dwelling. Any change of use shall require a separate permit application for review and approval.

2) This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.

Dept: Building Status: Approved w/Conditions Reviewer: Tammy Munson Approval Date: 01/30/2014

Note: Ok to Issue: ✓

Conditions:

1) Hardwired photoelectric interconnected battery backup smoke detectors shall be installed in all bedrooms, protecting the bedrooms, and on every level.

The same is required for existing buildings, where permanent wiring is feasible; or at the very least battery operated smoke detectors are required. Verification of this will be upon inspection.

- 2) Separate permits are required for any electrical, plumbing, sprinkler, fire alarm, HVAC systems, heating appliances, including pellet/wood stoves, commercial hood exhaust systems and fuel tanks. Separate plans may need to be submitted for approval as a part of this process.
- 3) Egress size windows are required (1) in each bedroom per IRC Sec. R310
- 4) There must be a 2" clearance maintained between the chimney and any combustible material, with draft stopping per code at each level.
- 5) Carbon Monoxide (CO) alarms shall be installed in each area within or giving access to bedrooms. That detection must be powered by the electrical service (plug-in or hardwired) in the building and battery.
- 6) This permit is approved based upon information provided by the applicant or design professional. Any deviation from the final approved plans requires separate review and approval prior to work.