City of Portland, Maine - E	Building or Use l	Permit	Application	Permit No:	Issue Date:	CBL:	
389 Congress Street, 04101 Te				10-0628		087 NN	004001
Location of Construction:	Owner Name:		[0	Owner Address:		Phone:	
14 CENTENNIAL ST PEAKS IS	L ZIMMERMAN	N WILL	IAM B & PA	PO BOX 7637			
Business Name:	Contractor Name		(Contractor Address:		i i	3-7650
	Bill Bunton			87 Middle Road C	Cumberland	20777401	1
Lessee/Buyer's Name	Phone:		I	Permit Type:			Zone:
				Single Family			JR-2
Past Use:	Proposed Use:			Permit Fee:	Cost of Work:	CEO District:	
Single Family Home - see permit	Single Family			\$2,595.00	\$250,000.00	1	
#10-0843	story wood fra			FIRE DEPT:		ECTION:	
	two sheds, one 12' which will			∧ ()□	Denied Use G	froup: <i>R-3</i>	Type: SD
	the 15' side set				////	TPC.	Type: 5B 2003
	heina demolisi	ned afte	rwarde -				1
Proposed Project Description: build new 2 story wood frame ho	O mamait tava ah	ada an	2 101 v 121 fr	Si di	Signat		
one 8' x 12' which will be relocate				Signature: / PEDESTRIAN ACT	(VITIES DISTRICT)		
being demolished afterwards - pe							Danied
				Action: Appro-	ved Approved v	v/Conditions	Denied
				Signature:		Date:	
Permit Taken By: Da	te Applied For:			oning	Approval		
ldobson	06/03/2010			-			
1. This permit application does		Spe	cial Zone (C) (C) (C) (C) (C) (C) (C) (C	Zoni	ng Appeal	Historic Pres	
Applicant(s) from meeting a	pplicable State and	IJ S¹	· · (ngle)	, , , , , , , , , , , , , , , , , , ,	e	Not in Distri	ct or Landmark
Federal Rules.			() () () ()	9 ×			
2. Building permits do not incl	ude plumbing,	L	NO W	2017	ous	☐ Does Not Re	quire Review
septic or electrical work.				GOV airi	onal Use	Requires Re	view
3. Building permits are void if within six (6) months of the		Fi	in selvi	, aduti	onai Ose	☐ Kequites Ke	VICW
False information may inval			ıbdiv	☐ Interpre	etation	Approved	
permit and stop all work	8		JUGIY		A.L.I.O.I.		
		Si	te Plan	☐ Approv	ed	Approved w	/Conditions
PERMIT ISS	SUED	3	1010-0013				
		Maj	Minor MM	Denied		Denied	
	210	l or.	ulceral.h.			ABI	<u>'</u> ^
AUG - 3 20)!()	Date:	vicand-horiz	Date:		Date:	
City of Portla	and						
		(CERTIFICATIO	ON			

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

SIGNATURE OF APPLICANT	ADDRESS	DATE	PHONE
RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE		DATE	PHONE

9-21-10
ongue Condition sheet not w/ permis reprinted fin 6. Drive
Spoko with Bill re Surveyor surveyor will sent letter ganglian re
Set backs

Surger letter ReQuires Before Best fill. -Setbacks counsed be confirmed habe at 48" depth sout

2-24-11 DWM BILL Bunton 653-7650 Dave Madiallians.

Arch BILL Immerman Plumbing vent breaks horsental

Peter below 6"above flood vim level, Island waste a vent
incomplete, free block walls at dropoeilings, Provide revised plans

3-10-11 DWM BIII Bunton BIII 2 Immerman Corrections
made except a four review of revised plans The following is noted
There are no metal connectors in The autic as the plan regulars
Center post is 3,5 x 3,5 versalam, plans cull for 4x6
Soructural Engineer to review electrical take in versalam post.

4-12-11 Day M Reid Structural Engineers substantial

9-1-11 DWM Bill, Vim Final Fall 11-10-11 DWM BILL, Vim Final Pass



Certificate of Occupancy



CITY OF PORTLAND, MAINE

Department of Planning and Urban Development Building Inspections Division

Location: 14 CENTENNIAL ST

CBL: 087-NN-004-001

Issued to: WILLIAM B & PATTY T ZIMMERMAN JTS

Date Issued: 11/10/2011

This is to certify that the building, premises, or part thereof, at the above location, built-altered-changed as to use under Building Permit No. 2011-02-407-UI, has had a final inspection, has been found to conform substantially to the requirements of the Building Code and the Land Use Code of the City of Portland, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

Entire House

APPROVED OCCUPANCY
Use Group R-3, Type 5B, IRC 2003

Approved:

11-10-2011

(Date)

Inspector

Inspections Division Director

Notice: This certificate identifies the legal use of the building or premises, and ought to be transferred from owner to owner upon the sale of the property.



Certificate of Occupancy



CITY OF PORTLAND, MAINE

Department of Planning and Urban Development **Building Inspections Division**

Location: 14 CENTENNIAL ST

CBL: 087-NN-004-001

Issued to: WILLIAM B & PATTY T ZIMMERMAN JTS

Date Issued: 11/10/2011

This is to certify that the building, premises, or part thereof, at the above location, built-altered-changed as to use under Building Permit No. 2011-02-407-UI, has had a final inspection, has been found to conform substantially to the requirements of the Building Code and the Land Use Code of the City of Portland, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

Entire House

APPROVED OCCUPANCY

Use Group R-3, Type 5B, IRC 2003

Approved:

11-10-2011 (Date)

Inspections Division Director Notice: This certificate identifies the legal use of the building or premises, and ought to be transferred from owner to owner upon the sale of the property.



April 4, 2011

Mr. Jim Greenwell 158 Island Avenue Peaks Island, ME 04108 87NN 5

Reference:

Framing Observation at Rose Cottage 14 Centennial Street Peaks Island Portland, Maine

Structural Integrity Job Number: 10-0037.1

Dear Jim,

This letter is to confirm that a representative of this office visited the above referenced site on 3/22/11 to observe the completed framing for the new cottage.

Based on our observations, along with instructions to the contractor and photos we are of the opinion the framing has been complete in substantial conformance to the construction documents.

Sincerely,

Aaron C. Jones, P.E., SECB, LEED AP

Havon Cham

President

766-2509

AARON C. **JONES** No. 10968

APR - 6 2011

Dept. of Building Inspections City of Portland Maine

Form # P 04

DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK

CITY OF PORTLAND

Please Read Application And Notes, If Any, Attached

BUILDING INSPECTION

PERMIT

PERMINIMPE GOLED

This is to certify thatZIMMERMAN WILL	IAM B & PATTY T ZIMMERMAN ITS/BIII
has permission tobuild new 2 story was	frame house & normit two dhade one 10 y 121 & one 91 y 121 which in
provided that the person or pers	ons, firm or corporation accepting this permit shall comply with
of the provisions of the Statutes	of Maine and of the Ordinances of the City of Portland regulati
the construction, maintenance a this department.	nd use of buildings and structures, and of the application on file
Apply to Public Works for street line and grade if nature of work requires such information.	Not fication of inspection must be given and written permission procured before this building or part thereof is lathed or otherwise closed-in. 24 HOUR NOTICE IS REQUIRED. A certificate of occupancy must be procured by owner before this building or part thereof is occupied.
OTHER REQUIRED APPROVALS Fire Dept.	
Health Dept	
Appeal Board	
OtherDepartment Name	
	NALTY FOR REMOVING THIS CARD



Original Receipt

	-		<u> </u>	20 /)
Received from				
Location of Work		- The later		× 1
Cost of Construction	\$	Buildin	g Fee:	2030
Permit Fee	\$	Site	Fee:	
	Certificat	e of Occupancy	Fee:	75
		T	otal:	22/
Building (IL) Plum	bing (I5) {	Electrical (I2)	Site Pla	an (U2)
DBL: 2 2 4 1/				
Check #:		Total Collec	cted \$_	<u> </u>

No work is to be started until permit issued. Please keep original receipt for your records.

Taken by:	4//		
-		and a second	_

WHITE - Applicant's Copy YELLOW - Office Copy PINK - Permit Copy

BUILDING PERMIT INSPECTION PROCEDURES

Please call 874-8703 or 874-8693 (ONLY)

or email: buildinginspections@portlandmaine.gov

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the City of Portland Inspection Services for the following inspections. Appointments must be requested 48 to 72 hours in advance of the required inspection. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that is attached to this permit!! Contact this office if you have any questions.
- Permits expire in 6 months, if the project is not started or ceases for 6 months.
- If the inspection requirements are not followed as stated below additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue with construction.

X	Footing/Building Location Inspection: Prior to pouring concrete or setting precast piers
X	Foundation Inspection: Prior to placing ANY backfill for below grade occupiable space
<u>X</u>	Framing/Rough Plumbing/Electrical: Prior to Any Insulating or drywalling
<u>X</u>	Final/Certificate of Occupancy: Prior to any occupancy of the structure or use. NOTE: There is a \$75.00 fee per inspection at this point.

The project cannot move to the next phase prior to the required inspection and approval to continue, REGARDLESS OF THE NOTICE OR CIRCUMSTANCES.

IF THE PERMIT REQUIRES A CERTIFICATE OF OCCUPANCY, IT MUST BE PAID FOR AND ISSUED TO THE OWNER OR DESIGNEE BEFORE THE SPACE MAY BE OCCUPIED.

CBL: 087 NN004001

Buildina Permit #: 10-0628

C:	(A., (C.37) 41 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							
	ty of Portland, Maine - Buil				Permit No: 10-0628	Date Applied For:	CBL:	
	9 Congress Street, 04101 Tel: (207) 87			06/03/2010	087	7 NN004001
	cation of Construction:	Owner Name:			Owner Address:		Phone	:
	CENTENNIAL ST PEAKS ISL	ZIMMERMAN WILL	JAM B		PO BOX 7637			
Bus	siness Name:	Contractor Name:		- [Contractor Address:		Phone	
		Bill Bunton			87 Middle Road C	umberland	(207	774-0111
Les	see/Buyer's Name	Phone:		1	Permit Type:			
	Single Family							
1	posed Use:			Propose	d Project Description:			
pe rel	ngle Family Home - build new 2 st rmit two sheds, one 10' x 12' & one located to meet the 15' side setback terwards - permit #10-0843)	e 8' x 12' which will be		12'&	one 8' x 12' which	rame house & perm will be relocated to demolished afterwa	neet the	e 15' side
D	ept: Zoning Status: A	approved with Condition	s Re	viewer:	Ann Machado	Approval D	ate:	07/02/2010
N	ote:						Ok to	Issue: 🟏
1)	This permit is being issued with t side setback. At this point it is 14	he condition that the she I' from the side property	d (8" x line.	12') on 1	the left side of the p	property be relocated	d to med	et the 15'
2)	As discussed during the review prequired sethacks must be establis located by a surveyor.	rocess, the property mus shed. Due to the proximi	t be clea ty of the	rly iden setback	tified prior to pour as of the proposed :	ing concrete and constructure, it may be i	nplianc required	e with the I to be
3)	This property shall remain a single occupancy is issued for the new h	le family dwelling. The electronic course. Any change of us	existing : e shall r	single fa equire a	imily home must be separate permit ap	e demolished before plication for review	the cer	tificate of proval.
4)	This permit is being approved on work.	the basis of plans submi	tted. Ar	ıy devia	tions shall require	a separate approval	before s	starting that
	•	approved with Condition	s Re	viewer:	Tammy Munson	Approval D	ate:	08/03/2010
l	ote:							Issue: 🗸
1)	Hardwired interconnected battery every level.	backup smoke detectors	s shall be	e installe	ed in all bedrooms,	proteeting the bedro	oms, a	nd on
2)	The design load spec sheets for an	ny engineered beam(s)/	Trusses	must be	submitted to this o	office.		
3)	Separate permits are required for pellet/wood stoves, commercial h part of this process.	any electrical, plumbing ood exhaust systems and	, sprinkl I fuel tar	er, fire anks. Sep	alarm HVAC syste arate plans may ne	ems, heating applianced to be submitted for	ces, incl or appro	luding oval as a
4)	Application approval based upon and approrval prior to work.	information provided by	/ applica	nt, Any	deviation from app	proved plans require	s separa	ate review
5)	5) Those building a new single family dwelling shall install a CO detector in each area within or giving access to bedrooms. That detection must be powered by the electrical service in the building and battery.							

Dept: DRC Status: Approved with Conditions Reviewer: Philip DiPierro Approval Date: 07/27/2010

Note: Ok to Issue:

- 1) 11. All existing vegetation on site shall be saved and/or protected during construction to the greatest extent practicable.
- 2) 10. Erosion and Sedimentation control shall be established and inspected by the Development Review Coordinator prior to soil disturbance, and shall be done in accordance with Best Management Practices, Maine Department of Environmental Protection Technical and Design Standards and Guidelines. All Erosion and Sedimentation control measures must be inspected and maintaned daily.
- 3) All Site Work will conform to the City of Portland ordinance on Shoreland Regulations (Division 26).
- 4) NO CHANGE IN GRADING IS PROPOSED. ANY CHANGE IN TOPOGRAPHY SHALL REQUIRE ADDITIONAL REVIEW AND APPROVAL BY THE CITY.

Location of Construction:	Owner Name:		Owner Address:	Phone:
			PO BOX 7637	
Business Name:	Contractor Name:		Contractor Address:	Phone
	Bill Bunton		87 Middle Road Cumberland	(207) 774-0111
Lessee/Buyer's Name	Phone:		Permit Type:	
]	Single Family	_

- 5) The Development Review Coordinator reserves the right to require additional lot grading or other drainage improvements as necessary due to field conditions.
- 6) A street opening permit(s) may be required for your site. Please contact Carol Merritt ay 874-8300, ext. 8822. (Only excavators licensed by the City of Portland are eligible.)
- 7) A sewer permit is required for your project. Please contact Carol Merritt at 874-8300, ext. 8822. The Wastewater and Drainage section of Public Services must be notified five (5) working days prior to sewer connection to schedule an inspector for your site.
- 8) All damage to sidewalk, curb, street, or public utilities shall be repaired to City of Portland standards prior to issuance of a certificate of occupancy.
- 9) The Development Review Coordinator (874-8632) must be notified five (5) working days prior to date required for final site inspection. Please make allowances for completion of site plan requirements determined to be incomplete or defective during the inspection. This is essential as all site plan requirements must be completed and approved by the Development Review Coordinator prior to issuance of a Certificate of Occupancy. Please schedule any property closing with these requirements in mind.
- 10 Two (2) City of Portland approved species and size trees must be planted on your street frontage prior to issuance of a Certificate of Occupancy.
- 11 All Site work (final grading, landscaping, loam and seed) must be completed prior to issuance of a certificate of occupancy.

Comments:

6/8/2010-amachado: Need to do a little more research before call architect.

6/9/2010-amachado: Spoke to Gerald Weinand. Need full size scalable plans. He said that the owners wanted to use the same footprint but raise the roof on the gable part, relocate the footprint, flipping it 180 degrees & rotate it to be parallel with the road. I told him that rebuilding a legally nonconforming structure means keeping the same shell. He asked about section 14-436(a) but I said that had restrictions with raising the roof etc. We talked about using the averge of the yards on either side on Centennial to be able to slide the building forward and meet the 25' rear setback. If this works then could build the proposed building and not be constrained by section 14-436. We would need a chain of title. He said that he would get back to me.

6/14/2010-amachado: Received revised siteplan & scalable building plans on June 11, 2010. Proposed house is now meeting the average front yard setback. Spoke to Gerald Weinand. Need copy of the notices to abutters regarding the demolition. Need deed going back to July 1985 to show that lot of record. Need complete siteplan that shows all the requirements for a new single family home. Need to permit two existing sheds and bring them into compliance.

6/22/2010-amachado: Received Chain or title for 087 NN004 & 005. Received copy of demo letter to abutters.

7/1/2010-gg: received additional site plans as of 06/29/2010. Site plans are with permit, gave to Ann. /gg

7/2/2010-amachado: Spoke to Gerald Weinand. Site plan needs to show that lot 8 is part of the property. The two sheds need to be permitted and the 10' x 12' shed needs to be relocated to meet the 15' side yard setback.

7/9/2010-amachado: Received revised siteplan including lot #8 as part of the plan. Also the plan indicates that the shed will be relocated to meet the setbacks. Spoke to contractor at the counter. The owner is going to separate the application into a demo permit and the new single family home permit.

7/16/2010-amachado: Received separate demolition permit for the property.

16 College Avenue Gorham, Maine 04038 Phone (207) 839-2090 Fax (207) 839-6361

Northeastern Land Surveying

October 3, 2010

City of Portland Building Inspections Division 389 Congress Street Portland, Maine 04101

Dear Sir or Madam:

On October 3, 2010, Northeastern Land Surveying performed an onsite inspection of the property owned by William and Patty Zimmerman at 14 Centennial Street on Peaks Island and further designated as lots 4, 5 and 8 on the City of Portland tax map 87, section NN.

We found the southeasterly corner of the existing concrete foundation to be 49.69' from the southerly boundary line of the property and 8.33' from Centennial Street, the northeasterly corner to be 8.40' from Centennial Street, and the northwest corner to be 25.23' from City View Road.

Sincerely,

Gene Schleh, PLS 2063

President

Northeastern Land Surveying

jjs

CITY OF PORTLAND, MAINE DEVELOPMENT REVIEW APPLICATION PLANNING DEPARTMENT PROCESSING FORM

Zoning Copy

2010-0013 Application I. D. Number

			zoning copy	• •
Zimmerman William B & Marge Sch			arge Schmuckal	6/3/2010
Applicant		300 100 100 100 100 100 100 100 100 100	-	Application Date
Po Box 7637 , Yo	ork , PA 17404			Single Family Home
Applicant's Mailin		A control of the cont	-	Project Name/Description
Bill Bunton			14 - 14 Centennial St	
Consultant/Agent			Address of Proposed S	Site
Agent Ph: (207)6		Agent Fax:	087 NN004001	
Applicant or Agen	nt Daytime Telep	hone, Fax	Assessor's Reference:	Chart-Block-Lot
Proposed Develop	pment (check all	l that apply): 📝 New Building 🔃	Building Addition	Of Use 📝 Residential 🗌 Office 🔲 Retai
Manufacturir	ng 🔲 Warehou	use/Distribution	Apt 0 Condo 0 0	Other (specify)
Proposed Building	g square Feet or	# of Units Acreage of Site	Proposed Total Disturbed Area	of the Site Zoning
heck Review R	equired:			☐ Design Review
☐ Site Plan (ma	ajor/minor)		☐ Subdivision # of lots	DEP Local Certification
_ ☐ Amendment to	o Plan - Board R	eview Zoning Conditional - ZBA	Shoreland Histo	rio Proconyction
_	Plan - Staff Re	Lucas de la constant		d Henry
_		AICAA		Troubing Replacement
After the Fact	· ·			ic Movement
After the Fact	- Minor		PAD Review 14-40	03 Streets Review
ees Paid: Si	ite Plan	\$50.00 Subdivision	Engineer Review	\$250.00 Date 6/3/2010
Zoning App	oroval Stat	tus:	Reviewer	
Approved		Approved w/Conditions See Attached	☐ Deni	ied
Approval Date		Approval Expiration	Extension to	Additional Sheets
Condition Con	npliance			Attached
_	·	signature	date	· · · · · · · · · · · · · · · · · · ·
erformance Gu	arantee	Required*	☐ Not Required	
No building perm	nit may be issue	d until a performance guarantee has	been submitted as indicated belo	ow .
☐ Performance (Guarantee Acce	nted		
] i dilaimanaa (oudramoo 7 tooo	date	amount	expiration date
Inspection Fee	- Paid		amount	Sapiration date
] mapeonon ree	o r alu	date	amount	
Duilding Do	it loous	dato	amount	
Building Permi	IL ISSUE	date	The state of the s	
a David	O			
Performance (Guarantee Redu			
_		date	remaining bala	· ·
Temporary Ce	ertificate of Occu		Conditions (See At	
		date		expiration date
Final Inspection	on			
		date	signature	
Certificate Of 0	Occupancy			
		date		
Performance C	Guarantee Relea	ased		
		date	signature	•
Defect Guaran	itee Submitted			
Defect Guaran	itee Submitted	submitted date	amount	expiration date

date

signature

RECEIVED

JUN 2 2 2010

Dept. of Building Inspections City of Portland Maine

MEMORANDUM

TO: Gerald Weinand, Bill Zimmerman FROM: Brenda M. Buchanan, Esq.

RE: Chain of Title - Property of William B. and Patty T. Zimmerman at 14

Centennial Street, Peaks DATE: June 15, 2010

Following is the chain of title for the property at 12 Centennial Street, Peaks Island (Tax Map 87, Block NN, Lots 4 & 5). All Book/Page references are to the Cumberland County Registry of Deeds.

ZIMMERMAN, William B. and Patty T.

Book 26367, Page 101

September 29, 2008

? ? ?

GROEGER, Donald

Book 15828, Page 116

October 14, 2000

? ? ?

ESTATE OF LILLIAS M. W. GROEGER

Lillias R. Martin and Nano Scott Zachery

Co-Personal Representatives

? ? ?

Certificate and Abstract Book 15308, Page 3

January 26, 2000

? ? ?

GROEGER, Lillias M.W.

Donald W. died 9/11/79, Lillias M.W. surviving joint

tenant

? ?

?

GROEGER, Donald W. and Lillias M.W. as JT Book 4005, Page 233

April 29, 1977

?

TUNSTALL, Howard W. Jr. and Margaret A. Book 3258, Page 177

June, 1972

87-NN-008

William Pally Zimmerran 13412/283 10/1/97

Kathler I. MacPherson

7844/113

6124187

John Margaret Haydn

6/9/82

4970/213

(from Atlantic Federal Savings ! Loan)

\$7-M

WARRANTY DEEDBY 7844FG0113 Joint Tenancy
Maine Statutory Short Form

03'7048

Know all Men by these Presents,

Ulut John J. Hayden and Margaret K. Hayden

Portland

. County of Cumberland

. State of Maine

heling annuartied, for consideration paid, grant to

Kathleen I. HacPherson

Portland

, County of Cumberland

, State of Haine

whose mailing address is 23 Sheridan Street Portland, Maine 04101

with marranty covenants assisting assisting state land in Portland

, County of Cumberland

State of Maine, described as follows:

A certain lot or parcel of land with any buildings thereon described in Schedule A attached hereto and incorporated herein by reference.

And

THANKS AND SEATON BEAUTIFUL THE SEATON OF TH

Witness

hand sand seal shis

24th

day of the month of

June

. 19 87.

Bigued, Beuled aud Delivered

in presence of

State of Maine, County of Cumberland

Then personally appeared the above named

John J. Hayden

and acknowledged the foregoing instrument to be

his Before me,

free act and deed.

Printed Name: william P. Donley

Same 05 4970-213

AR Carried

Two certain lots or parcels of land with the buildings thereon, situated on the westerly side of Peaks Island within the limits of the City of Portland, County of Cumberland and State of Maine, bounded and described as follows:

PARCEL ONE: BEGINNING on the southwesterly side of Centennial Street at the southeasterly corner of the first lot of lard conveyed by Cornelia U. Fisher to Walter C. Brewer by deed dated January 2:, 1902 and recorded in Cumberland County Registry of Deeds, Book 712, Page 121; thence southwesterly along the southeast side of the said Brewer land 64.44 feet, more or less, to a contemplated street; therce southeasterly by said contemplated street, thirty (30) feet to a point; thence northeasterly at right angles with the last described line, and holding a distance of thirty (30) feet from said Brewer line 65.32 feet, more or less, to Centennial Street; thence northwesterly by said Centennial Street, thirty (30) feet to point of beginning.

PARCEL TWO: BEGINNING at a point on the westerly side line of said contemplated street, said point being the southeasterly corner of the second lot of land conveyed by Cornelia U. Fisher to Walter C. Brewer by deed dated January 22, 1902, and recorded in Cumberland County Registry of Deeds, Book 712, Page 121, and is marked by an iron pipe driven in the ground, said point being called Point No. 1; thence southerly along said westerly side of said contemplated street, eighty eight (88) feet to a point; said point being called Point No. 2; and from said two points to run by lines, to wit, from Point No. 1 by a line making an exterio: angle with the said westerly line of said contemplated street of 88° 33' neventy six (76) feet to a point; thence by a line making an angle to right with last described line of 5° 54', 101.25 feet, more or less, to the northerly side of the Fisher Wharf, so-called, and from said Point No. 2 by a line making an interior angle with the said westerly side line of said contemplated street of 91° 26', 181.68 feet to a point in the bulkhead built at the foot of the bank at about highwater mark, said line from No. 2 passes through an old stone monument set in the ground at the top of the bank at the shore.

Meaning and intending to convey and hereby conveying the same premises conveyed to grantors herein by deed of Atlantic Federal Savings and Loan Association dated June 9, 1982 recorded in said Registry of Deeds in Book 4970, Page 213.

RECORDED REC

1907 JUH 26 AH 10: 47

James J. Warsh

Date: 6)14/10 Applicant: William Timmerman C-B-L: 87- NN- 4,5:8 Address: 14 Centernial St. P.I. CHECK-LIST AGAINST ZONING ORDINANCE Date - old house built 1900 - deno lish it & build new sing he family home. Zone Location - TRA Interior or corner lot -Proposed Use Work - build new the sibry cothinge Servage Disposal - Chy Loi Street Frontage - 70 min - 156's war . Afront four Cerkmia 1 st. averge is 5.22 + 3.97 = 9.19 Front Yard - 26 or average of hart years make the lots. -Rear Yard . 25 min - 21's Non OD Side Yard - 20'min - 18. 5 on riskt. Scalado Sted # 1= (96 b) - front 4.6 min - P.5 1 cated -47' on left scatol*(60) -rear 10 min - 65's calcu Projections -4- side 15 mm - 14'sald Width of Lot - 80 min - 1921's caled Shed IF a = 1200 - Front 4.6 hon - 7.17 Height - 35 mx -2215 caled.

Lot Area - 20,000 4 min - lot of read 11,144 8 01 Lot Coverage Simpervious Surface - 20% of 11, 1444 = 2028.84 - 7550 proposed (OB) Area per Family - 1/A 5 mar (96 } 120) 95954 Off-street Parking - oxishy saved of w Loading Bays - NA Sile Plan - miror mor 2010 - 0013

Shoreland Zoning/Stream Protection - tood in shoreland but lot short well beyond 75 setback.

Flood Plains - pard 15- zare C

14 Centennial

Soil type/Presumptive Load Value (Table R401.4.1) Component Submitted Plan Findings/Revisions/Dates STRUCTURAL Footing Dimensions/Depth (Table R403.1 & R403.1(1), (Section R403.1 & R403.1.4.1) Foundation Drainage, Fabric, Damp proofing (Section R405 & R406) Ventilation/Access (Section R408.1 & R408.3) Crawls Space ONLY Anchor Bolts/Straps, spacing (Section R403.1.6) Lany Column Type (Section R407) Girder & Header Spans (Table R 502.5(2)) Built-Up Wood Center Girder Dimension/Type Sill/Band Joist Type & Dimensions First Floor Joist Species Dimensions and Spacing (Table R502.3.1(2)) Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2)) Attic or additional Floor Joist Species	THE PARTY OF THE PARTY ST	PLAN REVIEW	CHECKLIST
Component Structural Footing Dimensions/Depth (Table R403.1 & R403.1(1), (Section R403.1 & R403.1(1), (Section R405.2 R406) Ventilation/Access (Section R408.1 & R408.3) Crawls Space ONLY Anchor Bolts/Straps, spacing (Section R403.1.6) Lafty Column Type (Section R407) Girder & Header Spans (Table R 502.5(2)) Built-Up Wood Center Girder Dimension/Type Sill/Band Joist Type & Dimensions First Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(1) & Table R502.3.1(1) & Table R502.3.1(2) Attic or additional Floor Joist Species	ONE AND TWO FAMILY		CHECIMIO
STRUCTURAL Footing Dimensions/Depth (Table R403.1 & R403.1(1), (Section R403.1 & R403.1.4.1) Foundation Drainage, Fabric, Damp proofing (Section R405 & R406) Ventilation/Access (Section R408.1 & R408.3) Crawls Space ONLY Anchor Bolts/Straps, spacing (Section R403.1.6) Anchor Bolts/Straps, spacing (Section R407) Girder & Header Spans (Table R 502.5(2)) Built-Up Wood Center Girder Dimension/Type Sill/Band Joist Type & Dimensions First Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(1) & Table R502.3.1(2) Attic or additional Floor Joist Species			Findings/Revisions/Dates
Footing Dimensions/Depth (Table R403.1 & R403.1(1), (Section R403.1 & R403.1.4.1) Foundation Drainage, Fabric, Damp proofing (Section R405 & R406) Ventilation/Access (Section R408.1 & R408.3) Crawls Space ONLY Anchor Bolts/Straps, spacing (Section R403.1.6) Lady Column Type (Section R407) Girder & Header Spans (Table R 502.5(2)) Built-Up Wood Center Girder Dimension/Type Sill/Band Joist Type & Dimensions First Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2)) Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2)) Attic or additional Floor Joist Species	Component	Submitted Plan	Findings/Revisions/Dates
Footing Dimensions/Depth (Table R403.1 & R403.1(1), (Section R403.1 & R403.1.4.1) Foundation Drainage, Fabric, Damp proofing (Section R405 & R406) Ventilation/Access (Section R408.1 & R408.3) Crawls Space ONLY Anchor Bolts/Straps, spacing (Section R403.1.6) Lady Column Type (Section R407) Girder & Header Spans (Table R 502.5(2)) Built-Up Wood Center Girder Dimension/Type Sill/Band Joist Type & Dimensions First Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2)) Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2)) Attic or additional Floor Joist Species	STRUCTURAL		
(Table R403.1 & R403.1(1), (Section R403.1.4.1) Foundation Drainage, Fabric, Damp proofing (Section R405 & R406) Ventilation/Access (Section R408.1 & R408.3) Crawls Space ONLY Anchor Bolts/Straps, spacing (Section R403.1.6) Lawy Column Type (Section R407) Girder & Header Spans (Table R 502.5(2)) Built-Up Wood Center Girder Dimension/Type Sill/Band Joist Type & Dimensions First Floor Joist Species Dimensions and Spacing (Table R502.3.1(2)) Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(1) &		4-0 frost wall	
(Section R403.1 & R403.1.4.1) Foundation Drainage, Fabric, Damp proofing (Section R405 & R406) Ventilation/Access (Section R408.1 & R408.3) Crawls Space ONLY Anchor Bolts/Straps, spacing (Section R403.1.6) Latty Column Type (Section R407) Girder & Header Spans (Table R 502.5(2)) Built-Up Wood Center Girder Dimension/Type Sill/Band Joist Type & Dimensions First Floor Joist Species Dimensions and Spacing (Table R502.3.1(2)) Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(1) & Table R502.3.1(2)) Attic or additional Floor Joist Species			
Foundation Drainage, Fabric, Damp proofing (Section R405 & R406) Ventilation/Access (Section R408.1 & R408.3) Crawls Space ONLY Anchor Bolts/Straps, spacing (Section R403.1.6) Attic or additional Floor Joist Species Anchor Bolts/Straps, spacing (Section R408.1) Attic or additional Floor Joist Species Anchor Bolts/Straps, spacing (Section R408.1) Attic or additional Floor Joist Species		10+20 +0041ng	
(Section R405 & R406) Ventilation/Access (Section R408.1 & R408.3) Crawls Space ONLY Anchor Bolts/Straps, spacing (Section R403.1.6) Latty Column Type (Section R407) Girder & Header Spans (Table R 502.5(2)) Built-Up Wood Center Girder Dimension/Type Sill/Band Joist Type & Dimensions First Floor Joist Species Dimensions and Spacing (Table R502.3.1(2)) Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(1) & Table R502.3.1(1) & Table R502.3.1(2)) Attic or additional Floor Joist Species Actic or additional Floor Joist Species	(Decision 12, 10012 of 12, 11)	, ,	
(Section R405 & R406) Ventilation/Access (Section R408.1 & R408.3) Crawls Space ONLY Anchor Bolts/Straps, spacing (Section R403.1.6) Latty Column Type (Section R407) Girder & Header Spans (Table R 502.5(2)) Built-Up Wood Center Girder Dimension/Type Sill/Band Joist Type & Dimensions First Floor Joist Species Dimensions and Spacing (Table R502.3.1(2)) Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(1) & Table R502.3.1(1) & Table R502.3.1(2)) Attic or additional Floor Joist Species Actic or additional Floor Joist Species	Foundation Drainage, Fabric, Damp proofing	Sminage shown	
Anchor Bolts/Straps, spacing (Section R403.1.6) Latty Column Type (Section R407) Latty Column Type (Section R407) Girder & Header Spans (Table R 502.5(2)) Built-Up Wood Center Girder Dimension/Type Sill/Band Joist Type & Dimensions First Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(1) & Table R502.3.1(1) & Table R502.3.1(2)) Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2)) Attic or additional Floor Joist Species	(Section R405 & R406)	0	
Anchor Bolts/Straps, spacing (Section R403.1.6) Latty Column Type (Section R407) Latty Column Type (Section R407) Girder & Header Spans (Table R 502.5(2)) Built-Up Wood Center Girder Dimension/Type Sill/Band Joist Type & Dimensions First Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(1) & Table R502.3.1(1) & Table R502.3.1(2)) Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2)) Attic or additional Floor Joist Species			
Anchor Bolts/Straps, spacing (Section R403.1.6) Latty Column Type (Section R407) Latty Column Type (Section R407) Girder & Header Spans (Table R 502.5(2)) Built-Up Wood Center Girder Dimension/Type Sill/Band Joist Type & Dimensions First Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(1) & Table R502.3.1(1) & Table R502.3.1(2)) Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2)) Attic or additional Floor Joist Species	Ventilation/Access (Section R408.1 & R408.3)	3 Shown	
Latty Column Type (Section R407) Girder & Header Spans (Table R 502.5(2)) Built-Up Wood Center Girder Dimension/Type Sill/Band Joist Type & Dimensions First Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2)) Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & 2xt0 \(\)	Crawls Space ONLY		
Latty Column Type (Section R407) Girder & Header Spans (Table R 502.5(2)) Built-Up Wood Center Girder Dimension/Type Sill/Band Joist Type & Dimensions First Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2)) Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & 2xeo 5 Dimensions and Spacing (Table R502.3.1(1) & 2xeo 5 Attic or additional Floor Joist Species		V2" x2" 32" 01 - 6	2/6
Built-Up Wood Center Girder Dimension/Type Sill/Band Joist Type & Dimensions First Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2)) Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & 2×10 S Table R502.3.1(2)) Attic or additional Floor Joist Species	Anchor Bolts/Straps, spacing (Section R403.1.6)	10.0 30 50 7	
Built-Up Wood Center Girder Dimension/Type Sill/Band Joist Type & Dimensions First Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2)) Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2)) Attic or additional Floor Joist Species	7.105	1 11 5	car + OF
Built-Up Wood Center Girder Dimension/Type Sill/Band Joist Type & Dimensions First Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2)) Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2)) Attic or additional Floor Joist Species	Lally Column Type (Section R407)	1)118 3.2×12 3 11	CC 1 1 2 nd
Built-Up Wood Center Girder Dimension/Type Sill/Band Joist Type & Dimensions First Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2)) Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2)) Attic or additional Floor Joist Species	THE DESCRIPTION OF THE PROPERTY (201)	Pacta weed to be	added from flor to Born
Built-Up Wood Center Girder Dimension/Type Sill/Band Joist Type & Dimensions First Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2)) Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2)) Attic or additional Floor Joist Species		posis new pos	1
Sill/Band Joist Type & Dimensions First Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2)) Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2)) Attic or additional Floor Joist Species	1 -		
First Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2)) Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2)) Attic or additional Floor Joist Species		256 27	1
Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & ZXLOOC Table R502.3.1(2)) Attic or additional Floor Joist Species			Prendment
Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & ZXLOOC Table R502.3.1(2)) Attic or additional Floor Joist Species	-		CPT 70 91/2 @160
Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & 2x10 \(\) Table R502.3.1(2) \(\) Attic or additional Floor Joist Species		1×10'5	6K 61+20 1/2 C.
Table R502.3.1(2)) Attic or additional Floor Joist Species	(Table R502.5.1(1) & Table R502.5.1(2))		
Table R502.3.1(2)) Attic or additional Floor Joist Species	Canand Floor Joist Spacies		1.
Table R502.3.1(2)) Attic or additional Floor Joist Species		1×80°C	LOK ZXLOOK
Attic or additional Floor Joist Species			
	1 AUTO 18302.3.1(2))	<u>.</u>	
	Attic or additional Floor Joist Species	7505	
	Dimensions and Spacing (Table R802.4(1) and		

R802.4(2))		
Pitch, Span, Spacing& Dimension (Table R802.5.1(1) - R 802.5.1(8)) Roof Rafter; Framing & Connections (Section R802.3 & R802.3.1)	2×10'S	6K
Sheathing; Floor, Wall and roof (Table R503.2.1.1(1)	OK	
Fastener Schedule (Table R602.3(1) & (2))	per IRC	
Private Garage (Section R309) Living Space ? (Above or beside)	NA	
Fire separation (Section R309.2) Opening Protection (Section R309.1)		
	N/A	
Emergency Escape and Rescue Openings (Section R310)	Not Shown -	- OR
Roof Covering (Chapter 9)	OK	
Safety Glazing (Section R308)	Need in Bath + Stair	-0K
Attic Access (Section R807)	NA	
Chimney Clearances/Fire Blocking (Chap. 10)	N/A	
Header Schedule (Section 502.5(1) & (2)	OK	
Energy Efficiency (N1101.2.1) R-Factors of Walls, Floors, Ceilings, Building Envelope, U-	011	

	Factor Fenestration		
(lk)	Type of Heating System	Not show - E	1eu-01
	Means of Egress (Sec R311 & R312) Basement		
	Number of Stairways /		
	Interior /		
	Exterior /		
	Treads and Risers (Section R311.5.3) Not Shown —	pinder-int pech c	1-0K
	Width (Section R311.5.1) Not Shown	,-OK	
13	Headroom (Section R311.5.2) Not Show	un_ok	
80)	Guardrails and Handrails (Section R312 & R311.5.6 – R311.5.6.3)	detail - OK	
(0)	Smoke Detectors (Section R313) Location and type/Interconnected	Not Shown - C	
	Dwelling Unit Separation (Section R317) and IBC – 2003 (Section 1207)	NA	
	Deck Construction (Section R502.2.1)	014	
Ĺ	Bath needs to be	larger - Ot	
(Bath needs to be Balloon framing.	- OC	

A Contini M

From:

"Gerald Weinand" <gwdesign@roadrunner.com>

To:

"Marge Schmuckal" <MES@portlandmaine.gov>

Date:

1/7/2010 2:56:52 PM

Subject:

14 Centennial 87-NN-4-5

Marge:

Here are the pdfs. The rotated shows the existing building in a new location, actually within the setbacks but slid to the south a bit to take advantage of the views to the west.

Again, I understand that you can't give a definitive answer, but I want to make sure I don't pursue a dead-end.


Cheers

Gerald Weinand gwdesign 26 Grove Street Rockland, Maine

975.3945

Prot G. Warnards enterval





Current location TR-Z Assessor's Office | 389 Congress Street | Portland, Maine 04101 | Room 115 | (207) 874-8486

City Home

Departments

City Council E-Services

This page contains a detailed description of the Parcel ID you selected. Press the **New Search** button at the bottom of the screen to submit a new query.

Current Owner Information:

Semices

087 NN004001 Land Use Type

14 CENTENNIAL ST

Applications

Property Location ZIMMERMAN WILLIAM B & PATTY T ZIMMERMAN JTS **Owner Information**

Doing Business

Book and Page

PO BOX 7637 YORK PA 17404 26367/101

Tax Relief

Maps

0 & A

Legal Description

87-NN-4-5 CENTENNIAL ST PEAKS ISLAND 9044 SF

Tax Roll

Acres

0.208

Current Assessed Valuation:

browse city services a-z

browse facts and links a-z

TAX ACCT NO.

14044

OWNER OF RECORD AS OF APRIL 2009

LAND VALUE BUILDING VALUE

ZIMMERMAN WILLIAM B 8 PATTY T ZIMMERMAN JTS PO BOX 7637 \$219,700.00 \$70,200,00 YORK PA 17404

NET TAXABLE - REAL ESTATE \$289,900.00

TAX AMOUNT \$5,142.84



Any information concerning tax payments should be directed to the Treasury office at 874-8490 or e-mailed.

Building Information:

Year Built Style/Structure Type # Stories Redrooms

OLD STYLE 1.5 3

1900

Half Baths Total Rooms Attic Basement Square Feet

Full Baths

NONE PIER/SLAB 1092

View Sketch

View Map

View Picture

Outbuildings/Yard Improvements:

Card 1 1979 SHED-METAL

Year Built Structure

Size 7X10 Units Grade D Condition

Sales Information:

Sale Date 9/30/2008 11/3/2000 12/11/1999

LAND + BUILDING LAND + BUILDING LAND + BUILDING

Price \$237,500,00 \$75,000,00 \$0.00


Book/Page 26367/101 15828/116


New Search!

Lot coronage


9044 × 206 = 1808.8 MAX

12-2






9044 x 20% = 1808.8 max lotor



RECEIVED



General Building Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any operty within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 14 (F	HIENNIA	IL STREET, PEAK	SISLAND
Total Square Footage of Proposed Structure/A			9044
Tax Assessor's Chart, Block & Lot Chart# Block# Lot# 87 · NN · 4 · 5 48.	Name ZA Address P	nust be owner, Lessee or B LLIAM PATTY MMERMAN .O. BOX 7637 : Zip YORK, PA 174	
Lessee/DBA (If Applicable)	Owner (if di Name	fferent from Applicant)	Cost Of Work: § 250,000
	Address		C of O Fee: §
	City, State &	ł Zip	Total Fee: \$ 2,520
If vacant, what was the previous use? STAN Proposed Specific use: STAN Is property part of a subdivision? NA Project description: [72, STAREY WADD STAREY THAT WILL 2010.	FRAME S	Y Ly f yes, please name TRUCTURE TO REPL OLISTEN NO LATER	ALE EXIST 1/2 THAN 31 DECEMBER TO BE COMPLETED WAY 1, 2011
Contractor's name: BILL BUNTON			
Address: 87 MIPPLE Po			
City, State & Zip CUMBORLAND		approximate the contract of the proximation of the contract proximation of the contract to the	Telephone 653.1650
Who should we contact when the permit is read	dy: <u>B\1</u>	Bunler-geralowe	Telephone:
Mailing address:			
Please submit all of the information	outlined or	a the applicable Cha	Adian Pallagana

Please submit all of the information outlined on the applicable Checklist. Failure to do so will result in the automatic denial of your permit.

In order to be sure the City fully understands the full scope of the project, the Planning and Development Department may request additional information prior to the issuance of a permit. For further information or to download copies of this form and other applications visit the Inspections Division on-line at www.portlandmaine.gov, or stop by the Inspections Division office, from 315 City Hall or call 874-8703.

Thereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

FOR BILL ZIMMERMAN

Signature:	648 ALD	MEINAND	-Darl	UN Date:	26	MAY	2010


975.3945 This is not a permit; you may not commence ANY work until the permit is issue


RECEIVED

JUN - 3 2010

Dept. of Building Inspections City of Portland Maine

31×34 10×18






B) ENTETRINGNOTTAGE - WEST ELEVATION

SCALET = 20-0



5 EXISTINGNOTTAGE - EAST ELEVATION




EXISTING COTTAGE - SOUTH ELEVATION




4 EXISTING COTTAGE - NORTH ELEVATION

* what happened to enclosed perch


* Week?






WALL SECTION @ DORMER

SCALE 3/4"::1-0"





ENTRY LIMING DAYROOM	3-0' X 6-8' X 1 3/4' \$ (2) 1-0' X 6-8' SIDELIGHTS UNIT DIM 7-8 5/16' X 6-10' 3/8' 2-8' x 6'-8' x 1 3/8'	В	WOOD & GLASS WOOD & GLASS	LOCK		'SIMPSON' F-7944-S & F-1015-S W/ 'EZCHANGE' NO. 11 SCREEN DOOR 'ANDERSEN' PWG 5061IR MULLED
		В				THE PROPERTY OF SOCIED MINISTED
DAYROOM	7-8' v 6'-8" v 13/8'		, 550	MANUF		TO PWG 296115
	20 20 2 215/0	D	WOOD	PRIVACY		'JELD-WEN' WP-1053
BATH	2-4' x 6'-8" x 1 3/8'	D	WOOD	PRIVACY		'JELD-WEN' WP-1053
CLOSET			WOOD	TOUCH LATCH		SITE BUILT BLIND DOOR
SUNROOM	UNIT DIM 2-8 V8' X 6'-10 3/8'	С	WOOD	PER MANUF		'ANDERSEN' FWH2961AL W/ INSECT SCREEN
V2 BATH	2-4' x 6'-8' x 1 3/8'	D	MOLDED	PRIVACY		'JELD-WEN' WP-1053
LOFT	UNIT DIM 2-8 V8' X 6'-10 3/8'	С	MOLDED	PER MANUF		'ANDERSEN' FWH296TAL W/ INSECT SCREEN
v	CLOSET SUNROOM 2 BATH	UNIT DIM 2-8 V8' X 6-10 3/8' 2 BATH 2-4' X 6-8' X 13/8'	DLOSET UNIT DIM 2-8 V8' X 6-10 3/8' C 2 BATH 2-4' x 6-8' x 1 3/8' D	UNIT DIM 2-8 V8' X 6-10 3/8' C WOOD 2 BATH 2-4' X 6-8' X 1 3/8' D MOLDED	WOOD	WOOD


	T		WALLS				CLG	нт	REMARKS
ROOM NAME	FLRG	BASE	N	E	5	W		- '''	
ENTRY	STONE TILE	WOOD	GYP. BD. PAINT	GYP. BD. PAINT	GYP, BD. PAINT	GYP, BD. PAINT	GYP. BD. PAINT		
LIMNG	WOOD	WOOD	GYP. BD. PAINT	GYP, BD. PAINT	GYP. BD. PAINT	GYP, BD. PAINT	GYP. BD. PAINT		
KTICHENETTE	WOOD	WOOD	GYP, BD. PAINT	GYP. BD. PAINT	GYP. BD. PAINT	GYP, BD. PAINT	BEAD BD. PAINT		
DAYROOM	WOOD	WOOD	BEAD BD. PAINT	BEAD BD. PAINT	BEAD BD. PAINT	BEAD BD. PAINT	GYP. BD. PAINT		
BATH	CER TILE	WOOD	MR GYP.BD. PAINT	MR GYP.BD. PAINT	MR GYP. BD. PAINT	MR GYP. BD. PAINT	GYP. BD. PAINT		
SUNROOM	WOOD	WOOD	GYP, BD. PAINT	GYP. BD. PAINT	GYP, BD. PAINT	GYP, BD. PAINT	GYP, BD. PAINT		
LOFT	WOOD	WOOD	GYP. BD. PAINT	GYP, BD. PAINT	GYP. BD. PAINT	GYP. BD. PAINT	GYP. BD. PAINT		
1/2 BATH	WOOD	WOOD	GYP. BD. PAINT	GYP, BD. PAINT	GYP. BD. PAINT	GYP. BD. PAINT	GYP. BD. PAINT		
		 	 						


MARK	MODEL NO.	RO.	REMARKS
A	TW2852	2-10 V8' X 5-4 7/8'	REMARKS REMARKS
В	TW2852-2	5-7 3/8' X 5-4 7/8'	
С	TW2032	2-2 V8' X 3'-4 7/8'	
D	TW20310	2-2 V8' X 4'-0 7/8'	
Ε	FLEXIFRAME	1-6 5/8: X 1-6 5/8:	
F	A21	2-0 5/8' X 2-0 5/8'	

MY ROSE COTTAGE

FLOOR PLANS SCHEDULES

⊗	










GENERAL NOTES

- 1. G.C. TO OBTAIN ALL REQUIRED PERMITS.
- 2. PLUMBING TO BE SET TO DRAIN DOWN IN WINTER MONTHS.



SCALE: 1/4" = 1-0"

BOUNDARY SURVEY OF LAND AT 14 CENTENNIAL STREET PEAKS ISLAND, PORTLAND, MAINE

MADE FOR WILLIAM B. ZIMMERMAN AND PATTY T. ZIMMERMAN P.O. BOX 7637, YORK PA. 17404

MADE BY NORTHEASTERN LAND SURVEYING 16 COLLEGE AVENUE, GORHAM, MAINE 04038


NOVEMBER 4, 2009 JOB #09-013 SHEET 1 OF 1





NOTES:

1) OWNERS OF RECORD ARE WILLIAM B. ZIMMERMAN AND PATTY T. ZIMMERMAN.

- 2) THE DEEDS OF RECORD ARE RECORDED IN THE CUMBERLAND COUNTY REGISTRY
- OF DEEDS IN BOOK 13412 PAGE 283 AND BOOK 26367 PAGE 101.
- 3) THE CADASTRAL REFERENCE IS CITY OF PORTLAND TAX MAP 87 BLOCK NN LOTS 4. 5 AND 8.
- 4) ZONING: THE PARCEL IS IN THE "IR-2" ZONE AND THE SHORELAND PROTECTION ZONE. CURRENT ZONING, STATUS, AND REQUIREMENTS MUST BE CHECKED AND VERIFIED WITH THE CITY OF PORTLAND AND ALL OTHER APPLICABLE REGULATORY BODIES BEFORE BUILDING IMPROVEMENTS OR CONVEYING LAND OR
- 5) CENTENNIAL STREET WAS ORIGINALLY CONSTRUCTED AND TENDERED TO THE CITY OF PORTLAND AS 25' WIDE. THE CITY ACCEPTED CENTENNIAL STREET AS 40' WIDE ON DECEMBER 2, 1909. SEE PORTLAND ROAD RECORDS VOLUME 1 PAGE 296. CITY VIEW ROAD HAS IN THE PAST BEEN KNOWN AS "CENTENNIAL REAR" AND "CITY POINT ROAD". ITS STATUS AS AN UNACCEPTED PAPER STREET WAS CONTINUED PER SEPTEMBER 3, 1997 CITY COUNCIL ORDER #84 EXCEPTING STREETS FROM VACATION. THE STATED WIDTH OF CITY VIEW ROAD VARIES ACCORDING TO THE VARIOUS DEED DESCRIPTIONS OF PARCELS OF LAND ALONG THE ROAD AS WELL AS ON THE SURVEY PLANS FOUND IN THE CONDUCT OF THIS PRESENT SURVEY AND LISTED ON THIS PLAN AS "PLAN REFERENCES". PLAN REFERENCE #1 (LAND OF THOMAS TROTT, BY E. THRASHER) INDICATES A 25' WIDTH. HOWEVER INFORMATION WAS FOUND THAT STATES THAT THE COPY OF THIS PLAN AS IT WAS RECORDED IS NOT THE ORIGINAL, WHICH IS SAID TO HAVE BEEN "LOST OVERBOARD", BUT RATHER AN ATTEMPT TO RECREATE THE ORIGINAL. THE COPY OF THE PLAN WAS RECORDED IN THE CUMBERLAND COUNTY REGISTRY OF DEEDS 13 YEARS AFTER THE ORIGINAL WAS DRAFTED. THE ORIGINAL DEED DESCRIPTIONS CREATING THE LOTS ALONG CITY VIEW ROAD DO NOT REFERENCE THE COPY OF THE PLAN AS RECORDED AS THEY PRE-DATE THAT RECORDING. PLAN REFERENCES #2, #3 AND #4 ALL SHOW A 20' WIDTH OF THE ROAD RIGHT OF WAY. FIELD EVIDENCE FOUND, (i.e. IRON PIPES AS PROPERTY MARKERS), ALSO CONFLICT. SOME FIELD EVIDENCE FOUND WOULD INDICATE A 25' RIGHT OF WAY WIDTH WHILE OTHER FIELD EVIDENCE WOULD INDICATE A 20' WIDTH. FOR THE PURPOSES OF THIS SURVEY A 20' WIDTH IS SHOWN. AN OPINION OF TITLE FOR THE APPROXIMATELY 5' WIDE STRIP OF LAND BETWEEN THE 20' AND 25' RIGHT OF WAY LINES MUST BE OBTAINED FROM A QUALIFIED ATTORNEY BEFORE BUILDING IMPROVEMENTS ON THE STRIP OR CONVEYING LAND OR INTEREST AS UNCERTAINTY EXISTS AND NO DEFINITIVE WIDTH WAS DETERMINED BY THIS SURVEY. 6) INFORMATION REGARDING THE FORMER FOOTPRINT OF THE EXISTING HOUSE AS
- IT HAS EXISTED IN THE PAST BEFORE RECENT DEMOLITION COMES FROM THE CITY OF PORTLAND REAL ESTATE ASSESSMENT RECORDS DATED 1959, 1981 AND 1989. THE LOCATION AND MEASUREMENTS SHOWN ON THIS PLAN FOR THE RECENTLY REMOVED IMPROVEMENTS ARE PER THE BUILDING SKETCHS AND PHOTOGRAPHS FROM THESE RECORDS.
- 7) THE PARCEL DOES NOT FALL IN A "SPECIAL FLOOD HAZARD AREA" PER F.E.M.A. SEE COMMUNITY #230051 PANEL #0015B, EFFECTIVE DATE JULY 17, 1986. 6) UTILITY LOCATION SHOWN IS APPROXIMATE. THIS PLAN MAY NOT SHOW ALL UTILITIES USED OR IN DISUSE. ALL APPROPRIATE OFFICES AND THE DIGSAFE PROGRAM SHOULD BE CONTACTED BEFORE DOING ANY EXCAVATION. 9) THIS PLAN IS NOT INTENDED TO DEPICT LIMITS OR EXTENTS OF FEE TITLE OWNERSHIP. AN OPINION OF TITLE SHOULD BE RENDERED BY AN ATTORNEY. 10) NORTHEASTERN LAND SURVEYING AND THE SIGNING SURVEYOR RESERVE THE RIGHT TO BE HELD HARMLESS FROM ALL THIRD PARTY CLAIMS.







LEGEND

2202112	
0	IRON PIPE/ROD FOUND (IPF/IRF)
	IRON ROD SET WITH CAP (PLS 2083)
0	GRANITE MONUMENT FOUND (GMF)
ø	UTILITY POLE
AG	ABOVE GRADE
BG	BELOW GRADE
72.73' (70'±)	FOUND DISTANCE (RECORD DISTANCE)
N/F	NOW OR FORMERLY OF
13412/284	CUMBERLAND COUNTY REGISTRY OF DEEDS BOOK/PAGE NUMBER
TM 87/NN/4	TAX MAP/BLOCK/LOT NUMBER
	SURVEYED PROPERTY LINE
	EASEMENT LINE
	EDGE OF GRAVEL ROAD OR DRIVEWAY
	APPROXIMATE PROPERTY LINE
	OVERHEAD UTILITY LINE
	BITUMINOUS PAVEMENT
	EXISTING BUILDINGS

PLAN REFERENCES:

1) "A PLAN A PIECE OF LAND ON PEAKS ISLAND BELONGING TO THOMAS TROTT" (SIC)

DATED OCTOBER 3, 1860. BY E. THRASHER. RECORDED IN THE CUMBERLAND COUNTY REGISTRY OF DEEDS IN PLAN BOOK 3 PAGE 42. 2) "PLAN OF LAND ON PEAKS ISLAND, MAINE BELONGING TO HEIRS OF R.F. & H.N. SKILLINGS" UNDATED. RECORDED IN THE CUMBERLAND

COUNTY REGISTRY OF DEEDS IN PLAN BOOK 11 PAGE 101. 3) UNTITLED PLAN SHOWING A PROPOSED WIDENING OF CENTENNIAL STREET. CIRCA 1903. FOUND IN THE CITY OF PORTLAND PARKS AND PUBLIC WORKS DEPARTMENT (ENGINEERING DIVISION) FILE 371/21.

4) "CENTENNIAL ST. SHOWING PARSONS DIVISION LINE" DATED JUNE 1914. FOUND IN THE CITY OF PORTLAND PARKS AND PUBLIC WORKS DEPARTMENT (ENGINEERING DIVISION).

ISLAND AVENUE (60' R/W)

MONUMENT PLUSH



COPYRIGHT 2009 NORTHEASTERN LAND SURVEYING ALL RIGHTS RESERVED