

deadline
 9/11/18

APPLICATION FOR A NATURAL RESOURCES PROTECTION ACT PERMIT

→ PLEASE TYPE OR PRINT IN BLACK INK ONLY

1. Name of Applicant: <u>X ROBERT VILLFORTH</u>		5. Name of Agent: <u>Robert Morin</u>	
2. Applicant's Mailing Address: <u>X 8 CITY VIEW ROAD PEAKS ISLAND, ME 04108</u>		6. Agent's Mailing Address: <u>550 Lisbon St Suite 11 Lewiston MAINE 04240</u>	
3. Applicant's Daytime Phone #: <u>X 207-766-5179</u>		7. Agent's Daytime Phone #: <u>207-650-7860</u>	
4. Applicant's Email Address (Required from either applicant or agent): <u>X RVILLFORTH@gmail.com</u>		8. Agent's Email Address: <u>CRM@TRACTION AIDS.COM</u>	
9. Location of Activity: (Nearest Road, Street, Rt.#) <u>Island Ave</u>		10. Town: <u>Peaks Island</u>	11. County: <u>Cumberland</u>
12. Type of Resource: (Check all that apply) <input type="checkbox"/> River, stream or brook <input checked="" type="checkbox"/> Great Pond <input type="checkbox"/> Coastal Wetland <input type="checkbox"/> Freshwater Wetland <input type="checkbox"/> Wetland Special Significance <input type="checkbox"/> Significant Wildlife Habitat <input type="checkbox"/> Fragile Mountain	13. Name of Resource: <u>CASCO BAY ATLANTIC OCEAN</u>		
	14. Amount of Impact: (Sq.Ft.) Fill: Dredging/Veg Removal/Other:		
15. Type of Wetland: (Check all that apply) <input type="checkbox"/> Forested <input type="checkbox"/> Scrub Shrub <input type="checkbox"/> Emergent <input type="checkbox"/> Wet Meadow <input type="checkbox"/> Peatland <input type="checkbox"/> Open Water <input type="checkbox"/> Other _____	FOR FRESHWATER WETLANDS		
	Tier 1 <input type="checkbox"/> 0 - 4,999 sq ft. <input type="checkbox"/> 5,000-9,999 sq ft <input type="checkbox"/> 10,000-14,999 sq ft	Tier 2 <input type="checkbox"/> 15,000 - 43,560 sq. ft.	Tier 3 <input type="checkbox"/> > 43,560 sq. ft. or smaller than 43,560 sq. ft., not eligible for Tier 1
16. Brief Activity Description: <u>REMOVE EXISTING INVASIVE PLANTS & SHRUBS - INSTALL FILTER FABRIC VARIABLE SIZED RIPRAP TO BE INSTALLED prior to installation of large sized riprap at base & to a height of 9' on slope.</u>			
17. Size of Lot or Parcel & UTM Locations: <input type="checkbox"/> _____ square feet, or <input checked="" type="checkbox"/> <u>6.2066</u> acres		UTM Northing: <u>40.66042</u> UTM Easting: <u>70.19933</u>	
18. Title, Right or Interest: <input checked="" type="checkbox"/> own <input type="checkbox"/> lease <input type="checkbox"/> purchase option <input type="checkbox"/> written agreement			
19. Deed Reference Numbers: Book#: <u>4897</u> Page: <u>123</u>		20. Map and Lot Numbers: Map #: <u>087</u> Lot #: <u>008-001</u>	
21. DEP Staff Previously Contacted: <u>ADDIE ARBO</u>		22. Part of a larger project: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
23. Resubmission of Application?: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		If yes, previous application # _____ Previous project manager: _____	
24. Written Notice of Violation?: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		If yes, name of DEP enforcement staff involved: _____	
26. Detailed Directions to the Project Site: <u>From Ferry Terminal take left on Island Ave, go 1/4 mi to 90° turn, 8 city view rd (Centennial St is on left) 2nd house on left</u>		25. Previous Wetland Alteration: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
27. TIER 1 <input type="checkbox"/> Title, right or interest documentation <input type="checkbox"/> Topographic Map <input type="checkbox"/> Narrative Project Description <input type="checkbox"/> Plan or Drawing (8 1/2" x 11") <input type="checkbox"/> Photos of Area <input type="checkbox"/> Statement of Avoidance & Minimization <input type="checkbox"/> Statement/Copy of cover letter to MHPC		TIER 2/3 AND INDIVIDUAL PERMITS <input type="checkbox"/> Title, right or interest documentation <input type="checkbox"/> Topographic Map <input type="checkbox"/> Copy of Public Notice/Public Information Meeting Documentation <input type="checkbox"/> Wetlands Delineation Report (Attachment 1) that contains the information listed under Site Conditions <input type="checkbox"/> Alternatives Analysis (Attachment 2) including description of how wetland impacts were Avoided/Minimized <input type="checkbox"/> Erosion Control/Construction Plan <input type="checkbox"/> Functional Assessment (Attachment 3), if required <input type="checkbox"/> Compensation Plan (Attachment 4), if required <input type="checkbox"/> Appendix A and others, if required <input type="checkbox"/> Statement/Copy of cover letter to MHPC <input type="checkbox"/> Description of Previously Mined Peatland, if required	
28. FEES Amount Enclosed: <u>500.</u>			

CERTIFICATIONS AND SIGNATURES LOCATED ON PAGE 2

Bob Morin

From: Robert Villforth <rvillforth@gmail.com>
Sent: Thursday, May 17, 2018 12:15 PM
To: Bob Morin
Subject: authorized agent and representative

Hi Bob,

I authorize you as my agent and representative to the Maine Department of Environmental Protection. Thanks.

-Robert Villforth

rvillforth@gmail.com
8 City View Road
Peaks Island, ME 04108
207-766-5179

NANCY ARNOLD
ROBERT VILLFORTH
8 CITY VIEW RD.
PEAKS ISLAND, ME 04108

52-7438/2112

1046

DATE 3/8/2018



PAY TO THE ORDER OF

Department of Environmental Protection

\$ 500.00

Five hundred and no cents

DOLLARS

Heat Reactive Ink

Bangor
Savings Bank
BANGOR, MAINE 04401

MEMO

Robert Villforth
ETOP

MP

LOOK FOR FRAUD-DETERRING FEATURES INCLUDING THE SECURITY SQUARE AND HEAT-REACTIVE INK. DETAILS ON BACK.

ATTACHMENT 1

IN ORDER TO PRESERVE THE PROPERTY AND PREVENT THE ADDITIONAL EROSION OF THE SHORELINE FROM HEAVY RAINS AND SURF, WE ARE PROPOSING TO STABILIZE THE SHORELINE BY REMOVING THE INVASIVE PLANT SPECIES, INSTALLING RIP RAP AND RE-VEGETATING THE 100 L.F. OF THE EXISTING EMBANKMENT. THE EXISTING EMBANKMENT IS AT A SLOPE OF 1' HORIZONTAL AND 1.50' VERTICAL ABOUT 50 DEGREES AND HAS A HEIGHT OF BETWEEN 40 TO 60 FEET. THE VARIANTS IS BECAUSE OF A DEEP VALLEY CUT THROUGH THE CENTER OF THE SLOPE.

THERE IS SOME EXTREME UNDERCUTTING AT THE TOE OF THE SLOPE CAUSED BY HIGH TIDE/STORM TIDAL ACTION, AND ROUGH SURF FROM BOTH NORTHEAST WINDS AND STORMS. FURTHER ACTION IS FROM HEAVY WAVES CAUSED BY PASSING SHIPS, BOATS AND FERRIES.

THERE IS A GROUNDWATER EXPORT, A CLAY DRAINAGE PIPE WHICH EXTENDS FROM THE BASEMENT OF THE HOUSE LOCATED APPROXIMATELY 100' FROM THE TOP OF BANK TO THE TOE OF THE SLOPE.

SINCE THE BANK IS ABOUT 55 DEGREES IF NOT MORE WE ARE PROPOSING A MINIMUM OF 9' IN HEIGHT OF RIP RAP LAID AGAINST THE BANK.

THE SITE WILL BE ACCESSED BY BARGE TO INSTALL FABRIC AND RIP RAP. AT THIS TIME WE SEE NO REASON TO LAY MATS AND HAVE ANY CONSTRUCTION EQUIPMENT ON THE SHORELINE.

GENERAL EROSION AND SEDIMENTATION CONTROL PRACTICES WILL BE USED TO PREVENT FURTHER EROSION AND SEDIMENTATION BEFORE, DURING AND AFTER THE CONSTRUCTION OF THIS PROJECT.

AFTER THE INSTALLATION OF RIP RAP, WE WILL REMOVE ALL SHRUBS, INVASIVE SPECIES AND BRUSH FROM THE UPPER PORTION OF THE SLOPE. CARE WILL BE TAKEN SO AS TO NOT REMOVE ANY LOAM FROM THE SITE. NO EXTRA LOAM OR FILL WILL BE NEEDED TO COMPLETE THIS PROJECT.

AFTER INSTALLATION OF RIP RAP WE WILL PLANT ON THE ENTIRE BANK MINIMUM OF EVERY TWO FEET SQUARE A ROSE BUSH OF NATIVE DESCENT AS DISCUSSED AND AGREED TO.

WE ARE NOT SURE OF THE TIMELINE FOR CONSTRUCTION OR PLANTING, DUE TO PERMITTING SCHEDULES, WEATHER AND AVAILABILITY OF RIP RAP OR EQUIPMENT. IT WOULD BE PRACTICAL TO COMPLETE PRIOR TO COLD WEATHER.

THE TWO PROPERTIES ADJACENT ON EITHER SIDE OF THE PROPOSED PROJECT HAVE ALREADY STABILIZED THEIR BANKS. THE PROPERTY TO THE RIGHT FACING THE PROJECT FROM THE BAY IS A CEMENT WALL APPROXIMATELY 5' HIGH AND 100' LONG. THE PROPERTY ON THE LEFT IS AN EXISTING RIP RAP STONE WALL WHICH WE BELIEVE WAS INSTALLED ABOUT 5 OR 6 YEARS AGO.

WE WOULD ALSO INSTALL A 3' WIDE SET OF STAIRS WITH RAILS, FROM TOP TO BOTTOM. THESE STAIRS WOULD ALSO HAVE A PLATFORM ABOUT CENTER TO BREAK THE FALL OF ANYONE LOSING THEIR FOOTING WHILE DESCENDING THE STAIRS. THESE STAIRS WOULD BE LOCATED IN THE CENTER OF THE PROPERTY.

THE SHORELINE STABILIZATION WOULD MATCH THE EXISTING STABILIZATION USED BY THE ABUTTING PROPERTY.

ATTACHMENT 2


THERE ARE NO ALTERNATIVES TO ADDING THE RIP RAP TO STABILIZE THE BANK.

SINCE CONCRETE OR PRESSURE TREATED WALLS ARE NOT AN ALLOWED SUBSTITUTE, THERE IS NO OTHER WAY TO STABILIZE OR PREVENT ANY FURTHER EROSION OR LOST OF SEDIMENT ALONG THE TOE OF THE BANK.


THE STAIRS ARE NECESSARY TO ALLOW THE OWNERS ACCESS TO THE SHORELINE.

THE NEW OWNERS OF THE ADJACENT PROPERTY ARE NO LONGER ALLOWING ANYONE TO UTILIZE THEIR STAIRS. DUE TO LIABILITY CONCERNS. THE NEW OWNERS HAVE POSTED THEIR PROPERTY TO PREVENT ANYONE FROM USING THE STAIRS OR WHARF.

ATTACHMENT 3



ATTACHMENT 4












ATTACHMENT 5

City view Road

NETING TIE CAN TIE IN
103



Robert Vill Porth
NANCY ARNOLD
5/16/18

NOT TO SCALE



Patty + Bill ZIMMERMAN
87'

Chris + Lynn Allen BEAVER
87'

Steep Grade

Top of Slope



3' stairs

6x3' PLATFORM

3' stairs

46'

HayBales EROSION CONTROL Silt Fence

Top of Slope High Water Line

PARCEL ROAD


ATTACHMENT 5

City view Road

103' 11" 112R

46'

24'



Robert Will Porth
NANCY ARSOLD
5/16/18

NOT TO SCALE

Patly + Bill ZIMMERMAN
87'

Chris + Ellen BEANE
87'

35'

Step Grade

Top of Slope



3' STAIRS

6x3' PLATFORM

46'

HayBales EROSION Control Silt Fence

Top of Slope

High Water Line

CASCO BAY

ATTACHMENT 6

± 43'

SALT TOLERANT BANK
PLANTINGS. PLANT
MATERIAL TO BE FIELD
LOCATED BY OWNER'S
REPRESENTATIVE.

1.25'

± 35-60'

MIN. TOP OF STONE LOCATED
ABOVE FEMA FLOOD EL. 9.0


D50=36" MIN. RIPRAP
BACKFILL

BOTTOM OF BANK

TOE PROTECTION
BURY ROCKS 30"
MINIMUM.

*High water
mark*

SECTION



ATTACHMENT 7

CONSTRUCTION PLAN

ANTICIPATED START DATE IS SEPTEMBER OR OCTOBER FIRST IF THE PERMIT IS APPROVED AND THE WEATHER PERMITS.

ACCESS WILL BE FROM THE OCEAN SIDE ONLY WE DO NOT ANTICIPATE UTILIZING ANY VEHICLES ON THE SHORELINE.

FIRST WE WILL SET UP THE BERM MADE UP OF HAY BALES AND SILT FENCE AT THE HIGH WATER MARK. THE LIMIT OF THE HIGH TIDE HAPPENS TO BE AT THE BASE OR TOE OF THE SLOPE. NO WORK IS ANTICIPATING TO BE BELOW HIGH WATER. WE ARE PROPOSING TO ACCESS THE SHORELINE VIA BARGE.

AFTER EROSION AND SEDIMENTATION CONTROL IS COMPLETED WE WILL REMOVE ALL SHRUBS AND PLANTS FROM THE AREA TO BE RIP RAP. THERE ARE A NUMBER OF INVASIVE SPECIES OF PLANTS, ALDERS AND OTHER SPECIES OF PLANTS NOT NATIVE TO MAINE.

ALL NEW CONSTRUCTION ACTIVITIES WILL BE LIMITED TO THE AREA ABOVE THE NORMAL HIGH WATER EXTENDING TO THE TOP OF THE ERODED BANK ONLY. WE ARE PROPOSING TO STABILIZE THE DAMAGED BANK THROUGH THE USE OF MACHINE PLACED LARGE SCALE ANGULAR RIP RAP.

WE WILL PROCEED TO HAND EXCAVATE A TRENCH APPROXIMATELY 30" WIDE BY 2' DEEP TO PREVENT THE SOIL FROM ESCAPING DURING RAINS OR WATER COMING OVER THE BANK. THIS WILL ALSO PREVENT WAVE ACTION FROM ERODING THE BANK.

A LAYER OF FILTER FABRIC WILL BE PLACED TO LIMIT SOIL MIGRATION FROM THE ERODING BANK, AND VARIABLE SIZE RIP RAP WILL BE INSTALLED AS SHOWN ON ATTACHMENT 6. AFTER SMALLER STONES ARE PLACED WE WILL INSTALL LARGER STONES TO THE HEIGHT OF 9'.

AFTER RIP RAP IS IN PLACE WE WILL REMOVE REMAINING PLANTS AND SHRUBS WITHOUT REMOVING ANY TOP SOIL FROM THE REMAINDER OF THE SLOPE. THIS WILL AID IN THE RE-VEGETATION OF THE SLOPE WITH NON INVASIVE ROSE BUSHES TYPE AS AGREED TO THE OWNER AND DEP AGENT.

NEW PLANTS WILL BE PLACED 2' ON CENTER BOTH HORIZONTALLY AND VERTCALLY, THIS WILL GIVE THE PLANTS PLENTY OF ROOM TO GROW WITHOUT BECOMING ROOT BOUND.

ATTACHMENT 8

EROSION AND SEDIMENTATION CONTROL PLAN FOR VILLFORTH & ARNOLD RESIDENCE SHORELINE STRABILIZATION

THE FOLLOWING PLAN FOR CONTROLLING SEDIMENTATION AND EROSION IN THIS PROJECT IS BASED ON CONSERVATION PRACTICES FOUND IN THE MAINE EROSION AND SEDIMENTATION CONTROL BMPS MANUAL, DEPARTMENT OF ENVIRONMENTAL PROTECTION, MARCH 2003.

THE 0.2+ OR – ACRE PROPERTY IS LOCATED AT 8 CENTENNIAL STREET, PEAKS ISLAND PORTLAND, MAINE. THE PROPOSED SITE WORK CONSISTS OF APPROXIMATELY 100 L.F.OF RIP RAP SHORELINE STABILIZATION, INVASIVE PLANT SPECIES REMOVAL ON THE EMBANKMENT AND REVEGETATION ABOVE THE RIP RAP INSTALLATION WITH SALT WATER TOLERANT PLANTINGS AND A NEW SET OF BEACH ACCESS STAIRS.

THE FOLLOWING LIST OF GENERAL EROSION CONTROL PRACTICES WILL BE USED TO PREVENT EROSION DURING CONSTRUCTION AND DURATION OF THE PROJECT.

HAY BALES,
SILT FENCE,
AS REQUIRED TO LIMIT EROSION AT THE SITE.

AT ALL TIMES DURING THE CONSTRUCTION OF THIS PROJECT WE WILL LIMIT THE DISTURBANCE AND EROSION AT THE SITE. MONITOR ALL EROSION PRACTICES BEING UTILIZED ON SITE. REVEGETATE DISTURBED AREAS AS SOON AS POSSIBLE.

PRIOR TO THE START OF CONSTRUCTION ALONG THE ENTIRE 100' AREA, SILT FENCING, AND HAY BALES OR OTHER EROSION BERMS WILL BE INSTALLED AT THE TOE OF THE SLOPE AS LOCATED ON THE PLANS TO PROTECT AGAINST ANY CONSTRUCTION RELATED EROSION.

CONSTRUCTION TRAFFIC WILL BE LIMITED TO BARGE ONLY TRAFFIC. NO LAND OR SHORELINE ACCESS IS EXPECTED. IF ANY EQUIPMENT HAS TO TRAVEL ON THE SHORELINE, IT WOULD ACCESS ONLY BY BARGE, MATS WOULD BE USED ON THE ROCKY SHORE (IF NEEDED).

SEEDING AND MULCHING WILL ONLY OCCUR AFTER THE RIP RAP IS COMPLETED, AND THE SITE IS READY FOR PLANTING OF ROSE BUSHES AS DISCUSSED AND AGREED TO.

NEW NON INVASIVE PLANTS WILL BE PLANTED EVERY 2' SQUARE ALONG THE HORIZONTAL AND VERTICAL LINES OF THE REMAINING SLOPE NOT COVERED BY THE RIP RAP.

THREE FOOT STAIRS WITH PLATFORM WILL BE INSTALLED FROM TOP OF SLOPE TO TOE OF SLOPE, WITH A 3' BY 6' PLATFORM TO BREAK THE FALL IF SOMEONE WAS TO TRIP ON THE STAIRS.

ATTACHMENT 9

SUBMITTED APPENDIX B

**APPENDIX B: MDEP COASTAL WETLAND CHARACTERIZATION:
INTERTIDAL & SHALLOW SUBTIDAL FIELD SURVEY CHECKLIST**

NAME OF APPLICANT: Robert U. L'Amour PHONE: 766-5179
 APPLICATION TYPE: Shoreline Stabilization
 ACTIVITY LOCATION: TOWN: Peaks Island COUNTY: Cumberland

ACTIVITY DESCRIPTION: fill pier lobster pound shoreline stabilization
 dredge other: _____

DATE OF SURVEY: _____ OBSERVER: _____

TIME OF SURVEY: _____ TIDE AT SURVEY: _____

SIZE OF DIRECT IMPACT OR FOOTPRINT (square feet):
 Intertidal area: _____ Subtidal area: _____

SIZE OF INDIRECT IMPACT, if known (square feet): 1000sq'
 Intertidal area: _____ Subtidal area: _____

HABITAT TYPES PRESENT (check all that apply):
 sand beach boulder/cobble beach sand flat mixed coarse & fines salt marsh
 ledge rocky shore mudflat (sediment depth, if known: _____)

ENERGY: protected semi-protected partially exposed exposed

DRAINAGE: drains completely standing water pools stream or channel

SLOPE: >20% 10-20% 5-10% 0-5% variable

SHORELINE CHARACTER:
 bluff/bank (height from spring high tide: _____) beach rocky vegetated

FRESHWATER SOURCES: stream river wetland stormwater

MARINE ORGANISMS PRESENT:

	absent	occasional	common	abundant
mussels	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
clams	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
marine worms	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
rockweed	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
eelgrass	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
lobsters	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
other	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

SIGNS OF SHORELINE OR INTERTIDAL EROSION? yes no

PREVIOUS ALTERATIONS? yes no

CURRENT USE OF SITE AND ADJACENT UPLAND:
 undeveloped residential commercial degraded recreational

PLEASE SUBMIT THE FOLLOWING:
 Photographs Overhead drawing (pink)

ATTACHMENT 10

**PUBLIC NOTICE:
NOTICE OF INTENT TO FILE**

Please take notice that

Robert Villforth & Nancy Arnold
8 City View Road Peaks Island Me 04108
(Name, Address and Phone # of Applicant) 207-766-5179

is intending to file a Natural Resources Protection Act permit application with the Maine Department of Environmental Protection pursuant to the provisions of 38 M.R.S.A. §§ 480-A thru 480-BB on or about

June 1st 2018
(anticipated filing date)

The application is for

100' long Rip-RAP Stone WALL approximately 10' high
(description of the project)
Along the back of Casco Bay above High Water Line.

at the following location:

8 City View Road Peaks Island Maine 04108
(project location)

A request for a public hearing or a request that the Board of Environmental Protection assume jurisdiction over this application must be received by the Department in writing, no later than 20 days after the application is found by the Department to be complete and is accepted for processing. A public hearing may or may not be held at the discretion of the Commissioner or Board of Environmental Protection. Public comment on the application will be accepted throughout the processing of the application.

For Federally licensed, permitted, or funded activities in the Coastal Zone, review of this application shall also constitute the State's consistency review in accordance with the Maine Coastal Program pursuant to Section 307 of the federal Coastal Zone Management Act, 16 U.S.C. § 1456. (Delete if not applicable.)

The application will be filed for public inspection at the Department of Environmental Protection's office in (Portland, Augusta or Bangor)(circle one) during normal working hours. A copy of the application may also be seen at the municipal offices in Portland, Maine.
(town)

Written public comments may be sent to the regional office in Portland, Augusta, or Bangor where the application is filed for public inspection:

- MDEP, Central Maine Regional Office, 17 State House Station, Augusta, Maine 04333
- MDEP, Southern Maine Regional Office, 312 Canco Road, Portland, Maine 04103
- MDEP, Eastern Maine Regional Office, 106 Hogan Road, Bangor, Maine 04401

(pink)

PUBLIC NOTICE FILING AND CERTIFICATION

Department Rules, Chapter 2, require an applicant to provide public notice for all Tier 2, Tier 3 and individual Natural Resources Protect Act projects. In the notice, the applicant must describe the proposed activity and where it is located. "Abutter" for the purposes of the notice provision means any person who owns property that is BOTH (1) adjoining and (2) within one mile of the delineated project boundary, including owners of property directly across a public or private right of way.

1. **Newspaper:** You must publish the Notice of Intent to File in a newspaper circulated in the area where the activity is located. The notice must appear in the newspaper within 30 days prior to the filing of the application with the Department. You may use the attached Notice of Intent to File form, or one containing identical information, for newspaper publication and certified mailing.
2. **Abutting Property Owners:** You must send a copy of the Notice of Intent to File by certified mail to the owners of the property abutting the activity. Their names and addresses can be obtained from the town tax maps or local officials. They must receive notice within 30 days prior to the filing of the application with the Department.
3. **Municipal Office:** You must send a copy of the Notice of Intent to File and a **duplicate of the entire application** to the Municipal Office.

ATTACH a list of the names and addresses of the owners of abutting property.

CERTIFICATION

By signing below, the applicant or authorized agent certifies that:

5. A Notice of Intent to File was published in a newspaper circulated in the area where the project site is located within 30 days prior to filing the application;
6. A certified mailing of the Notice of Intent to File was sent to all abutters within 30 days of the filing of the application;
7. A certified mailing of the Notice of Intent to File, and a duplicate copy of the application was sent to the town office of the municipality in which the project is located; and
8. Provided notice of and held a public informational meeting, if required, in accordance with Chapter 2, Rules Concerning the Processing of Applications, Section 13, prior to filing the application. Notice of the meeting was sent by certified mail to abutters and to the town office of the municipality in which the project is located at least ten days prior to the meeting. Notice of the meeting was also published once in a newspaper circulated in the area where the project site is located at least seven days prior to the meeting.

The Public Informational Meeting was held on _____
Date

Approximately _____ members of the public attended the Public Informational Meeting.

[Signature]
Signature of Applicant or authorized agent

5-12-18
Date

Portland Press Herald

EST. 1867

Maine Sunday Telegram

www.pressherald.com

Public Notice

NOTICE OF INTENT TO FILE

Please take notice that Robert Villforth and Nancy Arnold, 8 City View Road, Peaks Island, ME 04108 is intending to file a Natural Resources Protection Act permit application with the Maine Department of Environmental Protection pursuant to the provisions of 38 M.R.S.A. §§ 480-A thru 480-BB on or about June 1, 2018.

The application is for 100' long rip-rap stone wall, approximately 10' high along the bank of Casco Bay above highwater line at the following location: 8 City View Road, Peaks Island, Maine 04108

A request for a public hearing or a request that the Board of Environmental Protection assume jurisdiction over this application must be received by the Department in writing, no later than 20 days after the application is found by the Department to be complete and is accepted for processing. A public hearing may or may not be held at the discretion of the Commissioner or Board of Environmental Protection. Public comment on the application will be accepted throughout the processing of the application.

For Federally licensed, permitted, or funded activities in the Coastal Zone, review of this application shall also constitute the State's consistency review in accordance with the Maine Coastal Program pursuant to Section 307 of the federal Coastal Zone Management Act, 16 U.S.C. § 1456. (Delete if not applicable.)

The application will be filed for public inspection at the Department of Environmental Protection's office in Portland normal working hours. A copy of the application may also be seen at the municipal offices in Portland, Maine.


Written public comments may be sent to the regional office in Portland, Augusta, or Bangor where the application is filed for public inspection:

MDEP, Central Maine Regional Office, 17 State House Station, Augusta, Maine 04333
MDEP, Southern Maine Regional Office, 312 Canco Road, Portland, Maine 04103
MDEP, Eastern Maine Regional Office, 106 Hogan Road, Bangor, Maine 04401

I, Joan M. Jensen, Legal Advertising Representative of the Portland Press Herald and Maine Sunday Telegram newspapers of Portland, Maine, do hereby certify that the attached advertisement appeared in the May 7, 2018 edition of the Portland Press Herald.


Legal Advertising Representative

Subscribed and sworn to before me
this 10th day of May 2018


Notary Public

My commission expires

RICHARD W. DeBRUIN
Notary Public, Maine
My Commission Expires February 4, 2021

Portland Press Herald

EST.
1862

Maine Sunday Telegram

www.pressherald.com

Public Notice

NOTICE OF INTENT TO FILE

Please take notice that Robert Villforth and Nancy Arnold, 8 City View Road, Peaks Island, ME 04108 is intending to file a Natural Resources Protection Act permit application with the Maine Department of Environmental Protection pursuant to the provisions of 38 M.R.S.A. §§ 480-A thru 480-BB on or about June 1, 2018.

The application is for 100' long rip-rap stone wall, approximately 10' high along the bank of Casco Bay above highwater line at the following location: 8 City View Road, Peaks Island, Maine 04108

A request for a public hearing or a request that the Board of Environmental Protection assume jurisdiction over this application must be received by the Department in writing, no later than 20 days after the application is found by the Department to be complete and is accepted for processing. A public hearing may or may not be held at the discretion of the Commissioner or Board of Environmental Protection. Public comment on the application will be accepted throughout the processing of the application.

For Federally licensed, permitted, or funded activities in the Coastal Zone, review of this application shall also constitute the State's consistency review in accordance with the Maine Coastal Program pursuant to Section 307 of the federal Coastal Zone Management Act, 16 U.S.C. § 1456. (Delete if not applicable.)

The application will be filed for public inspection at the Department of Environmental Protection's office in Portland normal working hours. A copy of the application may also be seen at the municipal offices in Portland, Maine.

Written public comments may be sent to the regional office in Portland, Augusta, or Bangor where the application is filed for public inspection:

MDEP, Central Maine Regional Office, 17 State House Station, Augusta, Maine 04333

MDEP, Southern Maine Regional Office, 312 Canco Road, Portland, Maine 04103

MDEP, Eastern Maine Regional Office, 106 Hogan Road, Bangor, Maine 04401

I, Joan M. Jensen, Legal Advertising Representative of the Portland Press Herald and Maine Sunday Telegram newspapers of Portland, Maine, do hereby certify that the attached advertisement appeared in the May 7, 2018 edition of the Portland Press Herald.


Legal Advertising Representative

Subscribed and sworn to before me
this 10th day of May 2018


Notary Public

My commission expires

RICHARD W. DeBRUIN
Notary Public, Maine
My Commission Expires February 4, 2021

**APPENDIX A: MDEP VISUAL EVALUATION
FIELD SURVEY CHECKLIST**

(Natural Resources Protection Act, 38 M.R.S.A. §§ 480 A - Z)

Name of applicant: Robert Willforth Phone: 766-5179
 Application Type: Shoreline Stabilization Rip Rap
 Activity Type: (brief activity description) Build Rip Rap Wall
 Activity Location: Town: Peaks Island County: Cumberland
 GIS Coordinates, if known: _____
 Date of Survey: 5-16-18 Observer: Robert Morin Phone: 207-658-7860

**Distance Between the Proposed Visibility
Activity and Resource (in Miles)**

	0-1/4	1/4-1	1+
1. Would the activity be visible from:			
A. A National Natural Landmark or other outstanding natural feature?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
B. A State or National Wildlife Refuge, Sanctuary, or Preserve or a State Game Refuge?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
C. A state or federal trail?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
D. A public site or structure listed on the National Register of Historic Places?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
E. A National or State Park?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
F. 1) A municipal park or public open space?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
2) A publicly owned land visited, in part, for the use, observation, enjoyment and appreciation of natural or man-made visual qualities?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3) A public resource, such as the Atlantic Ocean, a great pond or a navigable river?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. What is the closest estimated distance to a similar activity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. What is the closest distance to a public facility intended for a similar use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Is the visibility of the activity seasonal? (i.e., screened by summer foliage, but visible during other seasons)		<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
5. Are any of the resources checked in question 1 used by the public during the time of year during which the activity will be visible?		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No

A listing of National Natural Landmarks and other outstanding natural features in the State of Maine can be found at: www.nature.nps.gov/nnl/Registry/USA_map/states/Maine/main.htm . In addition, unique natural areas are listed in the Maine Atlas and Gazetteer published by DeLorme.

(pink)

Bob Morin

From: Robert Villforth <rvillforth@gmail.com>
Sent: Thursday, May 17, 2018 12:15 PM
To: Bob Morin
Subject: authorized agent and representative

Hi Bob,

I authorize you as my agent and representative to the Maine Department of Environmental Protection. Thanks.

-Robert Villforth

rvillforth@gmail.com
8 City View Road
Peaks Island, ME 04108
207-766-5179