

State(s) MAINE
 Accredited Evaluation and Inspection Agency
 This document is certified as being in conformance
 with LISTED
 CODES

Jul 5, 2016

Approved By [Signature]
 Approval of this document does not authorize or approve
 any omission or deviation from the requirements of
 applicable State Laws.
 TRA APPROVAL LIMITED TO
 FACTORY-BUILT MODULES ONLY.

P1a

MANUFACTURER'S DATA PLATE		FACTORY INSTALLED EQUIPMENT	
		EQUIPMENT	MANUFACTURER MODEL NO.
Manufacturer <u>KBS Builders Inc.</u> Address <u>947 Waterford Road</u> City, State, Zip <u>Waterford, Maine 04088</u>		Heating	<u>SLANT FIN</u>
LISTED INDUSTRIALIZED BUILDING _____ Model <u>4 BOX CAPE</u>		Cooling	<u>n/a</u>
Occupancy Classification	<u>Single Family</u>	Range/Burner	<u>n/a</u>
Manufacturer's Serial No(s)	<u>KBS-2735</u>	Oven	<u>n/a</u>
Date of Manufacture	<u>XX/XX/XX</u>	Refrigerator	<u>n/a</u>
Date Data Plate Attached	<u>XX/XX/XX</u>	Water Heater	<u>n/a</u>
Permissible Gas Type(s)	<u>n/a</u>	Dish Washer	<u>n/a</u>
Electric Rating	<u>Wire for 200 amps / 240 Volts</u>	Disposal	<u>n/a</u>
Test Voltage/Time	<u>1080 Volts / 1 Second</u>	Special Conditions	
Water Supply: Test Procedure	<u>80 psi / 15 Minutes</u>	Hydro-Massage Tub	<u>n/a</u>
Floor Design Live Load	<u>40 psf</u>	Shipping Weight(s)	<u>Approx. 24,000 lbs.</u>
Ground Snow Load	<u>50 psf</u>	TRA Label No(s).	<u>XXXXXX, XXXXXX</u>
Exterior Wall Fire Rating	<u>n/a</u>	State Insignia No(s).	<u>XXXXX (ME State) ; XXXXX (ME Warranty)</u>
Winter Design Temp.: Inside	<u>+70 Deg. F</u>		
U ₆ : Ceiling	<u>0.020</u>		
	Wall		
	<u>0.05</u>		
	Floor		
	<u>0.033</u>		

CODE REFERENCE PLATE

THIS MANUFACTURED STRUCTURE HAS BEEN CONSTRUCTED
 IN CONFORMANCE WITH THE FOLLOWING CODES:

<input checked="" type="checkbox"/>	2011*	NATIONAL ELECTRICAL CODE®
<input type="checkbox"/>		INTERNATIONAL BUILDING CODE
<input type="checkbox"/>		INTERNATIONAL MECHANICAL CODE
<input type="checkbox"/>		INTERNATIONAL PLUMBING CODE
<input type="checkbox"/>		INTERNATIONAL ENERGY CONSERVATION CODE
<input checked="" type="checkbox"/>	2009*	INTERNATIONAL RESIDENTIAL CODE
<input type="checkbox"/>		INTERNATIONAL FUEL GAS CODE
<input type="checkbox"/>		INTERNATIONAL FIRE CODE
<input type="checkbox"/>		UNIFORM BUILDING CODE
<input checked="" type="checkbox"/>	2009*	UNIFORM PLUMBING CODE
<input type="checkbox"/>		UNIFORM MECHANICAL CODE
<input type="checkbox"/>		NATIONAL STANDARD PLUMBING CODE
<input type="checkbox"/>		STATE ENERGY EFFICIENCY BUILDING PERFORMANCE STANDARD
<input checked="" type="checkbox"/>	NFPA 31-2001; NFPA 54-2009	
<input checked="" type="checkbox"/>	NFPA 211-2003; NFPA 58-2001	
<input checked="" type="checkbox"/>	ABOVE CODES WITH STATE AMENDMENTS	
<input checked="" type="checkbox"/>	Maine Radon Mitigation Preparation Standard	
<input type="checkbox"/>		
<input type="checkbox"/>		
<input checked="" type="checkbox"/>	THIS PROJECT IS LOCATED IN Peaks Island, MAINE	