



03-s KTA Window & Door-South															
ID	Elevation	Width	Height	Units HORZ	Units VERT	Quantity	Area	Manufacturer	Material	Type	Glazing	SHGC	U-Value	Tempered	Notes
01		2'-0"	5'-0"	---	---	1	10.68	Logic Windows	uPVC	Tilt-Turn	Triple	56	13		Egress
02		2'-0"	5'-0"	---	---	1	10.68	Logic Windows	uPVC	Tilt-Turn	Triple	56	13		
03		2'-0"	5'-0"	---	---	1	10.68	Logic Windows	uPVC	Tilt-Turn	Triple	56	13	YES	
04		2'-0"	5'-0"	---	---	1	10.68	Logic Windows	uPVC	Tilt-Turn	Triple	56	13		
05		2'-0"	5'-0"	---	---	1	10.68	Logic Windows	uPVC	Tilt-Turn	Triple	56	13		
06		3'-0"	5'-0"	---	---	1	15.80	Logic Windows	uPVC	Tilt-Turn	Triple	56	13	YES	Egress
07		6'-10"	5'-6"	---	---	1	41.25	Logic Windows	uPVC	Fixed	Triple	56	13		
08		9'-0 1/2"	5'-6"	---	---	1	53.68	Logic Windows	uPVC	Fixed	Triple	56	13		
10		6'-6"	5'-6"	---	---	1	37.62	Logic Windows	uPVC	Tilt-Turn	Triple	56	13		
11		9'-0"	3'-2"	---	---	1	30.24	Logic Windows	uPVC	Tilt-Turn	Triple	56	13		
12		3'-3"	3'-0"	---	---	1	15.82	Logic Windows	uPVC	Fixed	Triple	56	13		
13		3'-3"	3'-0"	---	---	1	15.82	Logic Windows	uPVC	Fixed	Triple	56	13		
14		2'-4"	1'-8"	---	---	1	4.33	Logic Windows	uPVC	Tilt-Turn	Triple	56	13	YES	
15		4'-0"	2'-0"	---	---	1	8.68	Logic Windows	uPVC	Awning	Triple	56	13		
16		4'-0"	2'-0"	---	---	1	8.68	Logic Windows	uPVC	Fixed	Triple	56	13		
17		4'-0"	2'-0"	---	---	1	8.68	Logic Windows	uPVC	Fixed	Triple	56	13		
18		4'-0"	2'-0"	---	---	1	8.68	Logic Windows	uPVC	Awning	Triple	56	13		
19		4'-0"	2'-0"	---	---	1	8.68	Logic Windows	uPVC	Awning	Triple	56	13		
20		4'-4"	4'-11"	---	---	1	21.90	Logic Windows	uPVC	Fixed	Triple	56	13		
21		6'-1 1/4"	4'-2"	---	---	1	26.04	Logic Windows	uPVC	Fixed	Triple	56	13		
22		8'-4 1/4"	5'-7"	---	---	1	47.48	Logic Windows	uPVC	Fixed	Triple	56	13		
						21	406.78 sq ft								

1 Window Schedule
SCALE: 1" = 1'-0"



DOOR SCHEDULE											
ID	Double Door	Width	Height	Thickness	Quantity	Manufacturer	Type	Finish	Glazing	Fire Rating	Notes
01	---	4'-0"	6'-8"	0'-1 1/4"	1		Solid Core Swing	Flush Panel			
02	---	3'-0"	6'-8"	0'-1 1/4"	1		Solid Core Pocket	Flush Panel			
03	---	2'-0"	6'-8"	0'-1 1/4"	1		Solid Core Swing	Flush Panel			
04	---	3'-0"	6'-8"	0'-1 1/4"	1		Solid Core Swing	Flush Panel			
05	---	4'-0"	6'-8"	0'-1 1/4"	1		Solid Core Swing	Flush Panel			
06	---	2'-9"	6'-8"	0'-1 1/4"	1		Solid Core Swing	Flush Panel			
07	---	2'-6"	6'-8"	0'-1 1/4"	1		Solid Core Swing	Flush Panel			
08	---	2'-4"	6'-8"	0'-1 1/4"	1		Solid Core Swing	Flush Panel			
09	---	2'-0"	3'-0"	0'-1 1/4"	1		Solid Core Swing	Flush Panel			
10	---	2'-6"	6'-8"	0'-1 1/4"	1		Solid Core Swing	Flush Panel			
11	---	2'-6"	6'-8"	0'-1 1/4"	1		Solid Core Pocket	Flush Panel			
12	---	3'-6"	6'-8"	0'-1 1/4"	1		Solid Core Pocket	Flush Panel			
E01	---	3'-0"	7'-0"	0'-1 1/4"	1		Exterior Swing		Full Lite		
E02	---	3'-0"	7'-0"	0'-1 1/4"	1		Exterior Swing		Full Lite		
E03	---	3'-0"	7'-0"	0'-1 1/4"	1		Exterior Swing		Full Lite		
G1	---	5'-0"	6'-8"	0'-1 1/4"	1		Exterior Swing				Siding Over Exterior Door
G2	---	5'-0"	6'-8"	0'-1 1/4"	1		Exterior Swing				Siding Over Exterior Door
					17						

2 Door Schedule
SCALE: 1" = 1'-0"



NO.	DATE	DESCRIPTION
1		

PROJECT NO: STZ
DATE: 4/5/16
DRAWN BY: SDF

SCHEDULES

A-8.1
FOR PERMIT
NOT FOR
CONSTRUCTION