


FOUNDATION PLAN

SCALE: 1/4" = 1'-0"

NOTES:

1. SEE S2.0 FOR TYPICAL SLAB-ON-GRADE, WALL AND FOOTING REINFORCING DETAILS.
2. REFERENCE FINISH FLOOR ELEVATION = 100'-0"
3. TOP OF CONCRETE ELEVATIONS ARE NOTED (±X'-X") FROM SLAB-ON-GRADE ELEVATION.
4. TOP OF FOOTING ELEVATIONS ARE NOTED (±X'-X") FROM SLAB-ON-GRADE ELEVATION AND ARE APPROXIMATE. FOOTINGS TO BEAR DIRECTLY ON LEDGE.
5. FOR WALL FOOTINGS BEARING ON LEDGE, PIN TO LEDGE WITH (1) #4 DOWEL @ 4'-0" O.C., 12" EMBED INTO LEDGE WITH A 12" HORIZ HOOK INTO FOOTING.
6. FOR SPREAD FOOTINGS BEARING ON LEDGE, PIN TO LEDGE WITH (2) #4 DOWELS PER FOOTING. SEE NOTE 5 FOR EMBEDMENT REQUIREMENTS.


PRINTED: Jun 22, 2016



424 Fore Street
Portland, ME 04101
Phone 207.842.2800
Fax 207.842.2828
www.cascobayengineering.com

CLIENT:
KAPLAN THOMPSON ARCHITECTS

102 EXCHANGE STREET, 2nd FLOOR
PORTLAND, MAINE 04101



STENZEL - WALSH
PEAKS ISLAND
PORTLAND, MAINE

NEW RESIDENCE

ISSUED	DR.	CHKD.	DATE
DESCRIPTION	BY	BT	
ISSUED FOR PERMIT	PR		4-1-16
ISSUED FOR PRICING	PR		5-26-16
GENERAL REVISIONS	PR		6-8-16
ISSUED FOR CONSTRUCTION	PR		6-22-16

SHEET TITLE:

FOUNDATION PLAN

DESIGNED: PR
DRAWN: PR
DATE: 03-29-16
PROJECT NUMBER: 16-010

S1.0