BIM Server: server.kaplanthompson.com - BIM Server 19/STZ-CD

AIR SEALING AT PENETRATIONS:
TYPICAL AIR SEALING AT SLAB PENETRATIONS & PIPES

AIR SEALING AT WALLS:
LEAVE VB LONG, TO ALLOW FOR TAPE SEAL TO WALL SHEATHING AFTER FRAMING

TYPICAL VAPOR BARRIER SEALING:
DOW WEATHERMATE OR VENTURE RED FLASHING TAPE, PER VB MANUFACTURERS RECOMMENDATIONS

AIR SEALING AT ALL SLAB PENETRATIONS, TYP.

2 FOUNDATION 3D

1 FOUNDATION
SCALE: 1/4" = 1'-0"

KAPLAN THOMPSON ARCHITECTS
102 [illegible]
PORTLAND, ME 04101
207-842-2888
KAPLANTHOMPSON.COM

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 07/13/16

PROJECT:
Stenzel-Walsh New House
PEAKS ISLAND
PORTLAND, MAINE 04108

STRUCTURAL :
Casco Bay Engineering
424 Fore Street
Portland, ME 04102
p: 207 842-2888

LICENSED ARCHITECT
PHILIPPE J. KAPLAN
No.2597
STATE OF MAINE

FOR CONSTRUCTION

PROJECT NO:	STZ
DATE:	6/21/16
DRAWN BY:	SDF
PHASE:	CONSTRUCTION DOCUMENTS

FOUNDATION PLAN

A-1.1