1 SECTION
3/4" = 1'-0"

2 SECTION
3/4" = 1'-0"

3 SECTION
3/4" = 1'-0"

4 SECTION
3/4" = 1'-0"

TYPICAL SLAB-ON-GRADE | CONTROL JOINT | CONSTRUCTION JOINT

TYPICAL SLAB-ON-GRADE DETAILS
SCALE: NTS

TYPICAL STEPPED FOOTING DETAIL
SCALE: NTS

DETAIL @ WALL CORNER W/ SINGLE ROW OF WALL REINFORCING | DETAIL @ WALL INTERSECTION W/ SINGLE ROW OF WALL REINFORCING | DETAIL @ WALL END W/ SINGLE ROW OF WALL REINFORCING | CONSTRUCTION JOINT DETAIL W/ SINGLE ROW OF WALL REINFORCING

TYPICAL FOUNDATION WALL DETAILS
SCALE: NTS

TYPICAL THROUGH WALL WALL PENETRATION DETAIL
SCALE: NTS

OPTION 1: #5's 2'-6" @ SPACING TO MATCH SPAB REINFORCING. LAP w/SLAB REINFORCING.

OPTION 2: HOOK SLAB REINFORCING @ ENDS TYPICAL AROUND OPENING

NOTE: TYPICAL SLAB REINFORCING NOT SHOWN FOR CLARITY

TYPICAL OPENING IN WALL OR SLAB DETAIL
SCALE: NTS

PRINTED: Jun 22, 2016

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 07/13/16

CASCO BAY ENGINEERING
424 Fore Street
Portland, ME 04101
Phone 207.842.2800
Fax 207.842.2828
www.cascobayengineering.com

CLIENT:
KAPLAN THOMPSON ARCHITECTS
102 EXCHANGE STREET, 2nd FLOOR
PORTLAND, MAINE 04101

STATE OF MAINE
PETER D. RAND
No. 9714
LICENSED PROFESSIONAL ENGINEER
6-22-16

STENZEL - WALSH
PEAKS ISLAND
PORTLAND, MAINE
NEW RESIDENCE

ISSUED

No.	DESCRIPTION	DR. BY	CKD. BY	DATE
A	ISSUED FOR PERMIT	PR		4-1-16
B	ISSUED FOR PRICING	PR		5-26-16
C	GENERAL REVISIONS	PR		6-8-16
0	ISSUED FOR CONSTRUCTION	PR		6-22-16

SHEET TITLE:
TYPICAL CONCRETE DETAILS AND SECTIONS

DESIGNED:	PR
DRAWN:	PR
DATE:	03-29-16
PROJECT NUMBER:	16-010

S2.0