SECOND FLOOR

SCALE : 1/4" = 1'-0"

5 EXTERIOR WALL DETAIL

SCALE - ½" = 1'-0"

NOTES:
-ALL WET WALLS REQUIRE 1 ½" GAP BOTH SIDES BETWEEN PLUMBING AND FACE OF STRUCTURE
-SUBSTITUTE WATER RESISTANT OR DENSHIELD WHERE APPROPRIATE
-FILL ALL HORIZONTAL AND VERTICAL PENETRATIONS WITH SPRAY FOAM

6 INTERIOR WALL DETAIL

SCALE - ½" = 1'-0"

NOTES:
-ALL WET WALLS REQUIRE 1 ½" GAP BOTH SIDES BETWEEN PLUMBING AND FACE OF STRUCTURE
-SUBSTITUTE WATER RESISTANT OR DURASHIELD WHERE APPROPRIATE
-ALL POCKET DOOR WALLS TO BE 2X6
-ALL GARAGE WALLS TO BE MN. 1 HR. FIRE RATED
-FILL ALL VERTICAL PENETRATIONS WITH SPRAY FOAM

8 HANDRAIL DETAIL

SCALE - ¾" = 1'-0"

NOTES:
-APPROVED SUBSTITUTIONS ALLOWED
-INSTALL ALL MATERIALS PER MANUF. REQUIREMENTS
-TO MEET ALL APPLICABLE CODES

7 STAIR DETAIL

SCALE - ¾" = 1'-0"

NOTES:
-APPROVED SUBSTITUTIONS ALLOWED
-INSTALL ALL MATERIALS PER MANUF. REQUIREMENTS
-TO MEET ALL APPLICABLE CODES

5 ROOF & SOFFIT DETAIL

SCALE - ½" = 1'-0"

NOTES:
-INSULATION TO ACHIEVE FULL HEIGHT AT SILL
-SPRAY FOAM ALL PENETRATIONS

5 ROOF DECK

SCALE - ½" = 1'-0"

Eider Investments, Inc.
228 Black Point Road, Scarborough, ME 04074
207.883.0157 • 207.883.8202

SERAICHICK RESIDENCE

668 SEASHORE AVENUE
PEAKS ISLAND, MAINE

Sheet #	A1.3	Date	05/18/17
Title		Proj#	E017
		Lot	(65)
		Proj#	1D-0-06
		Drawn	TLW
		Revised	TLW
		Scale	As Noted
		Revisions	