



- MAXIMUM APPLIANCE DIMENSIONS WITHOUT CUT SHEETS**
- 30" GAS RANGE
 - 46-7/8" H X 27-3/4" D X 24-7/8" W
 - 30" ELECTRIC RANGE
 - 46-7/8" H X 27-3/4" D X 24-7/8" W
 - 21.7 CU. FT. FRIDGE
 - 64.75" H X 34.75" D X 36" W
 - DISH WASHER
 - 27" H X 32 9/16" D X 36" TALL
 - CLOTHES WASHER
 - 27" H X 32 9/16" D X 36" TALL
 - CLOTHES DRYER
 - 27" H X 32 9/16" D X 36" TALL
 - MALL OVEN SINGLE
 - 30" H X 26 7/16" D X 26 3/4" T
 - MALL OVEN DOUBLE
 - 30" H X 26 7/16" D 51 1/2" T
 - COOK TOP
 - 30 13/16" H X 21 3/4" D X 3 3/4" T

- NOTES:**
1. TACK BASEBOARD HOLDING IN ALL ROOMS.
 2. SPRINKLER SYSTEM TO BE INSTALLED LIFE SAFETY OF DUBLIN NEW HAMPSHIRE. THE SYSTEM WILL BE NFPA 13D WET SYSTEM.

PERMIT PLANS

I HAVE REVIEWED THESE PLANS FOR ACCURACY AND HEREBY AUTHORIZE N.E.H. TO DO THE FOLLOWING:

- THERE ARE NO CHANGES TO THIS PLAN. RELEASE THE JOB FOR PRODUCTION.
- REVISE THE PLANS AS NOTED AND RELEASE THESE PLANS FOR PRODUCTION.
- REVISE THESE PLANS AS NOTED AND SEND THE ANOTHER SET OF PERMIT PLANS TO REVIEW.

Signature _____ Date _____

277 Locust Street, Suite B
 Dover, NH 03820
 www.newenglandhomes.com
 (603) 688-0000
 (603) 688-4519

New England Homes

CMH, INC
 Structural Steel

COLONIAL FIRST FLOOR PLAN

3/16"-1'-0"

DOUBLE SIDES 7/16" STRUCTURAL SHEATHING
 0.148"x2" NAILS UNLESS NOTED OTHERWISE
 * FIELD FASTENING 12" O.C. TYPICAL

▽ 3" O.C. STAGGER W/ DOUBLE EDGE FRAMING
 I FORCE REQUIRED = 11273 LB

FASTEN TOP/BOTTOM PLATES TO RAILS W/ (2) ROWS 0.131"x2.5" NAILS @ 4" O.C.
 SILL TO FOUNDATION ON SITE BY OTHERS FOR 575 PLF
 RIM TO SILL = LAPPED SHEATHING W/ 0.131"x3" NAILS @ 2" O.C.

ELEVATION	2001 WFCM - 100 MPH W/EXPOSURE 'C' BUILDING ASPECT RATIO (L/W) = 2.354		
	REQUIRED	PROVIDED	8D COMMON FASTENING EDGE/FIELD
FRONT	28%	53%	6 1/2" O.C.
REAR	28%	72%	6 1/2" O.C.
LEFT SIDE	ENGINEERED WALL		
RIGHT SIDE	70%	76%	3 1/2" O.C.

LABEL AND DATA PLATE INDEX:

TRA THIRD PARTY LABEL (TRA)
 ME MAINE STATE LABEL (ME)
 DP DATA PLATE (DP)
 CP CODE PLATE (CP)
 PHB MAINE HOUSING BOARD NEW HOMES WARRANTY (PHB)
 SHMS INSTALLATION WARRANTY SEAL (SHMS)

E.R. ARNOLD & ASSOCIATES, INC. 476 Cannon St. Durham, NH 03824
 State of MAINE
 Licensed Foundation and Inspection Agency
 This document is certified as being in accordance with LEED
 CODES
 Aug 8, 2017
 Approved by *Ketia White*
 Approval of this document does not constitute an approval of any construction or installation of any component or system of any component of any applicable State Laws.
 THIS APPROVAL LIMITED TO FACTORY-BUILT MODULES ONLY.

NOTE: MEET & ALL materials shipped based on the site conditions of the manufacturer provided in UNLESS OTHERWISE NOTED

11256
 1
 A-3