



CIRCUIT LEGEND			
EXAMPLE	1	2	3
	1	A	1
1. CIRCUIT #			
2. JUMPER			
(A=BREAKER / B=B / C=C / ETC.)			
3. WIRE SIZE			
1- 12-2 / 2- 14-2 / 3- 14-3 / 4- 12-3			
	—	—	—

LOW VOLTAGE KEY	
1-THERMOSTAT	(18/6)
2-BELL	(18/2)
3-CHIMES	(18/3)
4-HRV CONTROL	(18/4)

T.R. ARNOLD & ASSOCIATES, INC. 4780 Chester Dr. Portland, ME 04106
 State(s) MAINE
 Accredited Evaluation and Inspection Agency
 This document is certified as being in conformance
 with ENFIB
 CODES
 Approved By: [Signature] Aug 8, 2017
 Approval of this document does not authorize or approve
 any omission or deviation from the requirements of
 the applicable State Law.
 TR. ARNOLD & ASSOCIATES, INC.
 FACTORY-BUILT MODELS ONLY.

NOTE: ANY & ALL electrical equipment shown for the sole completion of the manufacturer provided is UL TRIMMABLE AND SOLE RESPONSIBILITY OF THE FOLLOWING LISTED BUILDER TO INSTALL AND MAINT.

11256	Drawn:	Job	277 Locust Street, Suite B Dover, NH 03820 www.newenglandhomes.net (603)603.8881 (603)603.4515/640
	Revisions	ITA	
E-2	Revised:	ITA	
	Checked:	ITA	
	ITA	Builder:	CMH, INC Structure Dept.
	ITA	Scale:	3/16"=1'-0"
	ITA		COLONIAL
			FOUNDATION PLAN ELECTRICAL

Refer to check appropriate New, City, State, and Federal to MELE Plans and electrical, permit, and detail will be returned to builder and subject to revision from Production Drawings.

PERMIT PLANS

I HAVE REVIEWED THESE PLANS FOR ACCURACY AND HEREBY AUTHORIZE N.E.H. TO DO THE FOLLOWING:

THERE ARE NO CHANGES TO THIS PLAN, RELEASE THE JOB FOR PRODUCTION.

REVISE THE PLANS AS NOTED AND RELEASE THESE PLANS FOR PRODUCTION.

REVISE THESE PLANS AS NOTED AND SEND THE ANOTHER SET OF PERMIT PLANS TO REVIEW.

Signature _____ Date _____

NEW ENGLAND HOMES INDEPENDENT BUILDERS DULY AUTHORIZED AGENT PER CONTRACT AGREEMENT.