CIRCUIT LEGEND

EXAMPLE 1 2 3
1 A 1

1. CIRCUIT #
2. JUMPER
   (A=BREAKER / B=B / C=C / ETC.)
3. WIRE SIZE

1- 12-2 / 2- 14-2 / 3- 14-3 / 4- 12-3

LOW VOLTAGE KEY

1-THERMOSTAT	(18/6)
2-BELL	(18/2)
3-CHIMES	(18/3)
4-HRV CONTROL	(18/6)

ELECTRICAL NOTES:

1. DOOR BELL HARD WIRED
2. NO CENTRAL VACUUM
3. 15 AND 20 AMP PANEL HOMERUNS THAT EXCEED 100' ARE INCREASED (1) WIRE SIZE TO ACCOMMODATE VOLTAGE LINE LOSS
4. HEAT IS ELECTRIC.

T.R. ARNOLD & ASSOCIATES, INC. 4703 Chester Dr. Elkhart, IN 46516
State(s) MAINE
Accredited Evaluation and Inspection Agency
This document is certified as being in conformance with LISTED CODES
Aug 8, 2017
Approved By
Approval of this document does not authorize or approve any omission or deviation from the requirements of applicable State Laws.
TRA APPROVAL LIMITED TO FACTORY-BUILT MODULES ONLY.

NOTE: ANY & ALL Material shipped loose for site completion of the manufactured product is ULTIMATELY the SOLE RESPONSIBILITY OF THE BUILDER LISTED BELOW to install and finish.

Builder to check appropriate box, sign, date, and return to NEH. Plans not checked, signed, and dated will be returned to Builder and subject to renewal from Production Scheduling.

PERMIT PLANS

I HAVE REVIEWED THESE PLANS FOR ACCURACY AND HEREBY AUTHORIZE N.E.H. TO DO THE

- ☐ THERE ARE NO CHANGES TO THIS PLAN, RELEASE THE JOB FOR PRODUCTION.
- ☐ REVISE THE PLANS AS NOTED AND RELEASE THESE PLANS FOR PRODUCTION.
- ☐ REVISE THESE PLANS AS NOTED AND SEND ME ANOTHER SET OF PERMIT PLANS TO RE

Signature NEW ENGLAND HOMES INDEPENDENT BUILDERS DULY AUTHORIZED AGENT PER CONTRACT AGREEMENT

New England Homes
277 Locust Street, Suite B
Dover, NH 03820
www.newengleandhomes.net
(telephone)800.800.8851
(fax)603.418.5540

CMH, INC
Structure Model: COLONIAL

FIRST FLOOR PLAN ELECTRICAL

3/16"=1'-0"

Drawn:	JMB
3/30/17	RTA
4/24/17	RTA
4/4/17	RTA
6/16/17	RTA
8/8/17	RTA
7/28/17	RTA

Revisions

Builder:
Structure:

11256
Revision: 1
Sheet: E-3

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 11/15/17