DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK



This is to certify that

Located at

BRAUN MARTIN J & JAMIE B HOGAN JTS/Macey

265 PLEASANT AVE (Peaks Island)

Orme

PERMIT ID: 2014-01712

ISSUE DATE: 08/07/2014

CBL: 090 Y001001

Alteration which consists of the construction of a 6' x 8' (48 SF) replacement has permission to entrance porch and stairs with a roof, but not enclosed

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise clsoed-in. 48 HOUR NOTICE IS REQUIRED.

A final inspection must be completed by owner before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

N/A

Fire Official **Building Official**

THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY THERE IS A PENALTY FOR REMOVING THIS CARD

/s/ Laurie Leader

Approved Property Use - Zoning

Building Inspections

Fire Department

Singlr Family Dwelling

Use Group: R-3

Type: 5B Single family home

ENTIRE

MUBEC/RC 2009

PERMIT ID: 2014-01712 Located at: 265 PLEASANT AVE (Peaks CBL: 090 Y001001

BUILDING PERMIT INSPECTION PROCEDURES Please call 874-8703 (ONLY)

or email: buildinginspections@portlandmaine.gov

Check the Status or Schedule an Inspection On-Line at http://www.portlandmaine.gov/planning/permitstatus.asp

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the city of Portland Inspections Services for the following inspections. Appointments must be requested 48 to 72 hours in advance of the required inspection. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that is attached to this permit!! Contact this office if you have any questions.
- Permits expire in 6 months. If the project is not started or ceases for 6 months.
- If the inspection requirements are not followed as stated below additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.
- Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC). One set of printed approved stamped construction documents shall be kept at the site of work and shall be open to inspection by building officials.

REQUIRED INSPECTIONS:

Setbacks and Footings Prior to Pouring Foundation/Backfill Framing Only Final Inspection

The project cannot move to the next phase prior to the required inspection and approval to continue, REGARDLESS OF THE NOTICE OF CIRCUMSTANCES.

IF THE PERMIT REQUIRES A CERTIFICATE OF OCCUPANCY, IT MUST BE PAID FOR AND ISSUED TO THE OWNER OR DESIGNEE BEFORE THE SPACE MAY BE OCCUPIED.

PERMIT ID: 2014-01712 **Located at:** 265 PLEASANT AVE (Peaks **CBL:** 090 Y001001

Permit No: Date Applied For: CBL: City of Portland, Maine - Building or Use Permit 08/01/2014 2014-01712 090 Y001001 389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716 Proposed Use: Proposed Project Description: Single-Family Home Alteration which consists of the construction of a 6' x 8' (48 SF) replacement entrance porch and stairs with a roof, but not enclosed **Dept:** Zoning **Status:** Approved w/Conditions Reviewer: Marge Schmuckal 08/04/2014

Dept: Zoning **Status:** Approved w/Conditions **Reviewer:** Marge Schmuckal **Approval Date:** 08/04/2014 **Note:** ok per 14-425 - not more than 50 square feet and cannot project more than 6' from the building - with a roof, **Ok to Issue:**
but not enclosed

Conditions:

1) It is understood that the replacement entry way does not exceed 50 square feet and is not enclosed, but has a roof. Any changes will require a separate permit & approval.

 Dept:
 Building
 Status:
 Approved w/Conditions
 Reviewer:
 Laurie Leader
 Approval Date:
 08/06/2014

 Note:
 Ok to Issue:
 ✓

Conditions:

1) Hardwired photoelectric interconnected battery backup smoke detectors shall be installed in all bedrooms, protecting the bedrooms, and on every level.

The same is required for existing buildings, where permanent wiring is feasible; or at the very least battery operated smoke detectors are required. Verification of this will be upon inspection.

- 2) Carbon Monoxide (CO) alarms shall be installed in each area within or giving access to bedrooms. That detection must be powered by the electrical service (plug-in or hardwired) in the building and battery.
- 3) Separate permits are required for any electrical, plumbing, sprinkler, fire alarm, HVAC systems, heating appliances, including pellet/wood stoves, commercial hood exhaust systems and fuel tanks. Separate plans may need to be submitted for approval as a part of this process.
- 4) This permit is approved based upon information provided by the applicant or design professional. Any deviation from the final approved plans requires separate review and approval prior to work.

PERMIT ID: 2014-01712 **Located at:** 265 PLEASANT AVE (Peaks **CBL:** 090 Y001001