

Department of Health and Human Services  
Maine Center for Disease Control and Prevention  
286 Water Street  
# 11 State House Station  
Augusta, Maine 04333-0011  
Tel: (207) 287-5672  
Fax: (207) 287-4172; TTY: 1-800-606-0215

## SUBSURFACE WASTEWATER DISPOSAL SYSTEM VARIANCE REQUEST

This form must accompany an application (HHE-200 Form) for any subsurface wastewater disposal system which requires a variance to provisions of the Subsurface Wastewater Disposal Rules. The Local Plumbing Inspector must not issue a permit for the installation of a subsurface wastewater disposal system requiring a variance from the Department of Health and Human Services until approval has been received from the Department.

<b>GENERAL INFORMATION</b>	Town of <u>Portland, Peaks Island</u>
Property Owner's Name: <u>Basil &amp; Marleen Klosteridis</u>	Tel. No.: <u>766-2508</u>
System's Location: <u>37 Maggi Road</u>	
Property Owner's Address: <u>c/o Lionel Plante Associates, 98 Island Ave, Peaks Island</u>	Zip Code <u>04108</u>
e-mail address: _____	


The subsurface wastewater disposal system design for the subject property requires a  replacement system variance  first time system variance to the Subsurface Wastewater Disposal Rules. This variance requires  local approval  local and state approval.

SPECIFIC VARIANCE REQUESTED (To be filled in by Site Evaluator. Use additional sheets if needed.)	SECTION OF RULE
1. <u>See Sheet Attached</u>	_____
2. _____	_____
3. _____	_____

### SITE EVALUATOR

When a property is found to be unsuitable for subsurface wastewater disposal by a licensed Site Evaluator, the Evaluator shall so inform the property owner. If the property owner, after exploring all other alternatives, wishes to request a variance to the Rules, and the Evaluator in his professional opinion feels the variance request is justified and the site limitations can be overcome, he shall document the soil and site conditions on the Application. The Evaluator shall list the specific variances necessary plus describe below the proposed system design and function. The Evaluator shall further describe how the specific site limitations are to be overcome, and provide any other support documentation as required prior to consideration by the Department. Attach a separate sheet if necessary.


I, Albert Frick, S.E., certify that a variance to the Rules is necessary since a system cannot be installed which will completely satisfy all the Rule requirements. In my judgment, the proposed system design on the attached Application is the best alternative available; enhances the potential of the site for subsurface wastewater disposal; and that the system should function properly.

  
 \_\_\_\_\_  
 SIGNATURE OF SITE EVALUATOR

10/19/15  
 \_\_\_\_\_  
 DATE

### PROPERTY OWNER

I, Danielle Mulhern/LPA Inc., am the  owner  agent for the owner of the subject property. I understand that the installation on the Application is not in total compliance with the Rules. Should the proposed system malfunction, I release all concerned provided they have performed their duties in a reasonable and proper manner, and I will promptly notify the Local Plumbing Inspector and make any corrections required by the Rules. By signing the variance request form, I acknowledge permission for representatives of the Department to enter onto the property to perform such duties as may be necessary to evaluate the variance request.

  
 \_\_\_\_\_  
 SIGNATURE OF OWNER

10/20/15  
 \_\_\_\_\_  
 DATE

AGENT FOR THE OWNER

**LOCAL PLUMBING INSPECTOR - Approval at local level**

The local plumbing inspector shall review all variance requests prior to rendering a decision.

I, \_\_\_\_\_, the undersigned, have visited the above property and find that the variance request submitted by the applicant does not conform with certain provisions of the wastewater disposal rules. The variance request submitted by the applicant is the best alternative for a subsurface wastewater disposal system on this property. The proposed system (  does  does not) conflict with any provisions controlling subsurface wastewater disposal in the shoreland zone. Therefore, I (  do  do not) approve the requested variance. I (  will  will not) issue a permit for the system's installation as proposed by the application.

\_\_\_\_\_  
LPI Signature

\_\_\_\_\_  
Date

**LOCAL PLUMBING INSPECTOR - Referral to the Department**

The local plumbing inspector shall review all variance requests prior to forwarding to the Division of Environmental Health.

I, \_\_\_\_\_, the undersigned, have visited the above property and find that the variance request submitted by the applicant does not conform with certain provisions of the wastewater disposal rules. The variance request submitted by the applicant is the best alternative for a subsurface wastewater disposal system on this property. The proposed system (  does  does not) conflict with any provisions controlling subsurface wastewater disposal in the shoreland zone. Therefore, I (  do  do not) recommend the issuance of a permit for the system's installation as proposed by the application.

\_\_\_\_\_  
LPI Signature

\_\_\_\_\_  
Date

**FOR USE BY THE DEPARTMENT ONLY**

The Department has reviewed the variance(s) and (  does  does not) give its approval. Any additional requirements, recommendations, or reasons for the Variance denial, are given in the attached letter.

\_\_\_\_\_  
SIGNATURE OF THE DEPARTMENT

\_\_\_\_\_  
DATE

Notes: 1. Variances for soil conditions may be approved at the local level as long as the total point assessment is at least the minimum allowed. (See Section 7.B.4 of the Subsurface Wastewater Disposal Rules for Municipal Review.)

2. Variances for other than soil conditions or soil conditions beyond the limit of the LPI's authority are to be submitted to the Department for review. (See Section 7.B.3 for Department Review.) The LPI's signature is required on these variance requests prior to sending them to the Department.

**SOIL, SITE AND ENGINEERING FACTORS FOR FIRST TIME SYSTEM VARIANCE ASSESSMENT WITH LIMITING SOIL DRAINAGE CONDITIONS (SEE TABLES 7C THROUGH 7M).**

	CHARACTERISTIC	POINT ASSESSMENT
Soil Profile		
Depth to Groundwater/Restrictive Layer		
Terrain		
Size of Property		
Waterbody Setback		
Water Supply		
Type of Development		
Disposal Area Adjustment		
Vertical Separation Distance		
Additional Treatment		
<b>TOTAL POINT ASSESSMENT:</b>		

Minimum Points (Check One):  Outside Shoreland Zone-50  Inside Shoreland Zone-65  Subdivision-65

**DISPOSAL SYSTEM VARIANCE REQUEST ATTACHMENT**  
**Table 8A**  
**Setback Distances for Replacement System, Limits of LPI Authority**

VARIANCE CATEGORY	LIMIT OF LPI'S APPROVAL AUTHORITY						VARIANCE REQUESTED TO:	
	Disposal Fields (total design flow)			Septic Tanks and Holding Tanks (total design flow)			Disposal Fields	Septic Tanks
	Less than 1000 gpd	1000 to 2000 gpd	Over 2000 gpd	Less than 1000 gpd	1000 to 2000 gpd	Over 2000 gpd	To	To
SOILS								
Soil Profile	Ground Water Table						inches	
Soil Condition	Restrictive Layer						inches	
from HHE-200	Bedrock						inches	
Site Features vs. disposal system components of various sizes	Disposal Fields (total design flow)			Septic Tanks and Holding Tanks (total design flow)			Disposal Fields	Septic Tanks
	Less than 1000 gpd	1000 to 2000 gpd	Over 2000 gpd	Less than 1000 gpd	1000 to 2000 gpd	Over 2000 gpd	To	To
Wells with water usage of 2000 or more gpd or public water supply wells	300 ft	300 ft	300 ft	150 ft	150 ft	150 ft		
Potable Supply Well	100 down to 60 ft	200 down to 100 ft	300 down to 150 ft	50 down to 25 ft	100 down to 50 ft	100 down to 50 ft		
Water supply line	10 ft	20 ft	25 ft	10 ft	10 ft	10 ft		
Water course, major	100 down to 50 ft	200 down to 120 ft	300 down to 180 ft	100 down to 25 ft [a]	100 down to 50 ft	100 down to 50 ft		
Water course, minor	50 down to 20 ft	100 down to 50 ft	150 down to 75 ft	50 down to 25 ft	50 down to 25 ft	50 down to 25 ft		
Drainage ditches	25 down to 12 ft	50 down to 25 ft	75 down to 35 ft	25 down to 12 ft	25 down to 12 ft	25 down to 12 ft		
Edge of fill extension -- Coastal wetlands, special freshwater wetlands, great ponds, rivers, streams	20 ft	25 ft	25 ft	25 ft	25 ft	25 ft		
Slopes greater than 3:1	10 ft	18 ft	25 ft	N/A	N/A	N/A		
No full basement [e.g. slab,]	15 down to 7 ft	30 down to 15 ft	40 down to 20 ft	8 down to 5 ft	14 down to 7 ft	20 down to 10 ft		
Full basement [below grade foundation, frost wall, columns]	20 down to 10 ft	30 down to 15 ft	40 down to 20 ft	8 down to 5 ft	14 down to 7 ft	20 down to 10 ft	15'	5'
Property lines	10 down to 5 ft [b]	18 down to 9 ft [b]	20 down to 10 ft [b]	10 down to 4 ft [b]	15 down to 7 ft [b]	20 down to 10 ft [b]		
Burial sites or graveyards boundaries, measured from the down toe of the fill extension	25 ft	25 ft	25 ft	25 ft	25 ft	25 ft		
Stormwater infiltration systems	100 down to 60 feet	200 down to 120 feet	300 down to 180 feet	100 down to 50 feet	100 down to 50 feet	100 down to 50 feet		
Wetponds, retention ponds, and detention basins (excavated below grade); Soil filters underdrained swales, underdrained outlets, and similar structures	50 down to 25 feet	100 down to 50 feet	150 down to 75 feet	50 down to 25 feet	50 down to 25 feet	50 down to 25 feet		
Stormwater detention basins (basin bottom at, or above, predevelopment grade)	25 down to 12 feet	50 down to 25 feet	75 down to 35 feet	25 down to 12 feet	25 down to 12 feet	25 down to 12 feet		
<b>OTHER</b>								
1. _____								
2. _____								
3. _____								

**Notes:**

[a.] This distance may be reduced to 25 feet, if the septic or holding tank is tested in LPI's presence and shown to be watertight or of monolithic construction.

[b.] Additional setbacks may be needed to prevent fill material extensions from encroaching onto abutting property.

[c.] All ground disturbance or clearing of woody vegetation necessary for the installation of a subsurface wastewater disposal system that occurs within 100 feet of the normal high water mark of a major water body/ course must comply with these Rules pertaining to work adjacent to or within wetlands and waterbodies (see Section 11(M)).