

SUBSURFACE WASTEWATER DISPOSAL SYSTEM APPLICATION

Maine Department of Human Services
 Division of Health Engineering, Station 15, 2015
 (207) 287-5077 FAX (207) 287-4172

Town, City, Plantation
PORTLAND; PEAKS ISLAND

Street, Road, Subdivision
562 ISLAND AVENUE



Owner's Name
PETER & JOANNE FOSTER

SUBSURFACE WASTEWATER DISPOSAL PLAN

SCALE 1" = 20' (1)

NOTE: THOROUGHLY SCARIFY UNDER ENTIRE DISPOSAL FIELD, SHOULDER AREA, & FILL EXTENSION AREA PRIOR TO FILL PLACEMENT, THEN BLEND FIRST 6" LIFT OF FILL INTO EXISTING SOIL SURFACE TO PROMOTE MIXING

NOTE: PROVIDE TEMPORARY EROSION AND SEDIMENT CONTROL MEASURES PER DEP BEST MANAGEMENT PRACTICES



FILL REQUIREMENTS

Depth of Fill (Upslope) : 0"
 Depth of Fill (Downslope) : 5" - 9"
 NOTES AT CROSS SECTION (shown below)

CONSTRUCTION ELEVATIONS


Finished Grade Elevation
 Top of Distribution Pipe or Proprietary Device
 Bottom of Disposal Area

SEE
 DETAIL
 BELOW

ELEVATION REFERENCE POINT


Location & Description TOP OF DOOR SILL, 7" ABOVE DECK
 Reference Elevation 1st 0.0" or

DISPOSAL AREA CROSS SECTION




SCALE
 VERTICAL: 1" = 5 FT
 HORIZONTAL: 1" = 10 FT

CAP TOE OF FILL WITH SANDY LOAM MATERIAL TO PREVENT WASTEWATER BREAKOUT



REMOVE ALL PORTIONS OF EXISTING DISPOSAL AREA ENCOUNTERED TO A MINIMUM DEPTH OF 2' UNDERNEATH AND 3' ALONGSIDE DISPOSAL AREA AND REPLACE WITH CLEAN GRAVELLY COARSE SAND FILL



Albert Frick
 Site Evaluator Signature

163
 SE

5/20/2016
 Date

Page 3 of 3
 HHC-206 Rev. 10/02