PERMIT ISSUED
MAY 2 1 2001
CITY OF PORTLAND

Inspections Division
Date: 09/21/15

City of Portland, Maine - Building or Use Permit Application

389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716

Permit No:	Issue Date:	CBL:
01-0500		092 G023(

Location of Construction:	Owner Name:	Owner Address:	Phone:
51 Woods Rd PI	Astarita Arthur M &	51 Woods Rd Peaks Island, ME 04108	207-766-5997
Business Name:	**Contractor Name:**	**Contractor Address:**	**Phone**
n/a	Preble, Jeff	n/a Portland	
Lessee/Buyer's Name	**Phone:**	**Permit Type:**	**Zone:**
n/a	n/a	Additions - Dwellings	IR-1

Past Use:	Proposed Use:	Permit Fee:	Cost of Work:	CEO District:
Single Family	Same; 1187 SqFt Addition. Call Peggy or Arthur at 766-5997 when ready.	$834.00	$135,000.00	3

FIRE DEPT: ☐ Approved ☐ Denied
Signature:

INSPECTION:
Use Group: R-3 Type: 5B
BOCA/1999
PERMIT ISSUED WITH REQUIREMENTS
Signature:

Proposed Project Description:
Build 1187 SqFt Addition.

PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)
Action: ☐ Approved ☐ Approved w/Conditions ☐ Denied
Signature: Date:

Permit Taken By:	Date Applied For:
jodinea	05/08/2001

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal Rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

Zoning Approval

Special Zone or Reviews	Zoning Appeal	Historic Preservation
☒ Shoreland well outside pond & property 75' HWM setting 250'	☐ Variance	☑ Not in District or Landmark
☐ Wetland	☐ Miscellaneous	☐ Does Not Require Review
☐ Flood Zone shall remove condition The old kitchen facilities	☐ Conditional Use	☐ Requires Review
☐ Subdivision	☐ Interpretation	☐ Approved
☐ Site Plan only one set of kitchen facilities allowed on the premises	☐ Approved	☐ Approved w/Conditions
Maj ☐ Minor ☐ MM ☐	☐ Denied	☐ Denied
Date: 5/18/01	Date:	Date:

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

SIGNATURE OF APPLICANT ADDRESS DATE PHONE

5/10/01 - left a voice mail with owners expressly stating - old kitchen facilities are required to be removed immed upon completion of the new kitchen, they can not have two kitchen facilities without a ZBA approval, 2 kitchens = 2 dwelling units. S

5/30/01 Footing Insp - appears to be right size - ok to pour. TM + DC.

11/29/01 Checked electrical & framing & rough plumbing & roof stain ok to start sheetrocking MW

Inspections Division
Date: 09/21/15

Inspections Division
Date: 09/21/15

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

All Purpose Building Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 51 WOODS RD. PEAKS ISL, ME 04108

Total Square Footage of Proposed Structure	Square Footage of Lot
1187	144,571

Tax Assessor's Chart, Block & Lot Number	Owner:	Telephone#:
Chart# 92 Block# G Lot# 23	PEGGY & ARTHUR ASTARITA	766-5997

Lessee/Buyer's Name (If Applicable)	Owner's/Purchaser/Lessee Address:	Cost Of Work:	Fee:
N/A	N/A	$ 135,000	$ 834.00

Current use: SINGLE FAMILY

If the location is currently vacant, what was prior use:
Approximately how long has it been vacant:

Proposed use: 1187 ~~D~~ addition

Project description: 1187 ~~D~~ addition

Contractor's Name, Address & Telephone: JEFF PREBLE

Applicants Name, Address & Telephone: PEGGY & ARTHUR ASTARITA

Who should we contact when the permit is ready: PEGGY OR ARTHUR
Telephone: 766-5997

If you would like the permit mailed, what mailing address should we use:
51 WOODS RD.
PEAKS ISL, ME. 04108

5/8
Rec'd By: CH

Inspections Divisi
Date: 09/21/15

CITY OF PORTLAND, MAINE

Department of Building Inspection

May 9 2001

Received from Wendall M Fletcher a fee

of thirty /100 Dollars $ 30.00

for permit to install / erect / alter / move / demolish replace stairs

at 47 Revere St Est. Cost $ 900.00

Check # 30.00

CBL 124 I 017

Per Inspector of buildings

THIS IS NOT A PERMIT

No work is to be started until PERMIT CARD is actually posted upon the premises. Acceptance of fee is no guarantee that permit will be granted. PRESERVE THIS RECEIPT. In case permit cannot be granted the amount of the fee will be refunded upon return of the receipt less $5.00 or 10% whichever is greater.

WHITE - Applicant's Copy
YELLOW - Office Copy
PINK - Auditors Copy

PLUMBING APPLICATION

092-G-023

Department of Human Sciences
Division of Health Engineering

Inspections Division
Date: 09/21/15

PROPERTY ADDRESS

Town or Plantation	51 WOODS RD
Street Subdivision Lot #	PEAKS IS.

PROPERTY OWNERS NAME

Last: ASTARITA First: PAT + PEG

Applicant Name:	PAUL ERICD
Mailing Address of Owner/Applicant (If Different)	58 ELIZABETH ST

7908

PORTLAND 7905 TOWN COPY

Date Permit Issued: 11 27 01

$ 36 ~~35~~ - FEE ☐ # Double Fee Charged

Local Plumbing Inspector Signature

L.P.I. # 0640

Owner/Applicant Statement

I certify that the information submitted is correct to the best of my knowledge and understand that any falsification is reason for the Local Plumbing Inspectors to deny a Permit.

Signature of Owner/Applicant: [signature] Date: 11-27-01

Caution: Inspection Required

I have inspected the installation authorized above and found it to be in compliance with the Maine Plumbing Rules.

Local Plumbing Inspector Signature: [signature] Date Approved:

PERMIT INFORMATION

This Application is for

1. ☒ NEW PLUMBING
2. ☐ RELOCATED PLUMBING

Type of Structure To Be Served:

1. ☒ SINGLE FAMILY DWELLING
2. ☐ MODULAR OR MOBILE HOME
3. ☐ MULTIPLE FAMILY DWELLING
4. ☐ OTHER – SPECIFY _____

Plumbing To Be Installed By:

1. ☒ MASTER PLUMBER
2. ☐ OIL BURNERMAN
3. ☐ MFG'D. HOUSING DEALER/MECHANIC
4. ☐ PUBLIC UTILITY EMPLOYEE
5. ☐ PROPERTY OWNER

LICENSE # 12039

Hook-Up & Piping Relocation Maximum of 1 Hook-Up	Column 2 Number	Column 2 Type of Fixture	Column 1 Number	Column 1 Type of Fixture
1 HOOK-UP: to public sewer in those cases where the connection is not regulated and inspected by the local Sanitary District.	1	Hosebibb / Sillcock	1	Bathtub (and Shower)
		Floor Drain		Shower (Separate)
OR		Urinal	1	Sink
1 HOOK-UP: to an existing subsurface wastewater disposal system.		Drinking Fountain		Wash Basin
		Indirect Waste		Water Closet (Toilet)
1 PIPING RELOCATION: of sanitary lines, drains, and piping without new fixtures.		Water Treatment Softener, Filter, etc.		Clothes Washer
		Grease / Oil Separator	1	Dish Washer
		Dental Cuspidor		Garbage Disposal
OR		Bidet	1	Laundry Tub
		Other: _____	1	Water Heater
☐ TRANSFER FEE [$6.00]		Fixtures (Subtotal) Column 2		Fixtures (Subtotal) Column 1
				Fixtures (Subtotal) Column 2
SEE PERMIT FEE SCHEDULE FOR CALCULATING FEE				**Total Fixtures**
				Fixture Fee
				Transfer Fee
				Hook-Up & Relocation Fee
			36 ~~35~~ -	**Permit Fee (Total)**

Page 1 of 1
HHE-211 Rev. 6/94

TOWN COPY

Form # P01

ELECTRICAL PERMIT
City of Portland, Me.

DC/TM

S/F #3

Inspections Division
Date: 09/21/15

To the Chief Electrical Inspector, Portland Maine:
The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, the City of Portland Electrical Ordinance, National Electrical Code and the following specifications:

Date 11/7/01
Permit # 0001 5050
CBL# 92-6-23-30-32

LOCATION: 51 WOODS RD (PI) **METER MAKE & #**
CMP ACCOUNT # **OWNER** ARTHUR ASTARITA
TENANT **PHONE #** 766 5997

								TOTAL	EACH	FEE
OUTLETS	30	Receptacles	30	Switches	2	Smoke Detector			.20	12.40
FIXTURES	40	Incandescent	2	Fluorescent		Strips			.20	
SERVICES		Overhead		Underground		TTL AMPS	<800		15.00	
		Overhead		Underground			>800		25.00	
Temporary Service		Overhead		Underground		TTL AMPS			25.00	
									25.00	
METERS	1	(number of)							1.00	1@
MOTORS		(number of)							2.00	
RESID/COM		Electric units							1.00	
HEATING		oil/gas units		Interior		Exterior			5.00	
APPLIANCES	1	Ranges		Cook Tops		Wall Ovens			2.00	2@
		Insta-Hot		Water heaters	2	Fans			2.00	
		Dryers		Disposals	1	Dishwasher			2.00	2@
		Compactors		Spa		Washing Machine			2.00	
		Others (denote)							2.00	
MISC. (number of)		Air Cond/win							3.00	
		Air Cond/cent				Pools			10.00	
		HVAC		EMS		Thermostat			5.00	
		Signs							10.00	
move service		Alarms/res							5.00	
ADD 1-SERVICE		Alarms/com							15.00	
AND PANEL		Heavy Duty(CRKT)							2.00	
		Circus/Carnv							25.00	
		Alterations							5.00	
		Fire Repairs							15.00	
		E Lights							1.00	
		E Generators							20.00	
PANELS		Service	1	Remote		Main			4.00	4@
TRANSFORMER		0-25 Kva							5.00	
		25-200 Kva							8.00	
		Over 200 Kva							10.00	
						TOTAL AMOUNT DUE				
		MINIMUM FEE/COMMERCIAL 45.00				**MINIMUM FEE**		**35.00**		35

INSPECTION: Will be ready Now or will call

CONTRACTORS NAME William Flynn **MASTER LIC. #** 4548
ADDRESS 24 Centennial ST **LIMITED LIC. #**
TELEPHONE 766 2710 756 4588

SIGNATURE OF CONTRACTOR [illegible]

Form # P 01

ELECTRICAL PERMIT
City of Portland, Me.

Inspections Division
Date: 09/21/15

To the Chief Electrical Inspector, Portland Maine:
The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, the City of Portland Electrical Ordinance, National Electrical Code and the following specifications:

Date 11/7/01
Permit # 2001 5080
CBL# 92-6-23-30-32

LOCATION: 51 WEBB RD (PI) **METER MAKE & #**
CMP ACCOUNT # **OWNER** ARTHUR ASTARITA
TENANT **PHONE #** 766 5997

								TOTAL	EACH	FEE
OUTLETS	30	Receptacles	30	Switches	2	Smoke Detector			.20	12.40
FIXTURES	40	Incandescent	2	Fluorescent		Strips			.20	
SERVICES		Overhead		Underground		TTL AMPS	<800		15.00	
		Overhead		Underground			>800		25.00	
Temporary Service		Overhead		Underground		TTL AMPS			25.00	
									25.00	
METERS	1	(number of)							1.00	1@
MOTORS		(number of)							2.00	
RESID/COM		Electric units							1.00	
HEATING		oil/gas units		Interior		Exterior			5.00	
APPLIANCES	1	Ranges		Cook Tops		Wall Ovens			2.00	2@
		Insta-Hot		Water heaters	2	Fans			2.00	
		Dryers		Disposals	1	Dishwasher			2.00	2@
		Compactors		Spa		Washing Machine			2.00	
		Others (denote)							2.00	
MISC. (number of)		Air Cond/win							3.00	
		Air Cond/cent				Pools			10.00	
		HVAC		EMS		Thermostat			5.00	
		Signs							10.00	
move service		Alarms/res							5.00	
ADD 1-SERVICE		Alarms/com							15.00	
AND PANEL		Heavy Duty(CRKT)							2.00	
		Circus/Carnv							25.00	
		Alterations							5.00	
		Fire Repairs							15.00	
		E Lights							1.00	
		E Generators							20.00	
PANELS		Service	1	Remote		Main			4.00	4@
TRANSFORMER		0-25 Kva							5.00	
		25-200 Kva							8.00	
		Over 200 Kva							10.00	
						TOTAL AMOUNT DUE				
		MINIMUM FEE/COMMERCIAL 45.00				**MINIMUM FEE**		**35.00**		35

INSPECTION: Will be ready NOW or will call

CONTRACTORS NAME William Flynn **MASTER LIC. #** 4548
ADDRESS 24 Centennial St **LIMITED LIC. #**
TELEPHONE 766 2700 756 4588

SIGNATURE OF CONTRACTOR

Inspections Division
Date: 09/21/15

BUILDING PERMIT REPORT

DATE: 10 MAY 2001 ADDRESS: 51 Woods Road CBL: 092-G-002

REASON FOR PERMIT: To Construct a 1187 sq.FT. addition

BUILDING OWNER: Astarita / Preble

PERMIT APPLICANT: /CONTRACTOR Jeff Preble

USE GROUP: R-3 CONSTRUCTION TYPE: 5 B CONSTRUCTION COST $135,000 PERMIT FEES: $ 834.00

The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments)
The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions shall be met: *1 *2 *3 *5 *9 *11 *13, *16, *20 *28 *30, *31 *32 *33, *34 *35 *36 *38

*1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
*2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."
*3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
4. Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
6. Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.
7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
*8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
*9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
*11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
*13. Stair construction in Use Group R-3 & R-4 Is a minimum of 10" tread and 7 ¾" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0) Ramps Sec, 1016.0
14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
15. The Minimum required width of a corridor shall be determined by the most restrictive of the criteria under section 1011.3 but not less then 36".
*16. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
17. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
18. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

Inspections Division
Date: 09/21/15

20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of tr Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors sh installed and maintained at the following locations):
    - **In the immediate vicinity of bedrooms**
    - **In all bedrooms**
    - **In each story within a dwelling unit, including basements**
21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
22. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
25. Section 25 – 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. **No closing in of walls until all electrical** (min. 72 hours notice) **and plumbing inspections have been done.**
29. All requirements must be met before a final Certificate of Occupancy is issued.
30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
32. Please read and implement the attached Land Use Zoning report requirements. See Attached
33. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
34. Bridging shall comply with Section 2305.16.
35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
36. All flashing shall comply with Section 1406.3.10.
37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).
38. If There is an increase in bedroom The one Time exemption For The Subsurface wastewater Dis. as per Ch. 17 of Me. Subsurface waste water Disposal Rules

P. Samuel Hoffses, Building Inspector
Cc: E. McDougall, PFD
Marge Schmuckal, Zoning Administrator
Michael Nugent, Inspection Service Manager

PSH 10/1.00

**This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.

***THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)

****ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.

*****CERTIFICATE OF OCCUPANCY FEE $50.00

Inspections Division

Date: 09/21/15

LAND USE - ZONING REPORT

ADDRESS: 51 Woods Rd, PI DATE: 5/18/01

REASON FOR PERMIT: Build 1187 sq ft. Addition

BUILDING OWNER: Astarita C-B-L: 092-G-023

PERMIT APPLICANT: owner

APPROVED: with conditions: #1, #6, #10,

CONDITION(S) OF APPROVAL

1. This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.
2. During its existence, all aspects of the Home Occupations criteria, Section 14-410, shall be maintained.
3. All the conditions placed on the original, previously approved, permit issued on _____ are still in effect for this amendment, and/or revised permit.
4. The footprint of the existing _____ shall not be increased during maintenance reconstruction.
5. Your present structure is legally nonconforming as to setbacks. If you are to demolish this structure on your own volition, you will only have one (1) year to replace it in the same footprint (no expansions), with the same height, and the same use. Any changes to any of the above shall require that this structure met the current zoning standards.
6. This property shall remain a single family dwelling. Any change of use shall require a separate permit application for review and approval.
7. Our records indicate that this property has a legal use of _____ units. Any change in this approved use shall require a separate permit application for review and approval.
8. Separate permits shall be required for any new signage.
9. Separate permits shall be required for future decks, sheds, pool(s), and/or garage.
10. This is <u>not</u> an approval for an additional dwelling unit. You <u>shall not</u> add any additional kitchen equipment including, but not limited to items such as stoves, microwaves, refrigerators, or kitchen sinks, etc. without special approvals.
11. All of the attached Floodplain forms shall be appropriately filled out, signed, and returned prior to the issuance of any certificates of occupancy.
12. Other requirements of condition: The existing kitchen shall be removed immediately upon completion of the new kitchen, you can not have two kitchen facilities in one structure without a Zoning Board of Appeals approval. The Zoning regulations define the installation of kitchen facilities as a dwelling unit. Please call immediately with any questions

Marge Schmuckal, Zoning Administrator

Marge Schmuckal