

**City of Portland, Maine – Building or Use Permit Application** 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: <b>1 Rockledge Ave Little Diamond Island</b>		Owner: <b>John Perry</b>	Phone: <b>774-3304</b>	Permit No: <b>000853</b>
Owner Address: <b>381 Danforth Street Portland 04101</b>		Lessee/Buyer's Name:	BusinessName:	
Contractor Name: <b>*** Will at Todd Marine Const.</b>		Address: <b>*** 838-9827</b>	Phone: <b>Todd Marine 885-5655</b>	Permit Issued: <b>PERMIT ISSUED AUG - 3 2000</b> CITY OF PORTLAND Zone: <b>TR2</b> CBL: <b>105 X 011</b>
Past Use: <b>Residential Pier</b>	Proposed Use: <b>SAHE</b>	<b>COST OF WORK:</b> \$ <b>9,000</b>	<b>PERMIT FEE:</b> \$ <b>78.00</b>	
Proposed Project Description: <b>repairs to pier</b>		<b>FIRE DEPT.</b> <input type="checkbox"/> Approved <input type="checkbox"/> Denied	<b>INSPECTION:</b> Use Group: <b>U</b> Type: <b>5A</b> <b>00099A</b>	Zoning Approval: <b>02/20</b> <b>Special Zone or Reviews:</b> <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input checked="" type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>
		<b>PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)</b>		
Permit Taken By: <b>K</b>		Date Applied For: <b>Aug 2 2000 K</b>		

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

**PERMIT ISSUED WITH REQUIREMENTS**

**CERTIFICATION**

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT \_\_\_\_\_ ADDRESS: \_\_\_\_\_ DATE: **Aug 2 2000** PHONE: \_\_\_\_\_

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE \_\_\_\_\_ PHONE: \_\_\_\_\_

**Action:**

Approved  
 Approved with Conditions  
 Denied

Date: \_\_\_\_\_

**PERMIT ISSUED WITH REQUIREMENTS**  
CEO DISTRICT

COMMENTS

12-15-2K: Pier not finished or ready for inspection. HRW

Inspection Record	
Type	Date
Foundation: _____	_____
Framing: _____	_____
Plumbing: _____	_____
Final: _____	_____
Other: _____	_____

## BUILDING PERMIT REPORT

DATE: 2 Aug 2008 ADDRESS: 1 Rock Ledge Ave. L.D.I. CBL: 105-7-011REASON FOR PERMIT: Repair Pier (Private)BUILDING OWNER: John PerryPERMIT APPLICANT: \_\_\_\_\_ CONTRACTOR: Todd Marine CorpUSE GROUP: U CONSTRUCTION TYPE: \_\_\_\_\_ CONSTRUCTION COST: 9,000.00 PERMIT FEES: 770.00

The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments)

The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

## CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions are met: \*1, \*32, \*3C, #3

1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) **"ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."**
3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
6. Precaution must be taken to protect concrete from freezing. Section 1903.0
7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36" and not more than 42". Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/2" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/2" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self-closer's (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguisher. (Table 302.1.1)

19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
  - In the immediate vicinity of bedrooms
  - In all bedrooms
  - In each story within a dwelling unit, including basements
20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
21. The Fire Alarm System shall maintained to NFPA #72 Standard.
22. The Sprinkler System shall maintained to NFPA #13 Standard.
23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
24. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics)
27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
28. All requirements must be met before a final Certificate of Occupancy is issued.
29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1999).
30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
31. Please read and implement the attached Land Use Zoning report requirements.
32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2105.4.4 and 2305.5.1 of the City's Building Code.
33. Bridging shall comply with Section 2305.16.
34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2405.0)
35. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code. (The BOCA National Building Code/1999)

*\* 36. No work is to be done until you have all necessary permits, local, state and Federal.*

*\* 37. The attached fireproofing certificate and application shall be filled in and returned prior to completion.*

*[Signature]*  
 Building Inspector  
 M. McLaughlin, PFD  
 Marge Schumuckal, Zoning Administrator

PSH 1125W

\*\*\*This Permit is herewith based on the basis of plans submitted and conditions placed the plans, any deviations shall require a separate approval.

...THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.

\*\*\*\* Certificate of Occupancy Fees: \$50.00 each

\*\*\*\*\* ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGN'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000 OR REQUIVALENT.

Contractor's Copy

O.M.B. NO. 3087-0077  
Expires July 31, 2002

FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM  
**FLOODPROOFING CERTIFICATE**  
FOR NON-RESIDENTIAL STRUCTURES

The floodproofing of non-residential buildings may be permitted as an alternative to elevating to or above the Base Flood Elevation; however, a floodproofing design certification is required. This form is to be used for that certification. Floodproofing of a residential building does not alter a community's floodplain management elevation requirements or affect the insurance rating unless the community has been issued an exception by FEMA to allow floodproofed residential basements. The permitting of a floodproofed residential basement requires a separate certification specifying that the design complies with the local floodplain management ordinance.

John Perry  
BUILDING OWNER'S NAME  
1 Rockledge Ave, Little Diamond Island  
STREET ADDRESS (including Apt., Unit, Suite, and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER  
105-4-011  
OTHER DESCRIPTION (Lot and Block Numbers, etc.)  
Portland, ME  
CITY

FOR INSURANCE COMPANY USE
POLICY NUMBER
COMPANY NAME NUMBER
STATE
ZIP CODE

**SECTION I FLOOD INSURANCE RATE MAP (FIRM) INFORMATION**

Provide the following from the proper FIRM:

COMMUNITY NUMBER	PANEL NUMBER	SUFFIX	DATE OF FIRM ISSUE	FIRM CODE	BASE FLOOD ELEVATION (in AC Zone, Use Ceiling)
<u>230051</u>	<u>0014</u>	<u>B</u>	<u>July 17, 1986</u>	<u>V2</u>	<u>18</u>

**SECTION II FLOODPROOFING INFORMATION (By a Registered Professional Engineer or Architect)**

Floodproofing Design Elevation Information:

Building to be floodproofed to an elevation of \_\_\_\_\_ feet NGVD. (Elevation datum used must be the same as that on the FIRM.)

Height of floodproofing on the building above the lowest adjacent grade is \_\_\_\_\_ feet.

(NOTE: for insurance rating purposes, the building's floodproofed design elevation must be at least one foot above the Base Flood Elevation to receive rating credit. If the building is floodproofed only to the Base Flood Elevation, then the building's insurance rating will result in a higher premium.)

**SECTION III CERTIFICATION (By Registered Professional Engineer or Architect)**

Non-Residential Floodproofed Construction Certification:

I certify that, based upon development and/or review of structural design, specifications, and plans for construction, the design and methods of construction are in accordance with accepted standards of practice for meeting the following provisions:

The structure, together with attendant utilities and sanitary facilities, is watertight to the floodproofed design elevation indicated above, with walls that are substantially impermeable to the passage of water.

All structural components are capable of resisting hydrostatic and hydrodynamic load forces, including the effects of buoyancy, and anticipated debris impact forces.

I certify that the information on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1007.

CERTIFIER'S NAME	LICENSE NUMBER (or Aff. Gen.)		
TITLE	COMPANY NAME		
ADDRESS	CITY	STATE	ZIP CODE
SIGNATURE	DATE	PHONE	

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

Fill in  
return

Contractors Copy

# FLOOD HAZARD DEVELOPMENT PERMIT For FLOODPROOFING Non-Residential Structures Portland, Maine

This Flood Hazard Development Permit allows Floodproofing of Non-residential Structures in a Special Flood Hazard Area. Floodproofing means any combination of structural and non-structural additions, changes or adjustments to structures which reduce or eliminate flood damage to real estate or improved real property, water and sanitary facilities, structures and contents. This permit is issued based on documentation that the information provided in the Flood Hazard Development Permit Application is in compliance with the Floodplain Management Ordinance.

If the floodproofing is to serve as a method of bringing a structure into compliance with National Flood Insurance Program (NFIP) elevation requirements:

- All standards required by NFIP 44 CFR 60.3(c)(3) and all standards required by Article VI.G. of the Floodplain Management Ordinance must be met; and
- The application for this permit must include a FEMA Floodproofing Certificate (Form 81-65) signed by a registered professional engineer or architect certifying that the design and methods of construction will be in accordance with accepted standards of practice for meeting the provisions of NFIP 44 CFR 60.3(c)(3) as well as Article VI.G. of the Floodplain Management Ordinance.

A Flood Hazard Development Permit for Floodproofing is hereby issued as provided under Article V.F. of the Floodplain Management Ordinance of Portland, Maine, for development as defined in said ordinance.

Tax Map: 105-4-loc# 011

John Perry - owner  
1 Rock Ledge Ave, Littleton  
Portland, ME

The permittee understands and agrees that:

- The permit is issued on the representations made herein and on the application for permit;
- The permit may be revoked because of any breach of representation;
- Once a permit is revoked all work shall cease until the permit is reissued or a new permit is issued;
- The permit will not grant any right or privilege to erect any structure or use any premises described for any purposes or in any manner prohibited by the ordinances, codes, or regulations of the municipality;
- The permittee hereby gives consent to the Code Enforcement Officer to enter and inspect activity covered under the provisions of the Floodplain Management Ordinance;
- The permit form will be posted in a conspicuous place on the premises in plain view; and
- The permit will expire if no work is commenced within 180 days of issuance.

Read

I hereby certify that all the statements in, and in the attachments to this permit are a true description of the existing property and the proposed development project.

Owner: \_\_\_\_\_ Date: \_\_\_\_\_  
 Signature or  
 Required Authorized Agent: \_\_\_\_\_ Date: \_\_\_\_\_  
 Signature

Issued by: \_\_\_\_\_ Date: \_\_\_\_\_

Permit #: \_\_\_\_\_  
Horizontal Structural Member..... feet (NGVD)

Inspector's Copy

D.M.B. NO. 3087-0077  
Expires July 31, 2002

FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM  
**FLOODPROOFING CERTIFICATE**  
FOR NON-RESIDENTIAL STRUCTURES

The floodproofing of non-residential buildings may be permitted as an alternative to elevating to or above the Base Flood Elevation; however, a floodproofing design certification is required. This form is to be used for that certification. Floodproofing of a residential building does not alter a community's floodplain management elevation requirements or affect the insurance rating unless the community has been issued an exception by FEMA to allow floodproofed residential basements. The permitting of a floodproofed residential basement requires a separate certification specifying that the design complies with the local floodplain management ordinances.

BUILDING OWNER'S NAME <u>John Perry</u>		FOR INSURANCE COMPANY USE	
STREET ADDRESS (including Apt., Unit, Suite, and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER <u>1 Rockledge Ave, Little Diamond Island</u>		POLICY NUMBER	
OTHER DESCRIPTION (Lot and Block Numbers, etc.) <u>105-4-011</u>		COMPANY NAIC NUMBER	
CITY <u>Portland, MO</u>	STATE	ZIP CODE	

**SECTION I FLOOD INSURANCE RATE MAP (FIRM) INFORMATION**

Provide the following from the proper FIRM:

COMMUNITY NUMBER	PANEL NUMBER	SUFFIX	DATE OF FIRM INDEX	FIRM ZONE	BASE FLOOD ELEVATION (in AD Elevation, Use Depth)
<u>230057</u>	<u>0014</u>	<u>B</u>	<u>July 17, 1986</u>	<u>V2</u>	<u>19</u>

**SECTION II FLOODPROOFING INFORMATION (By a Registered Professional Engineer or Architect)**

Floodproofing Design Elevation Information:

Building is floodproofed to an elevation of \_\_\_\_\_ feet NGVD. (Elevation datum used must be the same as that on the FIRM.)

Height of floodproofing on the building above the lowest adjacent grade is \_\_\_\_\_ feet.

(NOTE: For insurance rating purposes, the building's floodproofed design elevation must be at least one foot above the Base Flood Elevation to receive rating credit. If the building is floodproofed only to the Base Flood Elevation, then the building's insurance rating will result in a higher premium.)

**SECTION III CERTIFICATION (By Registered Professional Engineer or Architect)**

Non-Residential Floodproofed Construction Certification:

I certify that, based upon development and/or review of structural design, specifications, and plans for construction, the design and methods of construction are in accordance with accepted standards of practice for meeting the following provisions:

The structure, together with attendant utilities and sanitary facilities, is watertight to the floodproofed design elevation indicated above, with walls that are substantially impermeable to the passage of water.

All structural components are capable of resisting hydrostatic and hydrodynamic flood forces, including the effects of buoyancy, and anticipated debris impact forces.

I certify that the information on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Arch. Seal)		
TITLE	COUNTY NAME		
ADDRESS	CITY	STATE	ZIP CODE
SIGNATURE	DATE	PHONE	

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

# ELECTRICAL PERMIT

## City of Portland, Me.



#1  
SF SW

(K)

To the Chief Electrical Inspector, Portland Maine:  
 The undersigned hereby applies for a permit to make electrical installations  
 in accordance with the laws of Maine, the City of Portland Electrical Ordinance,  
 National Electrical Code and the following specifications:

Date 10-25-00  
 Permit # 924  
 CBL# 105-4-011

LOCATION: Rockledge Ave Little Diamond Island METER MAKE & # \_\_\_\_\_  
 CMP ACCOUNT # \_\_\_\_\_ OWNER John Perry  
 TENANT \_\_\_\_\_ PHONE # 329 3033

							TOTAL EACH FEE		
OUTLETS	50	Receptacles	20	Switches	4	Smoke Detector		.20	14.80
FIXTURES	25	Incandescent		Fluorescent	5	Strips		.20	6.00
SERVICES		Overhead		Underground		TTL AMPS	<800	15.00	
		Overhead		Underground			>800	25.00	
Temporary Service		Overhead		Underground		TTL AMPS		25.00	
								25.00	
METERS		(number of)						1.00	
MOTORS		(number of)						2.00	
RESID/COM		Electric units						1.00	
HEATING		oil/gas units		Interior		Exterior		5.00	
APPLIANCES		Ranges	1	Cook Tops	1	Wall Ovens		2.00	4.00
		Insta-Hot		Water heaters	3	Fans		2.00	6.00
		Dryers		Disposals		Dishwasher		2.00	
		Compactors		Spa	1	Washing Machine		2.00	2.00
		Others (denote)						2.00	
MISC. (number of)		Air Cond/win						3.00	
		Air Cond/cent				Pools		10.00	
		HVAC		EMS		Thermostat		5.00	
		Signs						10.00	
		Alarms/res						5.00	
		Alarms/com						15.00	
		Heavy Duty(CRKT)						2.00	
		Circus/Carnv						25.00	
		Alterations						5.00	
		Fire Repairs						15.00	
	E Lights						1.00		
	E Generators						20.00		
PANELS		Service		Remote		Main		4.00	
	TRANSFORMER	0-25 Kva						5.00	
		25-200 Kva						8.00	
		Over 200 Kva						10.00	
							TOTAL AMOUNT DUE		
MINIMUM FEE/COMMERCIAL 45.00							MINIMUM FEE 35.00		35.00

INSPECTION: Will be ready \_\_\_\_\_ or will call

CONTRACTORS NAME John Perry Electric Co. MASTER LIC. # 3695  
 ADDRESS 381 Danforth St LIMITED LIC. # \_\_\_\_\_  
 TELEPHONE 329 3033

SIGNATURE OF CONTRACTOR



**ELECTRICAL INSTALLATIONS—**

Permit Number \_\_\_\_\_

Location \_\_\_\_\_

Owner \_\_\_\_\_

Date of Permit \_\_\_\_\_

Final Inspection \_\_\_\_\_

By Inspector \_\_\_\_\_

INSPECTION: Service \_\_\_\_\_ by \_\_\_\_\_

Service called in \_\_\_\_\_

Closing-in 12-15-2K by JKW Passed

PROGRESS INSPECTIONS: \_\_\_\_\_ / \_\_\_\_\_ / \_\_\_\_\_  
 \_\_\_\_\_ / \_\_\_\_\_ / \_\_\_\_\_  
 \_\_\_\_\_ / \_\_\_\_\_ / \_\_\_\_\_  
 \_\_\_\_\_ / \_\_\_\_\_ / \_\_\_\_\_  
 \_\_\_\_\_ / \_\_\_\_\_ / \_\_\_\_\_  
 \_\_\_\_\_ / \_\_\_\_\_ / \_\_\_\_\_

DATE: \_\_\_\_\_

REMARKS:  
12-15-2K Instructed Electrician to protect conductors to ceiling  
fan in living room. Inspected Instructed Electrician  
to add silicone @ mtg box connection. O.K.'d to  
Close-In Electrically. Add receptacle on 2' wall JKW.

# PLUMBING APPLICATION

## PROPERTY ADDRESS

Town Or Plantation: PORTLAND  
Street Subdivision Lot #: ROCKLEDGE AV LITTLE DIAMOND ISLANDS

## PROPERTY OWNERS NAME

Last: PERRY First: JOHN  
Applicant Name: C. DORIA PG + HTG, INC

Mailing Address of Owner/Applicant (If Different): 10 STONECREST DR PORTLAND, ME 04103

1054011

PORTLAND 7576 TOWN COPY

Date Permit Issued: 11/10/11 \$ 60.00  Double Fee Charged

L.P.I. # 011254

Local Plumbing Inspector Signature: [Signature]

## Owner/Applicant Statement

I certify that the information submitted is correct to the best of my knowledge and understand that any falsification is reason for the Local Plumbing Inspector to deny a Permit.

Signature of Owner/Applicant: [Signature] Date: 11/10/11

## Caution: Inspection Required

I have inspected the installation authorized above and found it to be in compliance with the Maine Plumbing Rules.

Local Plumbing Inspector Signature: \_\_\_\_\_ Date Approved: \_\_\_\_\_

## PERMIT INFORMATION

### This Application is for

- 1.  NEW PLUMBING
- 2.  RELOCATED PLUMBING

### Type Of Structure To Be Served:

- 1.  SINGLE FAMILY DWELLING
- 2.  MODULAR OR MOBILE HOME
- 3.  MULTIPLE FAMILY DWELLING
- 4.  OTHER — SPECIFY \_\_\_\_\_

### Plumbing To Be Installed By:

- 1.  MASTER PLUMBER
- 2.  OIL BURNERMAN
- 3.  MFG'D. HOUSING DEALER / MECHANIC
- 4.  PUBLIC UTILITY EMPLOYEE
- 5.  PROPERTY OWNER

LICENSE # 143147

Hook-Up & Piping Relocation Maximum of 1 Hook-Up	Column 2 Number Type of Fixture	Column 1 Number Type of Fixture		
<p><b>OR</b></p> <p>HOOK-UP: to an existing subsurface wastewater disposal system.</p> <p><b>OR</b></p> <p>PIPING RELOCATION: of sanitary lines, drains, and piping without new fixtures.</p> <p><b>OR</b></p> <p>TRANSFER FEE [\$6.00]</p>	1	Hosebibb / Sillcock	1	Bathtub (and Shower)
	1	Floor Drain	2	Shower (Separate)
	1	Urinal	1	Sink
	1	Drinking Fountain	2	Wash Basin
	1	Indirect Waste	2	Water Closet (Toilet)
	1	Water Treatment Softener, Filter, etc.	1	Clothes Washer
	1	Grease / Oil Separator	1	Dish Washer
	1	Dental Cuspidor	1	Garbage Disposal
	1	Bidet	1	Laundry Tub
	1	Other: _____	1	Water Heater
	<b>Fixtures (Subtotal) Column 2</b>	10	<b>Fixtures (Subtotal) Column 1</b>	
		0	<b>Fixtures (Subtotal) Column 2</b>	
			<b>Total Fixtures</b>	
		\$ 60	<b>Fixture Fee</b>	
		\$	<b>Transfer Fee</b>	
		\$	<b>Hook-Up &amp; Relocation Fee</b>	
		\$ 60	<b>Permit Fee (Total)</b>	

SEE PERMIT FEE SCHEDULE FOR CALCULATING FEE

PROPERTY OWNERS WAFER

PROPERTY ADDRESS

Form with fields for Name, Address, City, State, Zip, and Telephone.

PROPERTY OWNERS WAFER

OWNER/APPLICANT INFORMATION

Form with fields for Name, Address, City, State, Zip, and Telephone.

Caution: Permit Required

Permitting required for all work... Caution: Permit Required

PERMIT INFORMATION

Form with fields for Permit Information, including Permit Number, Issue Date, and Expiration Date.

Table with columns for Item, Description, and Remarks. Includes items like 'Excavation', 'Foundation', 'Footing', etc.

SEE PERMIT FEE SCHEDULE FOR CALCULATING FEE

Table with columns for Item, Description, and Remarks. Includes items like 'Excavation', 'Foundation', 'Footing', etc.