FIRST FLOOR PLAN
AI.3 1/4"=1'-0"

GRAPHIC SCALE

IST FLR - 1316 SQ.FT.

2ND FLR - 1137 5Q.FT. 2453 SF.FT.

INCREASE 29.71%

IST FLR - 1060 SQ.FT.

2ND FLR - 662 SQ.FT

I 2 3 4 8 INCOMPRISIONS AT THE WORK.

THIS DRAWING IS A PART OF A FULL SET OF DRAWINGS COMPRISING THE CONTRACT DOCUMENTS

FOR THE WORK OF THIS PROJECT. THE ARCHITECT/OWNER ACCEPTS NO RESPONSIBILITY FOR THE

CONTRACTORS' ERRORS OR OMMISIONS IF EACH TRADE DOES NOT HAVE THE FULL SET OF

DRAWINGS AND SPECIFICATIONS.

17,778 CU.FT. INCREASE 29.15%

DRAMINOS AND SPECIFICAT

COPYRIGHT 2014 ②

THE MATERIAL CONTAINED IN THESE DRAWINGS AND THE DESIGN THEY ARE INTENDED TO CONVEY ARE THE EXCLUSIVE PROPERTY OF KEVIN BROWNE ARCHITECTURE ILC POSSESSION AND USE HEREOF IS GRANTED ONLY CONFIDENTIALLY IN CONNECTION WITH CONSTRUCTION OF THE BUILDING DEPICTED HEREIN AS AUTHORIZED BY KEVIN BROWNE ARCHITECTURE ILC, THE RECIPIENT AGREES TO ABIDE BY THESE RESTRICTIONS. ANY USE, REPRODUCTION OR DISCLOSURE OF ANY INFORMATION, IN WHOLE OR IN PART, CONTAINED HEREIN, WITHOUT WRITTEN PERMISSION OF KEVIN BROWNE ARCHITECTURE ILC, IS EXPRESSLY PROHIBITED.

FIRE & CARBON MONOXIDE SYSTEMS (IRC 2009)

R314 SMOKE ALARMS
ALL SMOKE ALARMS SHALL BE LISTED IN
ACCORDANCE WITH UL217 & INSTALLED IN
ACCORDANCE WITH IRC 2009 & NFPA 72

R3I5 CARBON MONOXIDE ALARMS
SHALL BE INSTALLED OUTSIDE OF EACH
SEPARATE SLEEPING AREA IN THE
IMMEDIATE VICINITY OF THE BEDROOMS.
INSTALLED & LISTED AS COMPLYING W
UL 2034

THIS IS A SEASONAL RESDIENCE USED MAY-OCT, AND DOES NOT HAVE A CENTRAL HEAT SOURCE. IT WILL NOT BE INSULATION AND THE WATER WILL BE SHUT OFF IN OCT. EVERY YEAR. IT WILL NOT MEET IECC 2009 SECTION 404

T breezy hill lane falmouth, me 04105

kevin browne ARCHITECTURE



REVISIONS: 11-5-14: ISSUE FOR REVIEW 11-24-14: ISSUE FOR PERMIT

CONSULTANTS:

RESIDENCE

ADDRESS: 76 REAMER'S ROAD CLIFF ISLAND, ME

SIMONDS

DRAWN: KWB

DATE: 11/25/2014

A1.3