Location of Constru		Owner:		Phone:		874-8703, FAX: 874-8716 Permit No: 971311
Document of Constit	Island Ave, Cliff lola		alter & Carola	T Hone.		remit No. /
Owner Address:		Lessee/Buyer's Name:	Phone:	Busines	ssName:	PERMIT ISSUED
Contractor Name:	Robert Howard	Address: P.O. Box 53 Cliff Is	laad, ME 04109			Permit Issued: DEC 7 997
Past Use:		Proposed Use:	COST OF W	0.00	PERMIT FEE: \$ 70.00	
	1 m 2 6466	Sana	FIRE DEPT. Signature:	☐ Approved ☐ Denied	Use Group Type: Signature:	Zone: CBL: 109-18-012
Proposed Project D	escription:			N ACTIVITII	ES DISTRICT (P.A.D.)	Zoning Approval:
	Construct Enclosed Una	porch (8* x 22*)	Action: Signature:	Approved	with Conditions:	Special Zone or Reviews: Shoreland Wetland Flood Zone Subdivision
Permit Taken By:	Mary Gresik	Date Applied For:	5 December 1997	>		□ Site Plan maj □minor□mm □
3. Building perr	mits do not include plumbing, sep mits are void if work is not started alidate a building permit and stop	within six (6) months of the date of	f issuance. False inform			☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied
	,			WITH R	RMIT ISSUED EQUIREMENTS	Historic Preservation □ Not in District or Landmark □ Does Not Require Review □ Requires Review Action:
		CERTIFICATION named property, or that the propose		by the owner of	record and that I have be	
if a permit for wo	rk described in the application is i	s his authorized agent and I agree to ssued, I certify that the code official or to enforce the provisions of the o	al's authorized represe	ntative shall ha	nis jurisdiction. In additi	on, Denied all Date:
				ber 1997	DVOVE	
SIGNATURE OF A	APPLICANT Robert Hower	ADDRESS:	DATE:		PHONE:	\$ 3.45a/ f
RESPONSIBLE PH	ERSON IN CHARGE OF WORK	, TITLE mit Desk Green-Assessor's (Canany_D PW Pink	Public File	PHONE:	CEO DISTRICT

COMMENTS

	11 10-11	<u> </u>		
2-21-98 Stal is	all completed	/		

			spection Record	B
		Туре		Date
		on:		
		:		
	Other:			

City of Portl	and, Maine – Building	or Use Permit Application	n 389 Congress	Street,	04101, Tel: (207) 8	74-8703, FAX: 874-8716
Location of Const		Owner:		Phone:		Permit No: 9 7 1 3 1 1
O	Island Ave, Cliff Isla					7/12/1
Owner Address:	/ O Channell B1 G B	Lessee/Buyer's Name:	Phone:	Busines	ssName:	PERMIT ISSUED
Contractor Name:		tland, ME 04106				Permi Issued:
Contractor Name:	Robert Howard	Address:	Phone			
Past Use:	Robert Howard	P.O. Box 53 Cliff Islan		766-2		DEC 1 7 1997
rasi USE.		Proposed Use:	COST OF WORL		PERMIT FEE:	
			\$ 10,000.0		\$ 70.00	CITY OF DODTI AND
	1-fam	Same	FIRE DEPT. □		INSPECTION: U-	CITY OF PORTLAND
				Denied	Use Group: R3 Type: 5/2	3
					Ose Group & 3 Type: 3	Zone: CBL: 109-B-E-012
Proposed Project I	Description:		Signature:	~======================================	Signature:	Zoning Approval:
r roposed r roject r	Sescription.		1		ES DISTRICT (PALD.)	1 01/ 5/10/15/199
	DUN	\	1	Approved		Special Zone of Reviews:
	Construct Enclosed Uns	porch (8' x 22')			with Conditions:	a chorciana
				Denied		- Livetiand
			Ciamatuma		Date	□ Flood Zone Zone C ~ 10
Permit Taken By:		Date Applied For:	Signature:		Date:	☐ Site Plan maj ☐minor ☐mm ☐
Termit Taken by.	Mary Gresik	Date Applied For.	December 1997			
						Zoning Appeal
1. This permit a	application does not preclude the A	pplicant(s) from meeting applicable St	tate and Federal rules.			□ Variance
2. Building per	mits do not include plumbing, sep	tic or electrical work.				□ Miscellaneous
		within six (6) months of the date of iss	F.1 if.			☐ Conditional Use
	ralidate a building permit and stop		uance. Faise informa-			☐ Interpretation ☐ Approved
tion may miv	andate a bunding permit and stop	all Work				☐ Denied
						Historic Preservation
			Dr-			☑ Not in District or Landmark
			PERM WITH REQ	IT Icci.		Des Not Require Review
			"VIIH REC	JULOSUE	D	☐ Requires Review
				COIKEME	NTC	Action:
					. 4.7	7.00.011
	_	CERTIFICATION				□Appoved
I hereby certify th	nat I am the owner of record of the i	named property, or that the proposed w	ork is authorized by the	e owner of	record and that I have been	☐ Approved with Conditions
authorized by the	owner to make this application as	his authorized agent and I agree to co	nform to all applicable	laws of th	is jurisdiction. In addition,	☐ Denied / / ~
if a permit for wo	ork described in the application is is	ssued, I certify that the code official's a	authorized representative	ve shall hav	ve the authority to enter all	Date: 12/8/97
areas covered by	such permit at any reasonable hou	r to enforce the provisions of the code	(s) applicable to such p	permit		Date.
			05 December	1997		
SIGNATURE OF A	APPLICANT Robert Howard	ADDRESS:	DATE:	1001	PHONE:	- <i> </i>
	Robert noward	1				*6
DECDONORDER	EDCON INI CHA DOE OF WORK	min c				
KESPONSIBLE P	ERSON IN CHARGE OF WORK,	IIILE			PHONE:	CEO DISTRICT
	White_Perr	mit Desk Green-Assessor's Cana	ary_D DW Dink Dock	alic Eilo I	vory Card Inamastar	
	aviiite—L Gii	iii Dosk Gieeli-Assessui's Calla	ily-D.F.VV. FIIIK-PUD	JIIC FIIE I	vory Caru-inspector	IN TOAKY
						VVI. CINO

BUILDING PERMIT REPORT

DATE: 16 DCC, 97 ADDRESS: Island AVC, CLATIS	109-B-E-012
REASON FOR PERMIT: To Construct 8/x22/Sun deck.	
BUILDING OWNER: Jellison, Walter & Carole	
CONTRACTOR: Robert Howard	
PERMIT APPLICANT: Robert Honard APPROVAL: 42 48 K/O,	D 1110
USE GROUP B3 (U) BOCA 1996 CONSTRUCTION TYPE 53	
CONDITION(S) OF APPROVAL	1

1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)

3. Precaution must be taken to protect concrete from freezing,

4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.

- Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or 1-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
- 6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code, (The BOCA National Mechanical Code/1993).
- Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's building code.
- Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, 14-4, 1-1, 1-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".)

Headroom in habitable space is a minimum of 7'6".

- Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread. 7" maximum rise.
 - 11. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6' 8")
 - Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping tooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
 - 13. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
- 14. All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self closer's.
- 15. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
- All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms


In each story within a dwelling unit, including basements In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and 1-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an 17. approved type. The Fire Alarm System shall be maintained to NFPA #72 Standard. 18. The Sprinkler System shall maintained to NFPA #13 Standard. 19. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 20, 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996) 21. No construction or demolition work shall begin until you have obtained permits for dumpsters or containers. A work Stop Order shall be issued if this requirement is not met. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to 22. excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year". The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a 23. certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's office. 24. 25. Ventilation shall meet the requirements of Chapter 12 Sections 1210, of the City's Building Code, All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade, 26, 27. All requirements must be met before a final Certificate of Occupancy is issued. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA 28. National Building Code/1996). Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National 29. Mechanical Code/1993). 30. 31. 32, 33,


Spunier Hoffses, Codo Enforcement

ce: Li. McDongall, PFD Marge Schmickal

34.

Applicant: Robert Howard (contractor) Date: 12/15/97
Address: Island Ave, Claff Island C-B-L: 109B-E-12
CHECK-LIST AGAINST ZONING ORDINANCE
Date - 8/18/ 1995 - 8-gla fam
Zone Location - IP-
Interior or corner lot -
Proposed Use/Work - Con Struct & XZZ' enclosed Significant
Sewage Disposal -
Lot Street Frontage -
Front Yard - 30' (eg - 39' from front let Shown - WAS remained and 100 (eg - Boly NA)
Rear Yard - 30' (eg Both NA
Side Yard - 20' (29 - 35' 4 40' Show.
Projections -
Width of Lot -
Height - 35 15 fory Shown
Lot Area - 30, 425F
Lot Coverage/Impervious Surface - Zolo or 60854 max
Area per Family -
Off-street Parking -
Loading Bays - $27 \times 26 = \frac{572}{176}$ Site Plan - N
Shoreland Zoning/Stream Protection - over 250 for hypwath
Flood Plains - Zone C - PArel 10





Framing Plan/ sunporch

Lot 109B-E-12

Owner: Walter & Carol Jellison


48 Channel Rd


S. Portland, Me 040106


Builder: Robert Howard

Cliff Island, Me 04019

Existing House







End Elevation

Lot 109B-E-12

Owner: Walter & Carol Jellison 48 Channel Rd S. Portland, Me 040106

Builder: Robert Howard Cliff Island, Me 04019

