

**SUBSURFACE WASTEWATER DISPOSAL SYSTEM APPLICATION**

Maine Department of Human Services  
 Division of Health Engineering, Station 10  
 (207) 287-5672 Fax: (207) 287-3165

Town, City, Plantation  
 Portland (Cliff Island)

Street, Road, Subdivision  
 57 Church Road

Owner or Applicant Name  
 John & Sharon Hiltonen

**Existing Grade Elevations**

-36"	-36"
-49"	-49"


FIELD CORNERS

**SUBSURFACE WASTEWATER DISPOSAL PLAN**

Scale: 1" = 20 ft

House

Deck



**BACKFILL REQUIREMENTS**

**CONSTRUCTION ELEVATIONS**

**ELEVATION REFERENCE POINT**

Depth of Backfill (upslope) 33-33"  
 Depth of Backfill (downslope) 34-34"

Finished Grade Elevation (at Row 1) -5"  
 Top of Proprietary Device (at Row 1) -13"  
 Bottom of Disposal Field (at Row 1) -30"

Location & Description: 6" diameter birch 36" high nail  
 Reference Elevation is 0.0" or: \_\_\_\_\_


**NOTE: SCARIFY ALL GROUND SURFACE TO BE FILLED. USE GRAVELLY COARSE SAND WITHIN 3' OF ELJENS. REMAINING FILL: LOAMY SAND (no clay)**

**DISPOSAL FIELD CROSS SECTION**

Scales:

Verticle: 1" = 5  
 Horizontal: 1" = 5

ROW #	1	2	3
TOP	-13"	-17"	-21"
BOTTOM	-30"	-34"	-38"



*Richard Omet*  
 Site Evaluator Signature

034  
 SE #

09-17-12  
 Date

Page 3 of 3  
 HHE-200 Rev. 2/11