

Location of Construction: 83 Deerfield Rd		Owner: Newton, Nelle	Phone:	Permit No: 960905
Owner Address: SAA Pctld, ME		Leasee/Buyer's Name:	Phone:	Business Name:
Contractor Name: Papi & Romano		Address: P.O. Box 1079 Pctld, ME 04104		Phone: 797-3381
Past Use: 1-fam	Proposed Use: Same	COST OF WORK: \$ 5,000.00	PERMIT FEE: \$ 45.00	PERMIT ISSUED Permit Issued: SEP 16 1996 CITY OF PORTLAND Zone: CBL R-5 111-A-004 Zoning Approval: Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>
		FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied	INSPECTION: Use Group: Type:	
		Signature:	Signature:	
Proposed Project Description: Window/Slider Renovations		PEDESTRIAN ACTIVITIES DISTRICT (P.U.D.) Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved with Conditions <input type="checkbox"/> Denied		
Permit Taken By: Mary Gresik		Date Applied For: 09 September 1996		

1. This permit application doesn't preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

Nelle Newton
83 Deerfield Rd
Portland, ME 04101

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT *Joe Papi* ADDRESS: DATE: 09 September 1996 PHONE:

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE:

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

CEO DISTRICT **5**
D. Jenlan

COMMENTS

9-24-96 - Framing OK per plans

Inspection Record

Type	Date
Foundation: _____	_____
Framing: _____	_____
Plumbing: _____	_____
Final: _____	_____
Other: _____	_____

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 83 Deerfield Rd		Owner: Newton, Nelle		Phone:		Permit No 960905 PERMIT ISSUED Permit Issued: SEP 16 1996 CITY OF PORTLAND		
Owner Address: SAA Ptld, ME		Leasee/Buyer's Name:		Phone:			BusinessName:	
Contractor Name: Papi & Romano		Address: P.O. Box 1079 Ptld, ME 04104		Phone: 797-3381				
Past Use: 1-fam		Proposed Use: Same		COST OF WORK: \$ 5,000.00			PERMIT FEE: \$ 45.00	
Proposed Project Description: Window/Slider Renovations		FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied Signature:		INSPECTION: Use Group <i>93</i> Type <i>5R</i> <i>DOC 193</i> Signature: <i>[Signature]</i>		Zone: <i>R-5</i> CBL: 111-A-004		
						PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)		
						Action: Approved <input type="checkbox"/> Approved with Conditions: <input type="checkbox"/> Denied <input type="checkbox"/> Signature: _____ Date: _____		
Proposed Project Description: Window/Slider Renovations						Zoning Approval: <i>[Signature]</i> 9/13/96 Special Zone or Reviews:		
Permit Taken By: Mary Gresik		Date Applied For: 09 September 1996				<input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>		

1. This permit application doesn't preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

Zoning Appeal

Variance
 Miscellaneous
 Conditional Use
 Interpretation
 Approved
 Denied

Historic Preservation

Not in District or Landmark
 Does Not Require Review
 Requires Review

Action:

Approved
 Approved with Conditions
 Denied

Date: 9/16/96

[Signature]

CEO DISTRICT 5

D. Jordan

Nelle Newton
83 Deerfield Rd
Portland, ME 04101

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT *Joseph Papi* **Joe Papi** ADDRESS: _____ DATE: 09 September 1996 PHONE: _____

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE _____ PHONE: _____

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

OWNER:

NELLE NEWTON
83 DEERFIELD RD
PORTLAND, ME

RESTORATIONS
PAPI & ROMANO BUILDERS, INC.
RENOVATIONS

9/9/96

111-A-004

P.O. Box 1079 Portland, Maine 04104 (207) ~~772-6049~~ 797-3381

APPLICATION FOR BUILDING PERMIT AT
83 DEERFIELD RD. PORTLAND ME.

PROPOSED WORK:

1) INSTALL 5'-0" WIDE HINGED PATIO DOOR
TO EXISTING DECK ON FIRST FLOOR

- HEADERS TO BE 2- 2X12 SPRUCE (4X12)


2) REMOVE 2 EXISTING DOUBLE HUNG WINDOW
AND INSTALL 3 GANGED DOUBLE HUNG WINDOWS

IN FIRST FLOOR KITCHEN

TOTAL WIDTH OF ROUGH OPENING

IS 6'-7"

- HEADERS TO BE 2- 2X12 SPRUCE (4X12)



$$W =$$

$$W_N = 6 \times 12 \times 25 = 1800$$

$$W_P = 6 \times 4 \times 55 = 1320$$

$$W_F = 6 \times 8 \times 45 = 2160$$

$$W_T = 5280$$

$$M_B = \frac{5280 \times 12}{8} = 47520$$


$$f_o f_d = 1200$$

$$s = 39.6$$

$$f_o f_d = 11''$$

$$b = 1.8$$

∴ 4x12 req'd.




HC 69, 124A
CORNISH, ME 04020
207-793-6645

HEADER CALCULATION

DRAWN: JC DATE: 9/3/96
 REV DRAWN: _____ JOB CODE: _____
 REV DATE: _____ SCALE: 1/8"

NOTICE: This is intended for informational purposes only. If used for construction, all dimensions & suggested constructions must be verified in the field. Unless this plan has been stamped by a licensed engineer, Design Technologies Inc. assumes no liability for the structural soundness of the designs contained herein. All drawings are intended to reflect standard building practice and all work must conform to national & local building codes.

NEWTON RESIDENCE



WINDOW ILLUSTRATION

DETAIL



F

1

II

III



IV

V

VI