

PRINTED: Oct 21, 2016

HIGH ROOF FRAMING PLAN


SCALE: 1/4" = 1'-0"

PLAN LEGEND

- BEARING WALL
- SHEAR WALL
- BEAM
- MOMENT CONNECTION
- JOIST HANGER
- HSS COLUMN
- COLUMN FROM ABOVE
- COLUMN BELOW
- COLUMN ABOVE AND BELOW
- HOLD-DOWN

NOTES:


1. TOP OF STEEL NOTED (+XX'-XX") FROM SLAB-ON-GRADE REFERENCE ELEVATION.
2. PROVIDE SIMPSON JOIST HANGERS AT ALL JOIST ENDS, TYP.
3. WINDOW HEADERS SHALL BE (3)-2x10's w/ 1/2" PLYWOOD LAMS, U.N.O.
4. PROVIDE (3)-2x6 COLUMNS, U.N.O.
5. ALL EXTERIOR WALLS SHALL BE SHEATHED ON ONE SIDE WITH 1/2" APA RATED SHEATHING. NAIL EXTERIOR SHEATHING PANEL EDGES @ 4" o.c. BLOCK AND STAGGER ALL PANEL EDGES. SPACE NAILS AT 12" o.c. AT INTERMEDIATE PANEL EDGES.



424 Fore Street
Portland, ME 04101
Phone 207.842.2800
Fax 207.842.2828
www.cascobayengineering.com

CLIENT:
TLA, Inc.

400 U.S. ROUTE 1, SUITE A SOUTH
FALMOUTH, MAINE 04105



INFINITY CREDIT UNION
29 BAXTER BOULEVARD
PORTLAND, MAINE

NEW COMMERCIAL BUILDING

No.	DESCRIPTION	ISSUED		DATE	
		DR.	BY	PR.	ED.
A	90% ISSUED FOR CLIENT REVIEW				
0	ISSUED FOR CONSTRUCTION				

SHEET TITLE:

HIGH ROOF FRAMING PLAN

DESIGNED: _____ PR
DRAWN: _____ PR
DATE: _____ 08-29-16
PROJECT NUMBER: 16-090

S1.2