

DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK CITY OF PORTLAND

BU ILDING INSPECTION

PERMIT

Permit Number: 100775

PERMIT ISSUED


Please Read Application And Notes, If Any, Attached

This is to certify that Chabor Street Llc /WRIGHT R CON ITION

has permission to New stair elevator and glazing JUL 28 2010

AT 43 Baxter Blvd CE 112 E022001

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statutes of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of buildings and structures, and of the application on file in this department.



Apply to Public Works for street line and grade if nature of work requires such information.

Notification of inspection must be given and written permission procured before this building or part thereof is lath or other used-in. 2 HO NOTICE IS REQUIRED.

A certificate of occupancy must be procured by owner before this building or part thereof is occupied.

OTHER REQUIRED APPROVALS

Fire Dept. CAPT. N. [Signature]

Health Dept. _____

Appeal Board _____

Other _____

Department Name

[Signature]
Director - Building & Inspection Services

PENALTY FOR REMOVING THIS CARD

City of Portland, Maine - Building or Use Permit Application

389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716

Permit No: 10-0775	Issue Date:	CBL: 112 F022001
-----------------------	-------------	---------------------

Location of Construction: 43 Baxter Blvd	Owner Name: Chabot Street Llc	Owner Address: 100 Silver St	Phone: 207-774-1885
Business Name:	Contractor Name: WRIGHT RYAN CONSTRUCTIO	Contractor Address: 10 DANFORTH STREET Portland	Phone: 2077733625
Lessee/Buyer's Name	Phone:	Permit Type: Alterations - Commercial	Zone: B-2

Past Use: Commercial / Offices	Proposed Use: Commercial / New stair elevator and glazing.	Permit Fee: \$5,115.00	Cost of Work: \$502,000.00	CEO District: 1
Proposed Project Description: New stair elevator and glazing.		FIRE DEPT: <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Denied * See Conditions	INSPECTION: Use Group: B Existing Type: SB DEBC 2003	
		Signature: (KG)	Signature: [Signature]	
PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)				
Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied				
Signature: _____ Date: _____				

Permit Taken By: gg	Date Applied For: 06/30/2010	Zoning Approval		
------------------------	---------------------------------	------------------------	--	--

- This permit application does not preclude the Applicant(s) from meeting applicable State and Federal Rules.
- Building permits do not include plumbing, septic or electrical work.
- Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

Special Zone or Reviews <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan <input type="checkbox"/> Minor <input type="checkbox"/> MM <input type="checkbox"/> Denied Date: 7/1/10	Zoning Appeal <input type="checkbox"/> Variance <input type="checkbox"/> Miscellaneous <input type="checkbox"/> Conditional Use <input type="checkbox"/> Interpretation <input type="checkbox"/> Approved Date:	Historic Preservation <input checked="" type="checkbox"/> Not in District or Landmark <input type="checkbox"/> Does Not Require Review <input type="checkbox"/> Requires Review <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied Date:
---	--	--

PERMIT ISSUED

JUL 28 2010

City of Portland

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

SIGNATURE OF APPLICANT	ADDRESS	DATE	PHONE
RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE		DATE	PHONE

City of Portland, Maine - Building or Use Permit

389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716

Permit No: 10-0775	Date Applied For: 06/30/2010	CBL: 112 F022001
-----------------------	---------------------------------	---------------------

Location of Construction: 43 Baxter Blvd	Owner Name: Chabot Street Llc	Owner Address: 100 Silver St	Phone: 207-774-1885
Business Name:	Contractor Name: WRIGHT RYAN CONSTRUCTIO	Contractor Address: 10 DANFORTH STREET Portland	Phone: (207) 773-3625
Lessee/Buyer's Name	Phone:	Permit Type: Alterations - Commercial	

Proposed Use: Commercial / New stair elevator and glazing.	Proposed Project Description: New stair elevator and glazing.
---	--

Dept: Zoning Status: Approved with Conditions Reviewer: Marge Schmuckal Approval Date: 07/01/2010
 Note: Ok to Issue:

- 1) Separate permits shall be required for any new signage.
- 2) This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work. It is understood that the new stairs and elevator are located within the existing building.

Dept: Building Status: Approved with Conditions Reviewer: Tammy Munson Approval Date: 07/27/2010
 Note: Ok to Issue:

- 1) All penetrations between units and common areas shall be protected with approved firestop materials and shall not reduce the required rating per Sec. 712 of IBC and R317.3.1.2 of the IRC
- 2) Separate permits are required for any electrical, plumbing, sprinkler, fire alarm HVAC systems, heating appliances, commercial hood exhaust systems and fuel tanks. Separate plans may need to be submitted for approval as a part of this permit.



CITY OF PORTLAND, MAINE Department of Building Inspections

Original Receipt

Received from Wright Ryan Contractor June 30 2010
 Location of Work 43 Baxter Blvd

Cost of Construction \$ 5040.00 Building Fee: 5040.00
 Permit Fee \$ 75.00 Site Fee: _____
 Certificate of Occupancy Fee: _____ Total: 5115.00
 Building (IL) Plumbing (15) _____ Electrical (12) _____ Site Plan (12) _____
 Other _____
 CBL: 112 F022 H
 Check #: 073613 Total Collected \$ 5115.00

**No work is to be started until permit issued.
Please keep original receipt for your records.**

Taken by: [Signature]
 WHITE - Applicant's Copy
 YELLOW - Office Copy
 PINK - Permit Copy

BUILDING PERMIT INSPECTION PROCEDURES

**Please call 874-8703 or 874-8693 (ONLY)
or email: buildinginspections@portlandmaine.gov**

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the City of Portland Inspection Services for the following inspections. Appointments must be requested 48 to 72 hours in advance of the required inspection. The inspection date will need to be confirmed by this office.

- **Please read the conditions of approval that is attached to this permit!! Contact this office if you have any questions.**
- **Permits expire in 6 months, if the project is not started or ceases for 6 months.**
- **If the inspection requirements are not followed as stated below additional fees may be incurred due to the issuance of a “Stop Work Order” and subsequent release to continue with construction.**

 X **Footing/Building Location Inspection: Prior to pouring concrete or setting precast piers**

 X **Framing/Rough Plumbing/Electrical: Prior to Any Insulating or drywalling**

 X **Final inspection required at completion of work.**

The project cannot move to the next phase prior to the required inspection and approval to continue, REGARDLESS OF THE NOTICE OR CIRCUMSTANCES.

IF THE PERMIT REQUIRES A CERTIFICATE OF OCCUPANCY, IT MUST BE PAID FOR AND ISSUED TO THE OWNER OR DESIGNEE BEFORE THE SPACE MAY BE OCCUPIED.

10 0775



General Building Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 43 Baxter Blvd.		
Total Square Footage of Proposed Structure/Area 24,370 Existing	Square Footage of Lot 53,598	
Tax Assessor's Chart, Block & Lot Chart# 112 Block# F Lot# 22	Applicant * must be owner, Lessee or Buyer* Name Chabot Street, LLC Address 100 Silver Street City, State & Zip Portland, ME 04101	Telephone: (207) 774-1885
Lessee/DBA (If Applicable)	Owner (if different from Applicant) Name Address City, State & Zip	Cost Of Work: \$ <u>502,000</u> C of O Fee: \$ <u>75.00</u> Total Fee: \$ <u>5115.00</u>
Current legal use (i.e. single family) <u>Business</u> If vacant, what was the previous use? Proposed Specific use: <u>Business</u> Is property part of a subdivision? <u>No</u> If yes, please name Project description: <u>New stair, elevator and glazing</u> <u>first + second floor</u>	<u>10 offices</u>	Bldg Fee <u>5040.00</u> C of O <u>75.00</u> WR 5115.00
Contractor's name: <u>Wright Ryan Construction</u> Address: <u>10 Danforth Street</u> City, State & Zip: <u>Portland, ME 04101</u>	<u>Call first</u> <u>xx mail</u>	Telephone: <u>(207) 773-3625</u>
Who should we contact when the permit is ready: <u>Michael Barton - Wright Ryan</u> Mailing address: <u>10 Danforth Street, Portland, ME 04101</u>		Telephone: <u>(207) 773-3625</u>

Please submit all of the information outlined on the applicable Checklist. Failure to do so will result in the automatic denial of your permit.

PDF entered

In order to be sure the City fully understands the full scope of the project, the Planning and Development Department may request additional information prior to the issuance of a permit. For further information or to download copies of this form and other applications visit the Inspections Division on-line at www.portlandmaine.gov, or stop by the Inspections Division office, room 315 City Hall or call 874-8703.

I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature: [Signature] Date: 6/28/10

This is not a permit; you may not commence ANY work until the permit is issue



Certificate of Design Application

From Designer: Archetype, PA
 Date: 6/28/10
 Job Name: 43 Baxter Blvd.
 Address of Construction: 43 Baxter Blvd.

2003 International Building Code

Construction project was designed to the building code criteria listed below:

Building Code & Year IBC 2003 Use Group Classification (s) Business

Type of Construction 5B

Will the Structure have a Fire suppression system in Accordance with Section 903.3.1 of the 2003 IRC No

Is the Structure mixed use? No If yes, separated or non separated or non separated (section 302.3) _____

Supervisory alarm System? No Geotechnical/Soils report required? (See Section 1802.2) N/A PER IBC SEC. 1802.2.7

Structural Design Calculations

_____ Submitted for all structural members (106.1 – 106.11)

Design Loads on Construction Documents (1603)

Uniformly distributed floor live loads (7603.11, 1807)

Floor Area Use	Loads Shown
Offices	50 psf + 20 psf partitions
Stairs	100psf
_____	_____
_____	_____
_____	_____

Wind loads (1603.1.4, 1609)

1609.6 Design option utilized (1609.1.1, 1609.6)

100 mph Basic wind speed (1809.3)

II Building category and wind importance Factor, I_w (table 1604.5, 1609.5)

B Wind exposure category (1609.4)

N/A Internal pressure coefficient (ASCE 7)

+17.2 psf - 18.9 psf Component and cladding pressures (1609.1.1, 1609.6.2.2)

N/A Main force wind pressures (7603.1.1, 1609.6.2.1)

Earth design data (1603.1.5, 1614-1623)

ASCE 7-02 9.5.4 Design option utilized (1614.1)

I Seismic use group ("Category")

$S_{ds} = 0.37$ $S_{d1} = 0.148$ Spectral response coefficients, S_{Ds} & S_{D1} (1615.1)

E Site class (1615.1.5)

N/A Live load reduction
N/A Roof live loads (1603.1.2, 1607.11)
42 psf Roof snow loads (1603.7.3, 1608)
60 psf Ground snow load, P_g (1608.2)
42 psf If $P_g > 10$ psf, flat-roof snow load P_f
1.0 If $P_g > 10$ psf, snow exposure factor, C_e
1.0 If $P_g > 10$ psf, snow load importance factor, I_s
1.0 Roof thermal factor, C_t (1608.4)
N/A Sloped roof snowload, P_s (1608.4)
D Seismic design category (1616.3)
light-framed walls with shear panels Basic seismic force resisting system (1617.6.2)

R = 6.0 Cd = 4.0 Response modification coefficient, R , and deflection amplification factor, C_d (1617.6.2)

Simplified analysis (ASCE 9.1.1 analysis procedure (1616.6, 1617.5))
99.3 kips Design base shear (1617.4, 1617.5.1)

Flood loads (1803.1.6, 1612)

_____ Flood Hazard area (1612.3)
 _____ Elevation of structure

Other loads

_____ Concentrated loads (1607.4)
 _____ Partition loads (1607.5)
 _____ Misc. loads (Table 1607.8, 1607.6.1, 1607.7, 1607.12, 1607.13, 1610, 1611, 2404)




Accessibility Building Code Certificate

Designer: Archetype, PA

Address of Project: 43 Baxter Blvd.

Nature of Project: New stairs, elevator and glazing

The technical submissions covering the proposed construction work as described above have been designed in compliance with applicable referenced standards found in the Maine Human Rights Law and Federal Americans with Disability Act. Residential Buildings with 4 units or more must conform to the Federal Fair Housing Accessibility Standards. Please provide proof of compliance if applicable.



Signature: 

Title: Architect

Firm: Archetype, PA

Address: 48 Union Wharf

Portland, ME 04101

Phone: (207) 772-6022

For more information or to download this form and other permit applications visit the Inspections Division on our website at www.portlandmaine.gov



Certificate of Design


Date: June 23, 2010

From: Archetype, PA

These plans and / or specifications covering construction work on:

43 Baxter Blvd.

Have been designed and drawn up by the undersigned, a Maine registered Architect / Engineer according to the **2003 International Building Code** and local amendments.



Signature: 

Title: Architect

Firm: Archetype, PA

Address: 48 Union Wharf
Portland, ME 04101

Phone: (207) 772-6022

For more information or to download this form and other permit applications visit the Inspections Division on our website at www.portlandmaine.gov

Statement of Special Inspections

Project: 43 Baxter Boulevard

Location: 43 Baxter Boulevard, Portland, ME

Owner: Chabot Street, LLC 100 Silver Street, Portland, ME

Design Professional in Responsible Charge: David J. Tetreault, P.E.

This *Statement of Special Inspections* is submitted as a condition for permit issuance in accordance with the Special Inspection and Structural Testing requirements of the Building Code. It includes a schedule of Special Inspection services applicable to this project as well as the name of the Special Inspection Coordinator and the identity of other approved agencies to be retained for conducting these inspections and tests. This *Statement of Special Inspections* encompass the following disciplines:

- Structural
- Mechanical/Electrical/Plumbing
- Architectural
- Other: _____

The Special Inspection Coordinator shall keep records of all inspections and shall furnish inspection reports to the Building Official and the Registered Design Professional in Responsible Charge. Discovered discrepancies shall be brought to the immediate attention of the Contractor for correction. If such discrepancies are not corrected, the discrepancies shall be brought to the attention of the Building Official and the Registered Design Professional in Responsible Charge. The Special Inspection program does not relieve the Contractor of his or her responsibilities.

Interim reports shall be submitted to the Building Official and the Registered Design Professional in Responsible Charge.

A *Final Report of Special Inspections* documenting completion of all required Special Inspections, testing and correction of any discrepancies noted in the inspections shall be submitted prior to issuance of a Certificate of Use and Occupancy.

Job site safety and means and methods of construction are solely the responsibility of the Contractor.

Interim Report Frequency: *As Required*

or per attached schedule.

Prepared by:


David J. Tetreault, P.E.

(type or print name)

06/28/10

Date

Signature



Owner's Authorization:

Building Official's Acceptance:

Signature

Date

Signature

Date

Schedule of Inspection and Testing Agencies

This Statement of Special Inspections / Quality Assurance Plan includes the following building systems:

- | | |
|--|--|
| <input type="checkbox"/> Soils and Foundations | <input type="checkbox"/> Spray Fire Resistant Material |
| <input checked="" type="checkbox"/> Cast-in-Place Concrete | <input checked="" type="checkbox"/> Wood Construction |
| <input type="checkbox"/> Precast Concrete | <input type="checkbox"/> Exterior Insulation and Finish System |
| <input checked="" type="checkbox"/> Masonry | <input type="checkbox"/> Mechanical & Electrical Systems |
| <input checked="" type="checkbox"/> Structural Steel | <input type="checkbox"/> Architectural Systems |
| <input type="checkbox"/> Cold-Formed Steel Framing | <input type="checkbox"/> Special Cases |

Special Inspection Agencies	Firm	Address, Telephone
1. Special Inspection Coordinator	<i>Structural Design Consulting, Inc.</i>	<i>22 Oakmont Drive Old Orchard Beach, ME 04064-4121 207-934-8038</i>
2. Inspector		
3 Testing Agency	<i>S.W Cole Engineering, Inc</i>	<i>286 Portland Road Gray, ME 04039 207 657-2866</i>
4. Testing Agency		
5. Testing Agency		
6. Other		

Note: The inspectors and testing agencies shall be engaged by the Owner or the Owner's Agent, and not by the Contractor or Subcontractor whose work is to be inspected or tested. Any conflict of interest must be disclosed to the Building Official, prior to commencing work.

Quality Assurance Plan

Quality Assurance for Seismic Resistance

Seismic Design Category *D*
Quality Assurance Plan Required (Y/N) *Y*

Description of seismic force resisting system and designated seismic systems:

Light-framed walls sheathed with wood structural panels rated for shear resistance and associated connections.

1705.1.1 Q/A plan is required for the seismic force resisting system. Q/A plan consists of Special Inspections of shearwalls and associated connections.

1705.1.2 No additional designated seismic systems are in the project.

1705.1.4 No additional mechanical or electrical systems requiring seismic design are in the projectsystems is not required.

1705.1.5 refers to SDC E and F therefore Q/A plan not required

Quality Assurance for Wind Requirements

Basic Wind Speed (3 second gust) *100 mph*
Wind Exposure Category *B*
Quality Assurance Plan Required (Y/N) *N*

The building is in wind exposure Category B with a 3-sec gust basic wind speed less than 120 mph therefore a quality assurance plan for wind is not required (IBC/2003 Section 1706.1.1.1).

Statement of Responsibility

Each contractor responsible for the construction or fabrication of a system or component designated above must submit a Statement of Responsibility.

Qualifications of Inspectors and Testing Technicians

The qualifications of all personnel performing Special Inspection and testing activities are subject to the approval of the Building Official. The credentials of all Inspectors and testing technicians shall be provided if requested.

Key for Minimum Qualifications of Inspection Agents:

When the Registered Design Professional in Responsible Charge deems it appropriate that the individual performing a stipulated test or inspection have a specific certification or license as indicated below, such designation shall appear below the *Agency Number* on the Schedule.

PE/SE	Structural Engineer – a licensed SE or PE specializing in the design of building structures
PE/GE	Geotechnical Engineer – a licensed PE specializing in soil mechanics and foundations
EIT	Engineer-In-Training – a graduate engineer who has passed the Fundamentals of Engineering examination

American Concrete Institute (ACI) Certification

ACI-CFTT	Concrete Field Testing Technician – Grade 1
ACI-CCI	Concrete Construction Inspector
ACI-LTT	Laboratory Testing Technician – Grade 1&2
ACI-STT	Strength Testing Technician

American Welding Society (AWS) Certification

AWS-CWI	Certified Welding Inspector
AWS/AISC-SSI	Certified Structural Steel Inspector

American Society of Non-Destructive Testing (ASNT) Certification

ASNT	Non-Destructive Testing Technician – Level II or III.
------	---

International Code Council (ICC) Certification

ICC-SMSI	Structural Masonry Special Inspector
ICC-SWSI	Structural Steel and Welding Special Inspector
ICC-SFSI	Spray-Applied Fireproofing Special Inspector
ICC-PCSI	Prestressed Concrete Special Inspector
ICC-RCSI	Reinforced Concrete Special Inspector

National Institute for Certification in Engineering Technologies (NICET)

NICET-CT	Concrete Technician – Levels I, II, III & IV
NICET-ST	Soils Technician - Levels I, II, III & IV
NICET-GET	Geotechnical Engineering Technician - Levels I, II, III & IV

Other

Cast-in-Place Concrete

Item	Req'd Y/N	Agency # (Qualif.)	Scope
1. Mix Design	Y	3	Review concrete batch tickets and verify compliance with approved mix design. Verify that water added at the site does not exceed that allowed by the mix design.
2. Material Certification	Y	1	Review certified mill test reports for reinforcing steel.
3. Reinforcement Installation	Y	3	Inspect size, spacing, cover, positioning and grade of reinforcing steel. Verify that reinforcing bars are free of form oil or other deleterious materials. Inspect bar laps and mechanical splices. Verify that bars are adequately tied and supported on chairs or bolsters
4. Post-Tensioning Operations	N		
5. Welding of Reinforcing	N		
6. Anchor Rods	N		
7. Concrete Placement	Y	3	Inspect placement of concrete. Verify that concrete conveyance and depositing avoids segregation or contamination. Verify that concrete is properly consolidated.
8. Sampling and Testing of Concrete	Y	3	Test concrete compressive strength (ASTM C31 & C39), slump (ASTM C143), air-content (ASTM C231 or C173) and temperature (ASTM C1064).
9. Curing and Protection	N		
10. Other:	N		

Masonry

Item	Req'd Y/N	Agency # (Qualif.)	Scope
1. Material Certification			
2. Mixing of Mortar and Grout	Y	3 (ICC- SMSI)	<i>Periodically inspect proportioning, mixing and retempering of mortar and grout.</i>
3. Installation of Masonry	Y	3 (ICC- SMSI)	<i>Periodically inspect size, layout, bonding and placement of masonry units.</i>
4. Mortar Joints	Y	3 (ICC- SMSI)	<i>Periodically inspect construction of mortar joints including tooling and filling of head joints.</i>
5. Reinforcement Installation	Y	3 (ICC- SMSI)	<i>Inspect placement, positioning and lapping of reinforcing steel.</i>
6. Prestressed Masonry	N		<i>Inspect placement, anchorage and stressing of prestressing bars.</i>
7. Grouting Operations	Y	3 (ICC- SMSI)	<i>Inspect placement and consolidation of grout.</i>
7. Weather Protection	N		
9. Evaluation of Masonry Strength	Y	3 (ICC- SMSI)	<i>Test compressive strength of mortar and grout cube samples (ASTM C780). Test compressive strength of masonry prisms (ASTM C1314).</i>
10. Anchors and Ties	N		
11. Other:			

Structural Steel

Page of

Item	Req'd Y/N	Agency # (Scope
1. Fabricator Certification/ Quality Control Procedures <input type="checkbox"/> Fabricator Exempt	Y	1	<i>Review shop fabrication and quality control procedures.</i>
2. Material Certification	Y	1	<i>Review certified mill test reports and identification markings on wide-flange shapes, high-strength bolts, nuts and welding electrodes</i>
3. Open Web Steel Joists	Y	1	<i>Inspect installation, field welding and bridging of joists.</i>
4. Bolting	Y	3	<i>Inspect installation and tightening of high-strength bolts. Verify that splines have separated from tension control bolts. Verify proper tightening sequence.</i>
5. Welding	Y	3	<i>Visually inspect all field welds. Inspect pre-heat, post-heat and surface preparation between passes. Verify size and length of fillet welds.</i> <i>Ultrasonic testing of all full-penetration welds.</i>
6. Shear Connectors	N		
7. Structural Details	Y	1	<i>Inspect steel frame for compliance with structural drawings, including member configuration and connection details.</i>
8. Metal Deck	N		
9. Other:	N		

Wood Construction

Item	Req'd Y/N	Agency # (Qualif.)	Scope
1. Fabricator Certification/ Quality Control Procedures	N		
2. Material Grading	Y	I	<i>Verify material grading marks.</i>
3. Connections	Y	I	<i>Verify that connections and fastenings comply with Contract Documents</i>
4. Framing and Details	Y	I	<i>Verify conformance with Contract Documents</i>
5. Diaphragms and Shearwalls	Y	I	<i>Inspect size, configuration, and fastening of shearwalls and diaphragms. Verify panel grade and thickness.</i>
6. Prefabricated Wood Trusses	N		



CITY OF PORTLAND, MAINE

Department of Building Inspections

Original Receipt

June 30 2010

Received from W. H. P. - Ryan-Construction

Location of Work 42 Baxter Blvd

Cost of Construction \$ _____ Building Fee: 5040.00

Permit Fee \$ _____ Site Fee: _____

Certificate of Occupancy Fee: 75.00

Total: 5115.00

Building (1L) Plumbing (15) _____ Electrical (12) _____ Site Plan (U2) _____

Other _____

CBL: 112 F092

Check #: 073612 **Total Collected \$** 5115.00

**No work is to be started until permit issued.
Please keep original receipt for your records.**

Taken by: [Signature]

WHITE - Applicant's Copy
YELLOW - Office Copy
PINK - Permit Copy

11-17-10

Will okay temp sensor + electrode
after final insp on Friday