# City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction:	Owner:		Phone:		Permit No:
371 Forest Ave. 04103	Nichael Kaplan		774-947	2	
Owner Address:	Lessee/Buyer's Name:	Phone:	BusinessN		991202
Ocean Ave. 04102 Forest Gardens	Eessee, Easy or 51 (annot				PERMIT ISSUED
Contractor Name:	Address:	Phone:	,		Permit Issued:
Bailey Sign Co. Inc.	* 9 Thomas Dr. Westbi	·			101 - 1999
Past Use:	Proposed Use:	COST OF WORK	: P	ERMIT FEE:	] NUV = 1 1566
Tavern	Same	\$	\$	34.00	
		FIRE DEPT. □ A	pproved I	NSPECTION:	INTAFPARTIANDI
		□ De		Jse Group: Type:	The second section of the section
					Zone: CBL: 12-3-017
		Signature:		ignature:	1,2 46
Proposed Project Description:		PEDESTRIAN AC	CTIVITIES	DISTRICT (P.A.D.)	Zoning Approval:
99		Action: A	pproved	// 🗖	Special Zone or Reviews:
	ng 5'x4' adga and			h Conditions:	☐ Shoreland
neptace w/ ac	ew 5'x 4' sign		enied		□Wetland
					☐ Flood Zone 4
		Signature:		Date:	□Subdivision
Permit Taken By:	Date Applied For:	October 26,	1900		☐ □ Site Plan maj □minor □mm □
Tomic ranon by:					Zoning Appeal
		0 17 1 1 1			□ Variance
1. This permit application does not preclude the	Applicant(s) from meeting applicable	State and Federal rules.			□ Miscellaneous
2. Building permits do not include plumbing, se	eptic or electrical work.				☐ Conditional Use
3. Building permits are void if work is not started	d within six (6) months of the date of	issuance. False informa-			□ Interpretation
tion may invalidate a building permit and sto	n all work.				□Approved
non may invalidate a banding permit and ste	p un womm				□ Denied
					Historic Preservation
					Not in District or Landmark
				בוסטוורט	□ Does Not Require Review
			PERMI	☐ Requires Review	
		1	WITH REO	UIREMENTS	·
					Action:
	CERTIFICATION				□Appoved
I hereby certify that I am the owner of record of the		I work is authorized by the	owner of re	cord and that I have been	
authorized by the owner to make this application a	as his authorized agent and I agree to	conform to all applicable	laws of this	jurisdiction. In addition.	□Denied
if a permit for work described in the application is	issued. I certify that the code official	's authorized representativ	ve shall have	the authority to enter all	
areas covered by such permit at any reasonable ho	our to enforce the provisions of the co	ode(s) applicable to such r	permit	<b>,</b>	Date:
areas covered by such permit ar any reasonable no	our to emoree the provisions of the e	occ(s) apparents to see p			
		October 26.1	000		· ·
				YYONE	- 4
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	ŀ	PHONE:	DEDINATION
				A a	PERMIT ISSUED
DEGRONGINI E DEDCOM INI CILA DEE OF WOR	ע דודו ב		T	PHONE:	HILL REQUIREMENTO
RESPONSIBLE PERSON IN CHARGE OF WOR	N, IIILE		Γ	1101112.	CEO DISTRICTE 113
100 to 100		D D M Dini- D	die File ber	Card Imamagian	

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

### COMMENTS

t

COMMENTS	
1	
, /	
2/13/02	
$\mathcal{A}\mathcal{A}$	
Inspection Record	
Туре	Date
Foundation:Framing:	
Plumbing:	
Final:	
Other:	

#### BITT DING PERMIT REPORT

	вошь.	HIO I DIMILLI MIN OILL	•
DATE: <u>28 OCT. 99</u>	ADDRESS:	371 AgresT AVC.	CBL: /12-0-01×
REASON FOR PERMIT: 'Sı	gnage		/
BUILDING OWNER: MI	chael Ka	plan,	
PERMIT APPLICANT:		/CONTRACTOR	
USE GROUP: Signay CONSTI	RUCTION TYPE:	CONSTRUCTION COST:	permit fees: <u>34, 0 0</u>
The City's Adopted Building Code (The City's Adopted Mechanical Cod		lding code/1996 with City Amendments) Mechanical Code/1993)	
		ΓΙΟΝ(S) OF APPROVAL	10
This permit is being issued with t	he understanding that	t the following conditions are met: $\frac{\mathscr{K}/}{}$	1, 835 - AD
2. Before concrete for foundation is	placed, approvals from the	olicable State and Federal rules and laws.  Development Review Coordinator and Inspective SHALL BE CLEARLY MARKED I	ection Services must be obtained. (A BEFORE CALLING."

- - Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
  - Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
  - Waterproofing and damp proofing shall be done in accordance with Section 1813.0 of the building code.
  - Precaution must be taken to protect concrete from freezing. Section 1908.0
  - It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of 1.2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
- All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the o0pen sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A,B.H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38"). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
- 12. Headroom in habitable space is a minimum of \(\frac{2}{6}\). (Section 1204.0)
- 13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- 15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
- 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
- 18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

- 19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):

  In the immediate vicinity of bedrooms
  In each story within a dwelling unit, including basements

  20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 21. The Fire Alarm System shall maintained to NFPA #72 Standard.22. The Sprinkler System shall maintained to NFPA #13 Standard.
- 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
- 24. Section 25 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
- 27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- 28. All requirements must be met before a final Certificate of Occupancy is issued.
- 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).

	I in digitage, blant of work in account to the control of the cont
35.	All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1990).
34.	Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.3.1 of the City's Building Code.  Bridging shall comply with Section 2305.16.  Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2405.0)  All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1996).
33.	Bridging shall comply with Section 2305.16.  My Replacement
32.	Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code. 7
31,	Code/1993). (Chapter M-16) Please read and implement the attached Land Use Zoning report requirements. Not to File Exist SignAs Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
2	Code/1993). (Chapter M-16)
30.	Code/1996).  Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical

et Hoffises, Building Inspector
Lt. McDougall, PFD

Marge Schmuckal, Zoning Administrator

PSH 10/25/99

<sup>\*\*</sup>On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

# THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

### Sign Permit Pre-Application

### Attached Single Family Dwellings/Two-Family Dwelling

Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

		•
Location/Addressof Construction (include Portion of Building)	371 Forest Ave	04103
Total Square Footage of Proposed Structure 20 g Fr	Square Footage of Lot 50	ω΄
Tax Assessor's Chart, Block & Lot Number  Chart# 112 Block# B Lot# 017	owner: Michael Kaplan 1 Forest Gordens Inc. 773	1C44 Telephone#: -9384 774-9492
Owner's Address:  Clar Auc U103	Lessee/Buyer's Name (If Applicable)	Total Sq. Ft. of Sign Fee 20x20' \$ 34.00
Proposed Project Description:(Please be as specific as possible)	Install new 5'x4	'Sign.
Contractor's Name, Address & Telephone Bullay 5	ign Co. Inc. 9 thomas	Dr. 18876. Rec'd By CA
Current Use: Tavern	Proposed Use: Taux	n
Signature of applicant:	Date:	102699
Sign (ge Permit I	Fee: \$80.00 plus .20 per square foot of signag	ge
	DEPT	OF BUILDING INSPECTION



### SIGNAGE PRE-APPLICATION

## PLEASE ANSWER ALL QUESTIONS

······································		
ADDRESS: 391 Forest Ave. 2	ZONE:_	B-L
OWNER: Michael Kaplan LLC, #47		· · · · · · · · · · · · · · · · · · ·
APPLICANT: Balley Sigh CO.		
State of the state		
ASSESSOR NO		
		4
SINGLE TENANT LOT? YESNO		
MULTI TENANT LOT? YES NO	1	
FREESTANDING SIGN? YES NO DIMENSIONS $5\chi 4$	- 20	59.Ft.
(ex. pole sign)		
MORE THAN ONE SIGN? YES NO DIMENSIONS		
BLDG. WALL SIGN? YES NO DIMENSIONS		:
(attached to bldg)	•	•
MORE THAN ONE SIGN? YES NO DIMENSIONS	ž.	12.
	- 1	
LIST ALL'EXISTING SIGNAGE AND THEIR DIMENSIONS: Existing 5 x 5	<u>· · · ·</u> ·	
Projecting Signi	- - 1	* * 1
LOT FRONTAGE (FEET):		
BLDG FRONTAGE (FEET): FOR A WATER OF A CYLLT? YES NO		
AWNING YES NO IS AWNING BACKLIT? YES NO		
HEIGHT OF AWNING:		•
IS THERE ANY COMMUNICATION, MESSAGE, TRADEMARK OR SYMBOL ON IT	Γ?	+
*** TENANT BLDG. FRONTAGE (IN FEET) 50 59 Ft	1,5=	754
*** REQUIRED INFORMATION		

AREA FOR COMPUTATION

A SITE SKETCH AND BUILDING SKETCH SHOWING EXACTLY WHERE EXISTING AND NEW SIGNAGE IS LOCATED MUST BE PROVIDED. SKETCHES AND/OR PICTURES OF PROPOSED ARE ALSO REQUIRED.

SIGNATURE OF APPLICANT: JUDY Bailey

DATE 1026 97

# INFORMATION REQUIREMENTS FOR SIGN PERMIT APPLICATION

Applicants for a sign permit will be asked to submit the following information to the Code Enforcement Office:

- 1. Proof of insurance
- 2. Letter of permission from the owner
- 3. A sketch plan of lot, indicating location of buildings, driveways and any abutting streets or right of ways. Lengths of building frontages and street frontages should be noted. (see attached)
- 4. Indicate on the plan all existing and proposed signs
- 5. Computation of the following:
  - A) Sign area of each existing and proposed building sign
  - B) Sign area height and setback of each existing and proposed freestanding sign
- 6. A sketch of any proposed sign(s), indicating dimensions, materials, source of illumination and construction method (see attached).
- 7. Certificate of flammability required for awning/canopy at time of application.
- 8. UL # required for lighted signs at the time of application. BH 05000)

Fee for permit - \$30.00 plus \$0.20 per square foot

Fee for awning based on cost of work - \$30.00 for the first \$1,000.00, \$6.00 for each additional \$1,000.000.

NOTE: Once a sketch plan has been filed for a property, the code enforcement office will keep a record of the plan so that a new sketch plan will not be required for later changes to signage on the property. In such an instance, applicants will only be required to submit information applicable to the new sign.

10/26/1999 16:03

2077749492

KAPLAN COMPANY

0028677

BK 147064624U

## DEED OF SALE BY PERSONAL REPRESENTATIVE (Testate)

Maine Statutory Short Form

### KNOW ALL MEN BY THESE PRESENTS.

THAT STEVEN W. RAND, of Westbrook, Cumberland County, State of Maine, duly appointed and acting Personal Representative of the Estate of MEDIO DIRENZO, deceased (testate), as shown by the Probate records of the County of Cumberland, State of Maine, Docket No. 97-1352, and having given notice to each person succeeding to an interest in the real property described below at least ten (10) days prior to the sale, by the power conferred by the Probate Code, and every other power, for consideration paid, grants to KAPLAN 47 LLC, whose mailing address is 49 Ocean Avenue, Portland, Maine, a certain lot or parcel of land, with any buildings thereon, located in Portland, County of Cumberland, State of Maine, described as follows:

### SEE SCHEDULE "A" ATTACHED HERETO MADE A PART HEREOF AND INCORPORATED BY REFERENCE HEREIN

Being the same premises conveyed from Jacob Agger and Nancy J. Sheriff, by deed dated October 13, 1960 and recorded in the Cumberland County Registry of Deeds in Book 2569, Page

WITNESS my hand and scal this to day of April, 1999

Steven W. Rand, Personal Representative of the Estate of Medio DiRenzo

State of Maine Cumberland, sa

SEA

Personally appeared the above-named Steven W. Rand, in his said capacity and acknowledged the foregoing instrument to be his free act and deed.

Before me.

Notary Public/Attorney at Law

Gail M. Williams, Notary Public State of Maine My Commission @xpires 10/25/05

GAINE PEAL ESTATE TAX PAID

PTSSSA (MEL 1207)

BAGUE.	the state of the s	, pp) jubicana.				Mary.	L			745	pi de la composición	7 m			- 26746	
	OATH	INCOME TAX	CIRCUMSTANCES		COMBIDERATION		PAGDEENTY	S. O. BOX 309	Estate of Medic Diverso		3. NUMBER AND STREET	pa		TO NATIONALI POLITICA CONTRACTOR IN THE PROPERTY OF THE PROPER	STANCES COUNTY OF A COUNTY OF A STANCE OF A COUNTY OF	The second of th
13 Manage actions of Privile Steven H. Rend, Esq., Westbrook, Maine for penalty to an	It had to the factor of the fa	des aures pares de la certa del certa de la certa del certa de la certa del la certa de la certa del la certa del la certa della certa del	ति प्रकार प्रश्नीत प्रतिकृति का प्रकार प्रकार के प्रतिकृति हैं। अपने क्षेत्र का अपने का अपने का अपने का अपने क अपने का अपने अपने अपने अपने अपने अपने अपने अपने	e. EXPLAN GASS FOR EXEMPTOR STATEMENT OF 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	g. Consideration extends that situation or their personal contents of the personal contents of t	TEATE OF TRANSPER NO. DAY YE. CAPPINADE ST STANDARD THE PROPERTY WITHOUT	WAPS (P	Mentipode Manage Manage Manage Manage Manage Suit	200	GOANTON ISELLERI	Solutions NE 04101	58 ° 158 °	PAGE SHEET IN A COLLOGATOR OF THE SAME BOUNDED BY SHEET OF THE SALINCES OF THE	Cumber land Person	COUNTY RECEIPT OF DEEDS  OF WAT DETACH!  DECLARATION  OF READ HISTORICHUS DI RECERSA DE	CATOLIN COLUMN TO THE STATE OF
	Note	To, Alexandria PS. Cro. EBS-A., such the	TO THE PARTY OF TH		TO TOWNS TO THE PROPERTY OF TH	apticable	Supressor	100	5	PLANE PLANE		# A B D D D	WBGBRISI			

4

10/25/1999 16: 33 2077749492

d)

KAPLAN COMPANY

PAGE 03

BK 14706PG241

EXHIBIT A

A certain lot or parcel of landwith the buildings thereon, situated in said Portland, in said County and State, namely, lot numbered one hundred four (104) in Block six (6) as shown on the General Plan for the subdivision of Boulevard Park, Portland, Maine, made by Carl Rust Parker, landscape architect, and recorded in Cumberland County Registry of Deads, Plan Book 12, Page 31. Said lot numbered 104 being located on the northeasterly side of Forest Avenue and containing five thousand (5000) square feet of lend, more or less.

Together with four (4) gas water heaters installed therain.


Also together with a right of way in common with others on all streets as shown on said plan, as more specifically described in a deed from Morris Pluznick to James C. DeWolfs dated May 29, 1928, recorded in said Registry in Book 1289, Page 282.

RECEIVED RECORDED REGISTRY OF DEEDS

1999 APR 26 PM 3: 43

John B OB.

# Forest Gardenis - 371 Forest Auc.



5x4 Existing sign to be replaced with new drawing # 04106R3

	ACORD. CERTI	IFICATE OF LIAB	ILITY INS	URANCE	OPID PX	DATE (MM/DD///					
PR	DOLICER		THIS CERT	IFICATE IS ISSUED	D AS A MATTER OF INFOR	04/09/99 RMATION					
Me	erse,Payson & Noyes In	Surance	ONLY AND	CONFERS NO RIG	HTS UPON THE CERTIFIC DOES NOT AMEND, EXT	CATE					
	O. Box 406		ALTER THE	COVERAGE AFFO	PROED BY THE POLICIES	BELOV					
Pc	rtland ME 04112-0406		Pro Contractor American	COMPANIES	AFFORDING COVERAGE						
	arles Healey (new)		COMPANY	COMMEDCIAL	IBITON						
	ne No 207-775-6000 = 3.	207-775-0339	A	COMMERCIAL	ONION						
""	7169		COMPANY	MAINE EMPLO	YERS MUTUAL						
	Bailey Sign, Inc.		COMPANY			The state of the s					
	Bruce Bailey		C								
	9 Thomas Dr. Westbrook ME 04092		COMPANY			Annual Colonia de Colo					
-			D								
	INDICATED, NOTWITHSTANDING AN CERTIFICATE MAY BE ISSUED OR N	ICIES OF INSURANCE LISTED BELOW H NY REQUIREMENT, TERM OR CONDITION MAY PERTAIN, THE INSURANCE AFFORE SUCH POLICIES, LIMITS SHOWN MAY H	N OF ANY CONTRACT ( DED BY THE POLICIES	OR OTHER DOCUME DESCRIBED HEREII	INT WITH RESPECT TO WH	IICH THIS					
CO	TYPE OF INSUPANCE	POUCY NUMBER	POLICY EFFECTIVE DATE (MM/DDAY)	POLICY EXPIRATION DATE (MINIOD/77)	LMIT	75					
	SEMERAL LIABILITY				GENERAL ASGREGATE	\$ 2,000,000					
A	I COMMERCIAL GENERAL LIBILITY	BINDER	03/01/99	03/01/00	PRODUCTS - COMP/OP AGG	12,000,000					
	CLAIMS MADE X DCCUR	1 		1	PERSONAL & ADVINJURY	1,000,000					
	OWNER'S & CONTRACTOR'S PROT				EACH OCCURRENCE	\$ 1,000,000					
					FIRE DAMAGE (Any one fire)	\$ 50,000*					
<u> </u>					MED EXP (Any one person,	\$ 5,000					
A	AUTOMOBILE LIABIL T.  ANY AUTO	BINDER	03/01/99	03/01/00	COMBINED SINGLE LIMIT	s 1,000,000					
	ALL OWNED AUTOS SCHEDULED AUTOS	İ		: !	SODILY INJURY (Per person)	S					
	HIRED AUTOS				BODILY INJURY						
	NON-OWNED AUTOS				(Per accident)	\$					
				1	PROPERTY DAMAGE	5					
	GARAGE LIABILITY				AUTO ONLY - EA ACCIDENT	5					
*	ANY AUTO				OTHER THAN AUTO ONLY						
		i		1	EACH ACCIDENT	1 \$					
					AGGREGATE	\$					
	EXCESS LIABILITY				EACH OCCURRENCE	\$ 1,000,000					
A	X UMBRELLA FORM	BINDER	03/01/99	03/01/00	AGGREGATE	11,000,000					
-	OTHER THAN UMBREUL FORM					\$					
	WORKERS COMPENSATION, HILD EMPLOYERS LIABILITY			!	TORY LIMITS ER	•					
			İ		EL EACH ACCIDENT	5 500000					
В	PARTNERS EXECUTIVE	BINDER	03/01/99	03/01/00	EL DISEASE - POLIC / LIMIT	\$ 500000					
	OFFICERS ARE EXCL			i	EL DISEASE - EA EMPLOYEE	s 500000					
	OTHER	, .			:						
		1		:		-					
DESC	RIPTION OF OPERATIONS/LOCATIONS/LEHICLES	S/SPECIAL ITEMS		1							
						:					
CER	IFICATE HOLDER		CANCELLATIO	N							
			1		POLICIES SE CANCELLED SEFOR	E T_E					
			!								
				Expiration date thereof the isoung company will endeavor to Mal $10^\circ$ days written notice to the certificate holder named to the left							
		V.	•								
		. •	1	BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO DEJIGATION OR LABILT.							
				OF ANY KIND UPON THE COMPANY, ITS AGENTS OR REPRESENTATIVES AUTHORIZED REPRESENTATIVE							
			1	Charles Healey (new)							
COF	D 25-S (1/95)			(116M)	" ACORD CO	RPOPATION 1988					
		Company of the compan		4.770.							

10/22/99 15:41

**2**077741193

BAILEY SIGN

@ 002


October 15, 1999

ADDRESS IS 37/ Forest

This is a written letter of consent for Bailey Sign to remove an existing "Miller" sign and install a new "Miller" sign at 391 Forest Avenue. THIS SIGN Shall Be install a new "Miller" sign at 391 Forest Avenue. THIS SIGN, NO SMELLER.

The Same Size As The Existing Sign, NO SMELLER.

Drichael Kyler To MEMBER





36" LOGO

6 7/8" U.C. & 4 5/8" L.C.

## (1) D.F. 5'-0" X 4'-0" X \_\_\_\_\_" INTERNALLY ILLUMINATED SIGN

CABINET & 1 1/2" RETAINER: MATTE BLACK

FACE:

1 1/2" DIVIDER: BLACK VINYL

B/G: WHITE


LOGO: GERBER TRANS. VINYLS: BLACK, DARK BLUE(PMS #540, SCARLET RED (PMS #193) & SUNFLOWER (PMS #130)

18" X 45" PRIVILEGE COPY AREA B/G: WHITE

COPY: GERBER TRANS. HOLLY GREEN

PERMIT PRINT

NOTES:





### PLEASE NOTE:

THIS IS A PROGRESS PRINT - FIELD MEASUREMENTS MAY OR MAY NOT NEED TO BE VERIFIED.

THIS DESIGN IS THE EXCLUSIVE PROPERTY OF BAILEY SIGN INCORPORATED AND ALL RIGHTS TO ITS USE OR REPRODUCTION ARE RESERVED.

COLORS SHOWN HERE ARE FOR DISTRIBUTION ONLY COLOR MATCH NUMBERS WILL BE NEEDED

IF AN ELECTRIC SIGN, THEN INSTALLATION MUST BE ACCOMPLISHED IN TOTAL COMPLIANCE WITH THE NATIONAL ELECTRIC CODE, THE REQUIREMENTS OF UNDERWRITERS LABORATORY, CANADIAN STANDARDS ASSOCIATION, AND APPLICABLE LOCAL CODES.

CUSTOMER:

NAPPI DISTIBUTORS

LOCATION: FOREST GARDENS **EOREST AVENUE** PORTLAND, ME

W.O.

SALESPERSON: B.B. DRAWN BY: L.W.M.ACCEPTANCE SIGNATURE DATE:







£ D-230 3/4''=1'

04106 R3

불 6/8/99