Top Detail Sections

PLAN / SECTION (left detail)
- 5/8" GPDW- FULL HEIGHT
- SEAL TO STRUCTURE SEE DETAIL A1/A10.1
- STL STUDS @ 16" OC
- 5/8" GPDW- FULL HEIGHT
- CEILING
- FLOOR LINE

PLAN

SECTION

6" STEEL STUDS w/ BATT INSULATIONS NON-RATED	226
3 5/8" STEEL STUDS w/ BATT INSULATION NON-RATED	223

PLAN / SECTION (second detail)
- 5/8" GPDW- FULL HEIGHT
- SEAL TO STRUCTURE SEE DETAIL A1/A10.1
- STL STUDS @ 16" OC
- CEILING
- FLOOR LINE

PLAN

SECTION

6" STEEL STUDS w/ BATT INSULATION NON-RATED	126
3 5/8" STEEL STUDS w/ BATT INSULATION NON-RATED	123
2 1/2" STEEL STUDS NON-RATED	122
7/8" STEEL HAT CHANNELS NON-RATED	120

PLAN / SECTION (post detail)
- 3"x 3"x 3/8" x 1 1/2" LONG STL ANGLE E.S. W/ (2) 1/2" DIA. 2-1/2" LONG BOLTS E.S. INTO EXG CONCRETE
- 2"x2"x1/4" STL POST -SEE PLAN FOR LOCATIONS
- 5/8" GPDW
- STL STUDS @ 16" O.C. SECURE TO STL POST

PLAN (A)

- 1x 5 CONTINUOUS HARDWOOD CAP
- 5/8" REVEAL E.S. W/ CONT. MET REVEAL TRIM - PAINT
- 5'-6" HIGH
- STL STUDS @ 16" O.C. SECURE TO STL POST
- 3"x 3"x 3/8" x 1 1/2" LONG STL ANGLE E.S. WELDED TO NEW POST

SECTION (B)

|	
6" STEEL STUDS LOW PARTITION NON-RATED	216
3 5/8" STEEL STUDS LOW PARTITION NON-RATED	213

GENERAL NOTES
1. ALL DIMENSIONS TO FACE OF GPDW UNLESS NOTED OTHERWISE.
2. SEE DETAIL SHEETS FOR CONNECTIONS/DETAILS OTHER THAN SHOWN.
3. EXTEND PARTITIONS TO UNDERSIDE OF FLOOR/ROOF DECK U.N.O., SEAL TO DECK FOR SMOKE AND SOUND CONTROL, FILL VOIDS BETWEEN.
4. WHERE OCCURS, FRAME GPDW AROUND BOTH SIDES OF BEAMS/JOISTS WHERE PARTITION INTERSECTS STRUCTURAL MEMBERS TO MAINTAIN CONTINUITY OF PARTITION TO UNDERSIDE OF DECK.
5. CONTRACTOR IS RESPONSIBLE TO VERIFY FIELD CONDITIONS WHICH MAY VARY FROM TYPICAL DETAIL SHOWN ON DRAWINGS. CONTRACTOR TO MODIFY CLOSURE DETAILS TO MEET ACTUAL CONDITIONS AND TO MAINTAIN CONTINUITY OF PARTITION FROM FLOOR TO ABOVE DECK.

- INDICATES FIRE RATING WHERE APPLICABLE
- STUD OR CMU SIZE
- (2) 3-5/8" STEEL STUDS W/ SAB
- 1 HR FIRE RATED — UL NO. V446 — W10
- FIRE RATING
- UL DESIGN NO. WHERE APPLICABLE
- PARTITION OR WALL TAG NO.

Title Block

Project Title

USM
25 BEDFORD STREET
RENOVATION
PORTLAND, ME

Harriman Project No.	11711

Key Plan

Drawing Scales
As indicated — 0 4' 8' 12' — 1/8" = 1'-0"

Graphic Scale	Graphic Scale
Graphic Scale	Graphic Scale

Drawing Title
FIRST FLOOR PLAN

PA / PE	MDL	Drawn By	BSL

Drawing Number
A10.1

Left Side Details

PARALLEL TO ROOF JOIST
- EXISTING ROOF DECK TO REMAIN
- EXG WOOD ROOF STRUCTURE
- 1x WD STRAPPING @ 2'-0" O.C.
- ROOF CAVITY INSULATION

PERPENDICULAR TO ROOF JOIST
- EXISTING ROOF DECK TO REMAIN
- EXG WOOD ROOF STRUCTURE
- 1x WD STRAPPING @ 2'-0" O.C.
- ROOF CAVITY INSULATION

(A1) **PARTITION CLOSURE AT ROOF**
SCALE: 1 1/2" = 1'-0"

First Floor Plan

Grid lines: 8 7 6 5 4 3 2 1 / A B

Rooms and labels:
- CARPENTRY SHOP
- LOCKER VESTIBULE
- BREAK ROOM
- ELEC CLOSET
- TOILET / TOILET
- OFFICE #3
- OFFICE #2
- COPIER/PRINTER
- OFFICE #1
- VEST
- OPEN WORK AREA
- PLAN ROOM
- STORAGE / STORAGE
- OPEN WORK AREA
- OFFICE #4
- CONFERENCE
- OFFICE #5
- PAINT STORAGE
- KEY SHOP
- PLUMBING SHOP
- ELECTRICAL SHOP
- SIGN SHOP
- OFFICE #8
- BAS
- OFFICE#6
- OFFICE #5
- TEL DATA
- POST TYP
- REINSTALL MARKERBOARD
- REF
- DN
- EXG F.E. RELOCATED
- EXG F.E.
- INFILL TO MATCH EXISTING WALL
- ALIGN
- REINSTALL MARKERBOARD CONFERENCE

Notes on plan:
- SEE C3/A50.1 FOR INFILL DETAIL
- SEE C3/A50.1 FOR INFILL DETAIL AT A/C REMOVAL

(A2) **FIRST FLOOR PLAN**
SCALE: 1/8" = 1'-0"