


## GENERAL NOTES:

1. REFER TO DRAWING G1001 FOR GENERAL NOTES.

## RCP NOTES:

1. REFERENCE ROOM FINISH SCHEDULE FOR CEILING HEIGHTS AND TYPES.
2. FIRE SPRINKLERS SHALL BE LOCATED IN ALIGNMENT WITH OTHER CEILING ITEMS, TYPICALLY.
3. FIRE SPRINKLERS SHALL BE CENTERED IN CEILING TILE.
4. FIRE SPRINKLERS SHALL BE PLACED TO COORDINATE WITH LIGHT FIXTURE POSITIONS INDICATED.
5. ALIGN CEILING ITEMS AS SHOWN, WITH COMMON CENTERLINES, TYPICALLY. CENTER ITEMS IN CEILINGS, OR IN AREA U.N.O
6. PROVIDE WHITE PLASTIC GROMMET SLEEVES WITH 3/4" INSIDE DIAMETER HOLES BY DOUG MOCKETT & COMPANY INC. (OR APPROVED EQUAL), AT ALL CABLE DROP & CABLE TRAY SUPPORT PENETRATIONS IN ACOUSTIC CEILING TILE.
7. ACOUSTIC TILE IS CONTINUOUS THROUGHOUT ROOM, AND ABOVE CABLE TRAYS.
8. THE CONTRACTOR IS TO FIELD VERIFY EXISTING UTILITY & EQUIPMENT LAYOUT ABOVE NEW CEILING AND PROVIDE UNISTRUT AS REQUIRED TO
9. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AS REQUIRED TO SUPPORT THE WALL MOUNTED CABLE TRAYS. BLOCKING IS TO BE INSTALLED WITHIN THE WALLS AND BE ABLE TO RESIST THE APPLIED LOAD OF THE FULL CABLE TRAY.

## LEGEND:



144 Fore Street/P.O. Box 618  
Portland, Maine 04104  
tel. (207) 772-3846  
fax. (207) 772-1070  
www.smrinc.com

ARCHITECTURE  
ENGINEERING  
PLANNING  
INTERIOR DESIGN  
COMMISSIONING

**SMRT**

USM SCIENCE BUILDING C WING  
CYBER SECURITY LAB FIT-UP  
PROJECT 2013-007  
PORTLAND, MAINE



ISSUED FOR PERMITTING AND  
CONSTRUCTION  
12-20-13  
CURRENT ISSUE STATUS:

REV	DESCRIPTION	DATE
0	ISSUED FOR PERMITTING AND CONSTRUCTION	12-20-13

SCALE: 1/8"=1'-0"

PROJECT MANAGER: SLB

JC/DRAWN BY: MLE

A/E OF RECORD: SLB

CAD FILE: AE102-12014-02

PROJECT NO: 12014-02

DATE: 12-20-13

SHEET TITLE:

**REFLECTED  
CEILING PLAN**

SHEET No.

**AE102**

© COPYRIGHT 2012 SMRT INC.