


# DOOR SCHEDULE

DOOR NUMBER	DOOR			FRAME				HARDWARE SET	FIRE RATING (MIN.)	DOOR NUMBER	REMARKS
	SIZE	MATERIAL	ELEVATION	MATERIAL	ELEVATION	HEAD	JAMB				
200a	4'-0" x 7'-0"	WD	F	HM	1	D4/AE611	A4/AE611	HWS-2	45	200a	
200b	3'-0" x 7'-0"	WD	F	HM	1	D4/AE611	A4/AE611	HWS-3	45	200b	
201	4'-0" x 7'-0"	WD	F	HM	1	D4/AE611	A4/AE611	HWS-1		201	
202	3'-0" x 7'-0"	WD	F	HM	1	D4/AE611	A4/AE611	HWS-1		202	

## DOOR & FRAME ELEVATIONS:



## GENERAL NOTES:


1. REFER TO DRAWING G1002 FOR GENERAL NOTES.

## DOOR NOTES:

1. SEE MATERIAL SPECIFICATIONS FOR HARDWARE SET DESCRIPTIONS.
2. SEE TITLE SHEET G001 FOR STANDARD ABBREVIATIONS.
3. ALL SWINGING DOORS TO BE 1-3/4" THICK (U.N.O.).
4. DOORS 201 & 202 SHALL BE 3/4" UNDERCUT.
5. DOORS 200a & 200b SHALL BE PROVIDED WITH MANUFACTURER'S RECOMMENDED UNDERCUT REQUIRED TO ACCOMMODATE AUTOMATIC DOOR BOTTOM & THRESHOLD.


## DOOR ABBREVIATIONS:

HM HOLLOW METAL  
WD WOOD



ARCHITECTURE  
ENGINEERING  
PLANNING  
INTERIOR DESIGN  
COMMISSIONING

144 Fore Street/P.O. Box 618  
Portland, Maine 04104  
tel. (207) 772-3846  
fax. (207) 772-1070  
www.smrinc.com



USM SCIENCE BUILDING C WING  
CYBER SECURITY LAB FIT-UP  
PROJECT 2013-007  
PORTLAND, MAINE

ISSUED FOR PERMITTING AND CONSTRUCTION  
12-20-13  
CURRENT ISSUE STATUS:

REV	DESCRIPTION	DATE
0	ISSUED FOR PERMITTING AND CONSTRUCTION	12-20-13

SCALE: NTS  
PROJECT MANAGER: SLB  
JC/DRAWN BY: MLE  
A/E OF RECORD: SLB  
CAD FILE: AE602-12014-02  
PROJECT NO: 12014-02  
DATE: 12-20-13

SHEET TITLE:  
**DOOR SCHEDULE & ELEVATIONS**

SHEET No. **AE602**  
© COPYRIGHT 2012 SMRT INC.