PIPING KEYED NOTES:

1. CONNECT (E) 2" AW STUB THROUGH FLOOR TO P-2 TRAP, 1½" AV TO (E) AV RISER IN CHASE.
2. CONNECT (E) 1½" AV STUB THROUGH FLOOR TO (E) AV RISER IN CHASE.
3. REMOVE FLOOR DRAIN PLUG AND REPLACE WITH SPECIFIED STRAINER. ADJUST FLOOR DRAIN HEIGHT FLUSH WITH FINISHED FLOOR.
4. CONNECT (E) 2" AW STUB THROUGH FLOOR TO P-15 & P-19 TRAPS. 1½" AV ABOVE CEILING TO (E) AV RISER IN CHASE.
5. CONNECT (E) 1½" AV STUB THROUGH FLOOR TO (E) AV PIPING IN CHASE.

0 2' 4' 8'
Scale: 1/4" = 1'-0"

TRUE NORTH
PLAN NORTH

A1	PROCESS AND MISCELLANEOUS PIPING PART PLAN	A8	PIPING KEYED NOTES
1/4" = 1'-0"		NTS	

HKTA architects, inc.
4082 Congress Street Suite 302
Portland, Maine
HKTA/archi
phone: 207. 774.
fax: 207. 774. 0128
email: hkta@maine.com

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 05/19/14

Allied Engineering
Structural Mechanical Electrical Commissioning
160 Veranda Street
Portland, Maine 04103
T: 207.221.2260
F: 207.221.2266
Web: www.allied-eng.com

STATE OF MAINE
IAN A. MACDONALD
No. 6990
LICENSED
PROFESSIONAL ENGINEER

REVISIONS

NUMBER	DATE	BY	DESCRIPTION

Date: 3/28/2014
Drawn By: REW
Checked By: IAM
Project Mgr: IAM
Project No: 14003
Cad File: 14003M.dwg
Graphic Scale: 0 1"

PROCESS AND MISCELLANEOUS PIPING

UNIVERSITY OF SOUTHERN MAINE BIO-SCIENCE
~ 3rd FLOOR LAB FIT-UP
PORTLAND, MAINE

© COPYRIGHT 2014 ALLIED ENGINEERING, INC.

PL-101

N:\Projects\2014\14003 - USM Bio Science\00 Drawing Files\14003M.dwg Mar 27, 2014 - 8:29am