





**GENERAL NOTES - ROOF PLAN**

1. THE EXISTING ROOF SYSTEM CONSISTS OF A FULLY ADHERED EPDM MEMBRANCE ROOF SYSTEM AND INSULATION ON TAPERED GYPSUM FORM BOARD AND VAPOR BARRIER.
2. THE EXISTING ROOF SYSTEM IS SLIGHTLY PITCHED AS INDICATED ON THE PLANS. THE NEW ROOF PATCHES SHALL COMPLY WITH THE EXISTING TAPERS.
3. THE CONTRACTOR IS RESPONSIBLE TO FLASH ALL NEW AND EXISTING TO BE REUSED ROOF TOP EQUIPMENT AND PENETRATIONS, ETC WITHIN THE SCOPE OF WORK AS REQUIRED PER DETAILS AND MANUFACTURER REQUIREMENTS. REMOVE AND REINSTALL ALL FIXTURES AND EQUIPMENT AS REQUIRED FOR A COMPLETE SYSTEM.
4. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND ELEVATIONS IN THE FIELD. ALL DISCREPANCIES BETWEEN ANTICIPATED AND ACTUAL CONDITIONS SHALL BE PROMPTLY BROUGHT TO THE ARCHITECT'S ATTENTION.




**E5 PARTIAL ROOF PLAN**  
 1/4" = 1'-0"




**E1 UNIT VENTILATOR INFILL**  
 1" = 1'-0"

**GENERAL NOTES - FLOOR PLAN**

1. ALL DIMENSIONS ARE TO FACE OF STUD, UNO.
2. ALL SPLAYS SHOWN ON PLANS ARE 45° UNO.
3. ALL EXPOSED MECHANICAL AND ELECTRICAL SERVICES IN AREAS WITHOUT CEILINGS SHALL BE CAREFULLY COORDINATED AND ORGANIZED SO AS TO PROVIDE A NEAT AND ORDERLY APPEARANCE. SERVICES SHALL BE RUN IN STRAIGHT LINES PARALLEL OR PERPENDICULAR TO EXPOSED STRUCTURE. ALL SERVICES SHALL BE RUN WITHIN OR BETWEEN EXPOSED STRUCTURE TO THE EXTENT POSSIBLE. LAYOUTS FOR PROPOSED SERVICES SHALL BE REVIEWED WITH THE ARCHITECT PRIOR TO PROCEEDING WITH THE WORK.
4. THE CONTRACTOR SHALL BE FULLY RESPONSIBLE FOR VERIFYING DIMENSIONS. ALL DISCREPANCIES BETWEEN ANTICIPATED AND ACTUAL CONDITIONS SHALL BE PROMPTLY BROUGHT TO THE ARCHITECT'S ATTENTION.




**G1 WALL FURRING AT EXISTING PILASTER PLAN DETAIL**  
 1" = 1'-0"




**G3 FIXED LADDER ELEVATION/SECTION**  
 1/4" = 1'-0"

NOTE: SEE M5.0 FOR STRUCTURAL SUPPORT



**J1 ROOF CURB DETAIL**  
 3" = 1'-0"



**J5 PARTIAL THIRD FLOOR PLAN**  
 1/4" = 1'-0"

UNIVERSITY OF SOUTHERN MAINE

**PAYSON-SMITH HALL  
 CHEMISTRY LAB  
 RENOVATION**

96 Falmouth Street, Portland, ME, 04101

NO.	DESCRIPTION	DATE
1	Addendum No. 1	01/23/2015

CONTENT:  
 PARTIAL THIRD FLOOR PLAN AND ROOF PLAN

DRAWN BY: WHGG  
 PROJECT NO: 14-049-00  
 DATE: 01/09/2015  
 REVISED:  
 SCALE: As indicated

**A1.1**

Project Phase  
**BID DOCUMENTS**

COPYRIGHT © 2014 BY LAVALLEE BRENSINGER PROFESSIONAL ASSOCIATION. ALL RIGHTS RESERVED. NO REPRODUCTION WITHOUT PERMISSION.

1/23/2015 11:48:45 AM C:\Projects\14-049 USM Payson Lab\_Corridor\Rev\2015\_mae\_mahant.dwg