



GRAPHICS LEGEND

OCCUPANCY

USE GROUP	OCCUPANT CAPACITY
OCCUPANT #	

FIRE RATED CONSTRUCTION

EXISTING 2 HR FIRE BARRIER

1 HOUR FLOOR / CEILING ASSEMBLY (EXISTING TO BE VERIFIED)

MEANS OF EGRESS

R.XXX - REQUIRED EGRESS CAPACITY
 P.XXX - PROVIDED EGRESS CAPACITY

EXIT

EXIT ACCESS

EGRESS TRAVEL PATH

OTHER

FEC - FIRE EXTINGUISHER CABINET

FE - FIRE EXTINGUISHER

EXISTING CONSTRUCTION

NEW CONSTRUCTION

BUILDING CODE DATA

1. APPLICABLE CODES INCLUDING, BUT NOT LIMITED TO:

BUILDING CODE: IBC 2009
 LIFE SAFETY CODE: NFPA 101, 2009
 PLUMBING CODE: UNIFORM PLUMBING CODE 2009
 ASHRAE 62.2 2007
 ELECTRICAL CODE: NFPA 70, NEC 2011
 ENERGY CODE: IEC, 2009
 ME BARRIER FREE CODE
 ME CODE AMENDMENTS
 ME ACCESSIBILITY CODE 2010, ADAAG

2. EXISTING/PROPOSED BUILDING IS / IS NOT FULLY SPRINKLED.

3. OCCUPANCY/USE GROUPS:

OCCUPANCY GROUP B: COLLEGE / UNIVERSITY INSTRUCTIONAL BUILDING

4. CONSTRUCTION CLASSIFICATION:


EXISTING BUILDING: IBC TYPE IIA, NFPA TYPE II(11) - ABBREVIATIONS TO BE VERIFIED

5. OCCUPANT CAPACITY:

SEE CODE ANALYSIS KEY PLANS FOR ROOM OCCUPANT LOADS.

OCCUPANT LOAD:
 FLOOR 3 (EXISTING): 37 PERSONS
 FLOOR 3 (PROPOSED): 34 PERSONS

6. SEE DOOR SCHEDULE FOR DOOR ASSEMBLY FIRE-RATINGS.



A

B

C

D

E

F

G

H

I

J

UNIVERSITY OF SOUTHERN MAINE

**PAYSON-SMITH HALL
 CHEMISTRY LAB
 RENOVATION**

96 Falmouth Street, Portland, ME,
 04101

NO.	DESCRIPTION	DATE

CONTENT: CODE ANALYSIS TEXT, SYMBOLS AND RATINGS	
DRAWN BY:	Author
PROJECT NO.:	14-049-00
DATE:	01/09/2015
REVISED:	
SCALE:	As indicated
A0.2	
Project Phase BID DOCUMENTS	
COPYRIGHT © 2014 BY LAVALLEE-BRENSINGER PROFESSIONAL ASSOCIATION. ALL RIGHTS RESERVED. NO REPRODUCTION WITHOUT PERMISSION.	

1/9/2015 2:26:37 PM C:\Projects\14-049 USM Payson Lab_Cameral.Rev\2014_mae_makam.rvt