





Scott Benson



H1 TYPICAL MOUNTING HEIGHTS

NOT TO SCALE



- 1 CONSTRUCT AS SHOWN
- 1A 7/8" HAT CHANNEL
- 1B 1-5/8" STUD
- 1C 2-1/2" STUD

- 2 CONSTRUCT AS SHOWN
- 2C *TYPICAL PARTITION U.N.O.
- 2C 2-1/2" STUD

- 3 CONSTRUCT AS SHOWN
- (ACOUSTICALLY ENHANCED, STC RATING = 54)

- 4 CONSTRUCT AS SHOWN
- (PLYWOOD)

- X1 CONSTRUCT AS SHOWN 1 HOUR
- FIRE-RESISTANCE RATING U.L.
- DESIGN NO. U465

- X1S CONSTRUCT AS SHOWN 1 HOUR
- FIRE-RESISTANCE RATING U.L.
- DESIGN NO. U465
- (ACOUSTICALLY ENHANCED, STC RATING = 57)

GENERAL:

- E MATCH EXISTING WALL TYPE AND RATING
- P PATCH EXISTING WALL AS REQUIRED.

A1 PARTITION TYPES

NOT TO SCALE

UNIVERSITY OF SOUTHERN MAINE
 SIMULATION LABORATORY
 PORTLAND, MAINE
ISSUED FOR BIDDING & CONSTRUCTION
 4-15-11

REV	DESCRIPTION	DATE
0	ISSUED FOR BIDDING & CONSTRUCTION	4-15-11

GRAPHIC SCALE:
 0" 1"

SCALE: NOT TO SCALE
 PROJECT MANAGER: SLB
 JC/DRAWN BY: CAP
 A/E OF RECORD: SLB
 CAD FILE: G1002-10150
 PROJECT NO: 10150-00
 DATE: 4-15-11

SHEET TITLE:
PARTITION SCHEDULE AND TYPICAL MOUNTING HEIGHTS

SHEET No.
G1002
 © COPYRIGHT 2009 SMRI INC.