



1. ALL SHELVING, SHELVING STANDARDS, COUNTERS, AND CABINETS SHOWN ON THIS SHEET ARE A.L.C.

2. PROVIDE CONTINUOUS 3/4" GA. SHEET STEEL BLOODING OVER FACE OF STUDS UNDER ONE ON BIOHAZARD ROOM PARTITIONS, FLOOR TO CEILING, FOR SUPPORT OF FUTURE SHELVING AND COUNTERS A.L.C.

3. HEAVY CUT-FINISH AND SEAL ONE PARTITIONS AROUND PRESS, COMPUTERS, AND OTHER EQUIPMENT THAT WILL PENETRATE THE PARTITION. USE APPROPRIATE RODS AND SPYRAL TRIMS.

4. ROOM WILL NOT HAVE A SUSPENDED CEILING.

1. BIOHAZARD STORAGE WEST ELEVATION
A.L.D. SCALE: 1/4" = 1'-0"

2. BIOHAZARD STORAGE NORTH ELEVATION
A.L.D. SCALE: 1/4" = 1'-0"

3. BIOHAZARD STORAGE WEST ELEVATION
A.L.D. SCALE: 1/4" = 1'-0"

4. BIOHAZARD STORAGE S. ELEVATION
A.L.D. SCALE: 1/4" = 1'-0"

REMOVE AND REINSTALL CEILING AS NECESSARY IN HATCHED AREA TO ACCOMMODATE NEW WORK-IN (SEE MICE WORKS FOR EXTENT) (WORK OF ALTERNATE #4 ONLY).

CUT OPENING IN MASONRY WALL FOR EX. STORAGE (SEE MICE WORKS FOR DIMENSIONS). PROVIDE GALVANIZED STEEL LOOSE LINTEL 2'-4 1/4" x 3'-4 1/4" (WORK OF ALTERNATE #2 ONLY).

NOTE: CONSTRUCTION SHOWN IS EXISTING EXCEPT FOR INDICATED ALTERATIONS.

LEGEND
EXISTING BUILDING
NEW CONSTRUCTION

UNIVERSITY OF SOUTHERN MAINE
SCIENCE BUILDING RESEARCH WING EXPANSION