


- NOTES:**
1. TOP OF STEEL ELEVATION, UNDERSIDE OF DECK SHALL BE EL. 122'-10" UNLESS OTHERWISE NOTED. THIS (A0-07).
 2. R1 INDICATES SPAN DIRECTION OF 1 1/2"x20 GAGE WIDE RIB METAL ROOF DECK SUPPORTED BY WIDE FLANGE BEAMS AND GIRDERS.
 3. F2 INDICATES SPAN DIRECTION OF 3" LIGHT WEIGHT CONCRETE SLAB ON 2"x20 GAGE GALVANIZED CORRUGATED METAL DECK (TYP) FINISHED WITH 6"x6" W/3.5Wx19.5 W/M.F.
 4. COMPASS [] INDICATES BRACED FRAME LOCATIONS.
 5. [] INDICATES MOMENT CONNECTION.
 6. [] SHALL DENOTE THE SIZE AND LOCATION OF ALL ROOF TOP EQUIPMENT AND OPENINGS WITH THE EXCEPTED WORK. SEE MECH. DMS. FOR EQUIPMENT AND OPENING SIZES AND LOCATIONS.
 7. [] INDICATES NUMBER OF 3/4" x 4" LONG HEADED SHEAR CONNECTORS.
 8. LOCATE W8x18 POST BEAM AT ELEVATOR SHAFT AS REQUIRED BY ELEVATOR MANUFACTURER.



OWNER REVIEW

NAME	DATE

NO.	DATE	DESCRIPTION
6-21-06	ISSUED FOR CONSTRUCTION	
5-03-06	SCORE REVISION	
0	2-28-04	CONTRACT DOCUMENTS

ISSUE LOG

UNIVERSITY OF SOUTHERN MAINE
775 FAULKNER STREET
PORTLAND, MAINE

RESEARCH WING
PHASE III FIT-OUT

ROOF FRAMING PLAN

SCALE: 1/8"=1'-0"

DRAWN BY: RTU/TMM

CHECKED BY: PJO/LAR/J/ENG/R

PROJ. ARCH./ENGR.: PJO

PROJ. MGR.: RCH

JOB NO.: 02004-10

© SOUTHERN MAINE ARCHITECTS ASSOCIATES, INC. 2004

