

DOOR SCHEDULE											
DOOR NO.	LOCATION		DOOR			LABEL	FRAME			HDWR SET	REMARKS (Note)
	TO	FROM	SIZE	MAT'L	TYPE		SIZE	TYPE	MAT'L		
<b>BASEMENT FLOOR</b>											
X007	EXISTING STAIR #7	CORRIDOR	EXIST	EX.	EX.	90 min	EXIST	EX.	EX.	EX	Card reader by owner, notes 1,3,4,5
<b>FIRST FLOOR</b>											
180	ELEV. VESTIBULE	EXIST. CORRIDOR	5'-0"x7'-0" (PR)	WD.	D2		5'-0"x7'-0"	2	HM.	22	Card Reader by owner, notes 1,3,4,5
X107	CORRIDOR	EXISTING STAIR	EXIST	EX	EX	90 min	EXIST	EX	EX	EX	Card Reader by owner, notes 1,3,4,5
X107A	EXISTING STAIR #7	EXISTING STAIR #7	GATE	STL			-		-	24	Hold open, released by fire-detection system, note 6.
<b>SECOND FLOOR</b>											
X201	EXIST STAIR #6	CORRIDOR	EXIST	EX	EX	90 min	EXIST	EX	EX	EX	Card Reader by owner, notes 1,3,4,5
X207	EXIST STAIR #7	CORRIDOR	EXIST	EX	EX	90 min	EXIST	EX	EX	EX	Card Reader by owner, notes 1,3,4,5
276B	CONFERENCE ROOM	RECEPTION	3'-0"x 7'-0"	WD.	A		5'-2"X7'-0"	4	HM.	7	
277	CONFERENCE ROOM	RECEPTION	3'-0"x 7'-0"	WD.	A		3'-0"X7'-0"	1	HM.	7	
<b>FOURTH FLOOR</b>											
476A	OFFICE	OPEN MEETING	3'-0"x 7'-0"	WD.	A		5'-2"X7'-0"	4	HM	7	
476B	OFFICE	OPEN MEETING	3'-0"x 7'-0"	WD.	A		5'-2"X7'-0"	4	HM	7	
476C	OFFICE	LIBRARY	3'-0"x 7'-0"	WD.	A		5'-2"X7'-0"	4	HM	7	
476D	OFFICE	LIBRARY	3'-0"x 7'-0"	WD.	A		5'-2"X7'-0"	4	HM	7	
477	DOCTORAL STUDENTS	LIBRARY	3'-0"x 7'-0"	WD.	A		5'-2"X7'-0"	4	HM	7	
479B	CORRIDOR	COAT CLOSET	3'-0"x 7'-0" (PR)	WD.	A		3'-0"X7'-0"	2	HM	12	
481A	CORRIDOR	TOXICOLOGY LAB	4'-0"X7'-0" (PR)	WD.	D2		4'-0"X7'-0"	2	HM	5	
482A	TISSUE CULTURE LAB	CORRIDOR	4'-0"X7'-0" (PR)	WD.	D2		4'-0"X7'-0"	2	HM	5	
482B	TOXICOLOGY LAB	TISSUE CULTURE LAB	3'-0"x 7'-0"	WD.	B		3'-0"X7'-0"	1	HM	12	
486A	CORRIDOR	PREP PCR LAB	4'-0"X7'-0" (PR)	WD.	D2		4'-0"X7'-0"	2	HM	5	
486B	TISSUE CULTURE LAB	PREP PCR LAB	3'-0"x 7'-0"	WD.	B		3'-0"X7'-0"	1	HM	12	
489	CORRIDOR	MICROSCOPY LAB	3'-0"x 7'-0"	WD.	A		3'-0"X7'-0"	1	HM	12	Card reader offline, see note 2.
490	FUTURE CORRIDOR	CORRIDOR	3'-0"x 7'-0"	WD.	D1		3'-0"X7'-0"	1	HM	23	Card reader by owner, note 1,3,4,5
492A	CORRIDOR	LAB 4	4'-0"X7'-0" (PR)	WD.	D2		4'-0"X7'-0"	2	HM	5	
492B	PREP PCR LAB	LAB 4	3'-0"x 7'-0"	WD.	B		3'-0"X7'-0"	1	HM	12	
493A	MICRO-ARRAY PREP	CORRIDOR	3'-0"x 7'-0"	WD.	D1		3'-0"X7'-0"	1	HM	7	
493B	COMET/MICRO-ARRAY	MICRO-ARRAY PREP	EXIST.	-	-			-	MTL		Darkroom door, relocated from 1st floor
494A	CORRIDOR	MOLEC. EPIDEM.LAB	4'-0"X7'-0" (PR)	WD.	D2		4'-0"X7'-0"	2	HM	5	
494B	LAB 4	MOLEC. EPIDEM.LAB	3'-0"x 7'-0"	WD.	B		3'-0"X7'-0"	1	HM	12	
496	CORRIDOR	GENOMIC INSTAB. LAB	4'-0"X7'-0" (PR)	WD.	D2		4'-0"X7'-0"	1	HM	5	

