


FLOOR SLAB PLAN
SCALE: 1/8" = 1'-0"

FLOOR SLAB NOTES

1. TOP OF FINISH FLOOR ELEVATION SHOWN ABOVE FINISH FLOOR ELEVATION FROM FINISH FLOOR ELEVATION. REFERENCE SEE ELEVATION (24-47)
2. TOP OF FINISH FLOOR ELEVATION = (6'-0") UNLESS NOTED OTHERWISE
3. SEE DRAWING FOR TYPICAL CONSTRUCTION, SAME CUT AND FINISH
4. SEE DRAWING FOR TYPICAL CONSTRUCTION, SAME CUT AND FINISH
5. ALL ANGLES OF FLOOR SLABS OR DEPRESSIONS, THE SPECIFIED SLAB THICKNESS SHALL BE MAINTAINED THROUGHOUT THE ENTIRE SLAB AREA
6. SPECIFIC CONSTRUCTION DETAILS FOR ALL SLABS ON GRADE SHALL BE SHOWN ON THE DRAWING. SEE SPECIFICATIONS FOR REVISIONS DATED JULY 8, 2003 FOR STRUCTURAL FILL, GRANULATION AND PLACEMENT RECOMMENDATIONS



FLOOR SLAB LEGEND

S1: CONCRETE SLAB WITH SPRAY ON FLOOR SEALER, 1/2" EACH WAY, TOP AND BOTTOM, 1/2" AND RESISTIVE BOND, STRUCTURAL FILL BASE, WAPOR REMOVER

S2: CONCRETE SLAB WITH SHAKED-IN MINERAL AGGREGATE FIBERGLASS, 1/2" EACH WAY, TOP AND BOTTOM, 1/2" AND RESISTIVE BOND, STRUCTURAL FILL BASE, WAPOR REMOVER

S3: 4" BARS AT 12" O.C. EACH WAY, TOP AND BOTTOM, 1 3/8" AND RESISTIVE BOND, STRUCTURAL FILL BASE, WAPOR REMOVER

S4: 4" BARS AT 12" O.C. EACH WAY, TOP AND BOTTOM, 1 3/8" AND RESISTIVE BOND, STRUCTURAL FILL BASE, WAPOR REMOVER

S5: 4" BARS AT 12" O.C. EACH WAY, TOP AND BOTTOM, 1 3/8" AND RESISTIVE BOND, STRUCTURAL FILL BASE, WAPOR REMOVER

FLOOR SLAB NOTES

1. TOP OF FINISH FLOOR ELEVATION SHOWN ABOVE FINISH FLOOR ELEVATION FROM FINISH FLOOR ELEVATION. REFERENCE SEE ELEVATION (24-47)
2. TOP OF FINISH FLOOR ELEVATION = (6'-0") UNLESS NOTED OTHERWISE
3. SEE DRAWING FOR TYPICAL CONSTRUCTION, SAME CUT AND FINISH
4. SEE DRAWING FOR TYPICAL CONSTRUCTION, SAME CUT AND FINISH
5. ALL ANGLES OF FLOOR SLABS OR DEPRESSIONS, THE SPECIFIED SLAB THICKNESS SHALL BE MAINTAINED THROUGHOUT THE ENTIRE SLAB AREA
6. SPECIFIC CONSTRUCTION DETAILS FOR ALL SLABS ON GRADE SHALL BE SHOWN ON THE DRAWING. SEE SPECIFICATIONS FOR REVISIONS DATED JULY 8, 2003 FOR STRUCTURAL FILL, GRANULATION AND PLACEMENT RECOMMENDATIONS

<p>Oakhurst DAIRY</p> <p>NEW MILK COOLER</p> <p>364 FOREST AVENUE PORTLAND, MAINE 04101</p>		<p>PROJECT NUMBER: 2003.1141.0</p> <p>DATE: AUGUST 29 2003</p> <p>DRAWING TITLE: FLOOR SLAB PLAN</p> <p>DRAWING NUMBER: F300</p> <p>REVISION: 1</p>	<p>PROJECT MANAGER: M.A.S.</p> <p>DESIGNED BY: K.A.S.</p> <p>DRAWN BY: G.L.B.</p> <p>CHECKED BY: R.A.C.</p> <p>PROJECT:</p>	<p>REVISIONS</p> <table border="1"> <tr> <td>0</td> <td>08-29-03</td> <td>ISSUED FOR BIDDING</td> </tr> <tr> <td>1</td> <td>9-16-03</td> <td>ADDENDUM NO. 2</td> </tr> </table>	0	08-29-03	ISSUED FOR BIDDING	1	9-16-03	ADDENDUM NO. 2	<p>Engineering Design Services</p> <p>Architectural Engineering</p> <p>Structural Engineering</p> <p>Foundation Engineering</p> <p>Planning & WMA: Fire Protection</p> <p>Interior Design: Interior Design</p> <p>Lighting: Thermal Radiation</p> <p>Process Services</p> <p>Project: Industrial Process Management</p> <p>Project: Facility Studies</p> <p>Market: Facility Studies</p>	<p>FACILITIES DESIGN, INC.</p> <p>3904 Ashd Drive Columbia, Pennsylvania 17512 Phone: (717) 285-9442 Fax: (717) 285-3102 Email: info@facilitiesdesign.com Web: www.facilitiesdesign.com CA Number: 20021818</p>
0	08-29-03	ISSUED FOR BIDDING										
1	9-16-03	ADDENDUM NO. 2										