



GIRT NOTES

1. OUTSIDE FLANGE OF GIRTS AND PREDOMINANT ANGLES TO BE FLUSH AGAINST FACE OF COLUMN. CONNECTION TO COLUMN TO BE MADE WITH 3/4" DIA. BOLTS AT 6" O.C. FOR 3/4" WALL PANEL FASTENERS.
2. 3/4" O.C. FOR 3/4" WALL PANEL FASTENERS.
3. ALL WALL BRACING SHALL BE ON CENTRALS OF COLUMNS UNLESS SHOWN OTHERWISE.
4. BRACING ADJUSTED AFTER CONNECTIONS FOR GIRTS, WALL BRACING AND PREDOMINANT ANGLES AS REQUIRED FOR ALIGNMENT AND ADJUSTMENT.
5. PROVIDE THROUGH BOLTS ON ROD WALL BRACING AS REQUIRED FOR TIGHTENING. ADJUST THROUGH BOLTS AFTER EMERGENCY FULL-DOWN OF LOW TEMPERATURE.
6. PROVIDE THROUGH BOLTS ON ROD WALL BRACING AND ADJUST SORTED CONNECTIONS TO BE MADE WITH 3/4" DIA. BOLTS AT 6" O.C. FOR 3/4" WALL PANEL FASTENERS.
7. PROVIDE 1/2" DIA. SILL RODS AT 10'-0" O.C. MAXIMUM FOR ALL GIRTS. PROVIDE ADJUST CHAINS, ETC.
8. PROVIDE ADJUSTED HOLES IN GIRTS WHERE ALL WALL BRACING PREDOMINANT ANGLES ARE REQUIRED FOR ALIGNMENT AND ADJUSTMENT.

PROJECT NUMBER: 2003.1141.0

DATE: AUGUST 29, 2003

DRAWING NUMBER: S200

REVISION: 0

STROTTAL ELEVATIONS AND DETAILS

368 FOREST AVENUE
PORTLAND, MAINE 04101

Oakhurst DAIRY

NEW MILK COOLER

DESIGNED BY: K.A.S.
DRAWN BY: G.L.B.
CHECKED BY: R.A.C.

PROJECT NUMBER: 2003.1141.0

DATE: AUGUST 29, 2003

DRAWING NUMBER: S200

REVISION: 0

FACILITIES DESIGN, INC.

3904 Ash Drive
Columbia, Pennsylvania 17512
Phone: (717) 285-9442
Fax: (717) 285-3102
Email: info@facilitiesdesign.com
Web: www.facilitiesdesign.com
CA Number: 20020118

Engineering Design Services

- Architectural Engineering
- Building Engineering
- Fire Protection Engineering
- Fire Protection
- Industrial Engineering
- Interior Design
- Lighting Design
- Thermal Analysis
- Thermal Modeling
- Process Services
- Project Management
- Project Planning
- Project Scheduling
- Material Handling System Studies

REVISIONS

NO.	DATE	DESCRIPTION
0	08-29-03	ISSUED FOR BIDDING

This drawing and all information contained herein remains the property of FACILITIES DESIGN, INC. and shall not be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of FACILITIES DESIGN, INC. Do not scale drawing. Contractor shall be responsible for any discrepancies and shall provide to FACILITIES DESIGN, INC. prior to construction of the project.