

DEMO / NEW WORK NOTES

- ALL DEMOLITION AND NEW WORK SHALL CONFORM TO ALL LOCAL, STATE AND NATIONAL SAFETY CODES.
- MAINTAIN INTEGRITY OF ALL EXISTING FIRE RATED ASSEMBLIES TO REMAIN, INCLUDING ENCLOSURES AT COLUMNS, STAIRS, AND SHAFTS.
- 3. PROTECT ALL EXISTING FINISHES AND CONSTRUCTION TO REMAIN.
- CONTRACTOR SHALL COORDINATE REMOVAL AND STORAGE OF ALL SALVAGED ITEMS WITH THE OWNER.
- 5. PROTECT AND MAINTAIN THE OPERATION OF ANY EXISTING SYSTEMS TO REMAIN FUNCTIONAL DURING THE PROJECT. PROCURE PRIOR APPROVAL FROM THE OWNER FOR ANY SHUT-DOWNS REQUIRED.
- 6. MISC. EQUIPMENT OR FURNISHINGS SHALL BE STORED OR REMOVED AT THE DISCRETION OF THE OWNER.
- 7. WHERE ELECTRICAL FIXTURES ARE REMOVED, EXISTING WIRING SHALL BE REMOVED BACK TO ELECT. BOX. REFER TO ELECTRICAL DRAWINGS.
- 8. AFTER DEMOLITION, ALL ABANDONED PENETRATIONS SHALL BE PATCHED AND FIRE PROTECTED ACCORDING TO CODE.
- 9. CONTRACTOR TO PROTECT AREAS TO REMAIN OPERATIONAL FROM DUST & DEBRIS. CONTRACTOR IS RESPONSIBLE FOR MAINTAINING AND CLEANING ANY AREAS EXPOSED TO DUST OR DEBRIS FROM DEMOLITION ACTIVITIES.
- 10. COORDINATE WITH MECHANICAL AND ELECTRICAL SCOPE, ALL REQUIRED CUTTING AND PATCHING OF EXISTING WALLS, FLOORS OR CEILINGS, TO ACCOMODATE ANY DEMOLITION AND / OR NEW WORK.



Auburn, ME 207.784.5100

Portland, ME 207.775.0053


Manchester, NH 603.626.1242

HARRIMAN

UNIVERSITY OF SOUTHERN MAINE ABROMSON CENTER FIRST FLOOR RENO PROJECT 2015-011.2

PORTLAND, ME

HA Project No. 15317-02



| Date | 05-19-15 |
|-------|--------------|
| Scale | 1/8" = 1'-0" |

05-19-15 - ISSUED FOR BID

© 2015 Harriman Associates

ABROMSON CENTER FIRST FLOOR CEILING PLAN

A10.2