DOORS

A

FRAME TYPES

1 2

DOOR NOTES:

1. EXTERIOR DOOR JAMBS TO BE SEALED TO THIER ROUGH OPENINGS USING LOW EXPANDING FOAM, BACKER ROD OR CAULKING.

2. ALL EXTERIOR DOORS TO BE WEATHER STRIPPED

3. ALL STOREFRONT DOORS AND FRAMES TO BE THERMALLY BROKEN WITH LOW -E ARGON FILLED INSULATED GLAZING UNITS

4. ALL GLAZING IN DOORS TO BE TEMPERED GLAZING

5. ALL HARDWARE TO BE ADA 'LEVER TYPE' HARDWARE UNLESS OTHERWISE NOTED

6. G.C. TO CONFIRM ALL DOOR SIZES WITH EXISTING OPENINGS

7. PROVIDE ALL REQUIRED BLOCKING AND FRAMING FOR OVERHEAD DOOR AND OPERATOR MOUNTING. PAINT TO MATCH WALL IT IS MOUNTED ON.

1 DOOR TYPES
1/4" = 1'-0"

DOOR SCHEDULE

DOOR								FRAME						GENERAL			
		SIZE									DETAILS						
DOOR NO.	TYPE	WIDTH	HEIGHT	THICKNESS	MATERIAL	FINISH	INSULATED	TYPE	MATERIAL	THRESHOLD	HEAD	JAMB	SILL	CLOSER	FIRE RATING (MINUTES)	HARDWARE	REMARKS
200.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	VIF, THIS DOOR IS 1 HR FIRE RATED WITH PANIC HARDWARE - REPLACE DOOR IF NOT 1 HOUR FIRE RATED
202.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	`
202.2	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	`
203.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	-
204.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	-
205.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	-
206.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	-
207.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	-
208.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	-
209.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	-
211.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	-
212.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	-
213.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	-
216.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	-
217.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	-
218.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	-
219.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	-
220.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	-
221.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	-
222.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	-
224.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	VIF, THIS DOOR IS 1 HR FIRE RATED WITH PANIC HARDWARE - REPLACE DOOR IF NOT 1 HOUR FIRE RATED
225.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	-
226.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	-
300.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	VIF, THIS DOOR IS 1 HR FIRE RATED WITH PANIC HARDWARE - REPLACE DOOR IF NOT 1 HOUR FIRE RATED
301.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1HR	-	-
301.2	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	-
302.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1HR	-	-
303.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1HR	-	-
304.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1HR	-	-
307.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	-
307.2	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	-
309.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	-
310.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	-
311.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	VIF, THIS DOOR IS 1 HR FIRE RATED WITH PANIC HARDWARE - REPLACE DOOR IF NOT 1 HOUR FIRE RATED
311.2	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	1 HR FIRE RATED WITH PANIC HARDWARE
312.1	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	-	-	-
312.2	A	3'-0"	7'-0"	1-3/4"	WD	PTD	N	-	AL	AL	-	-	-	N	1 HR	-	

HARDWARE KEY
MLS - MORTISE LOCK SET
LS - LOCK SET
PR - PRIVACY SET
PS - PASSAGE SET
LP - LEVER PULL
PH - PEEPHOLE LENSE

ABBREVIATION KEY
STL - STEEL
WD - WOOD
AL - ALUMINIUM
FRP - FIBERGLASS REINFORCED

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 06/11/15

RYAN J. SENATORE
No. 3322
STATE OF MAINE

© 2015 RYAN SENATORE ARCHITECTURE

UNITED INSURANCE AGENCY
470 FOREST AVE.
PORTLAND, MAINE

RYAN SENATORE
ARCHITECTURE
565 CONGRESS ST.
PORTLAND, MAINE 04101
207-650-6414
senatorearchitecture.com

CONSULTANTS:

REVISIONS:

DATE:	MARCH 31, 2015
PROJECT No.	1446
DRAWN BY:	RRT / RJS
CHECKED BY:	RJS
SCALE:	AS NOTED

SHEET TITLE:
SCHEDULES

A7-0