

PERMIT ISSUED

City of Portland, Maine - Building or Use Permit Application
389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716

Permit No: 01-0789	Issue Date: JUL 13 2001	CBL: 116 B001001
-----------------------	----------------------------	---------------------

Location of Construction: 442 Forest Ave	Owner Name: C S C	Owner Address: Po Box 8530 CITY OF PORTLAND	Phone: 781-788-3342
Business Name: Fleet Bank	Contractor Name: Burr Signs	Contractor Address: 10 Buttonwood St. So. Portland	Phone: 2077991183
Lessee/Buyer's Name: Fleet Bank	Phone: n/a	Permit Type: Signs - Permanent	Zone: B2b

Past Use: Commercial / Bank	Proposed Use: Same: Erect an 80.6 SqFt Sign. Call Carol at 508-888-3933 when ready.	Permit Fee:	Cost of Work: \$0.00	CEO District: 2
Proposed Project Description: Erect an 80.6 SqFt Sign.		FIRE DEPT: <input type="checkbox"/> Approved <input type="checkbox"/> Denied	INSPECTION: Use Group: 519090 Type: BOCA/IBC/1998 PERMIT ISSUED WITH REQUIREMENTS	
		Signature:	Signature:	
		PEDESTRIAN ACTIVITIES DISTRICT:		
		Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied		
		Signature: _____ Date: _____		

Permit Taken By: cjh	Date Applied For: 07/02/2001	Zoning Approval		
--------------------------------	--	------------------------	--	--

<ol style="list-style-type: none"> This permit application does not preclude the Applicant(s) from meeting applicable State and Federal Rules. Building permits do not include plumbing, septic or electrical work. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work.. 	Special Zone or Reviews <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan Maj <input type="checkbox"/> Minor <input type="checkbox"/> MM <input type="checkbox"/> Date: <i>ok</i> <i>7/12/01</i>	Zoning Appeal <input type="checkbox"/> Variance <input type="checkbox"/> Miscellaneous <input type="checkbox"/> Conditional Use <input type="checkbox"/> Interpretation <input type="checkbox"/> Approved <input type="checkbox"/> Denied Date: _____	Historic Preservation <input checked="" type="checkbox"/> Not in District or Landmark <input type="checkbox"/> Does Not Require Review <input type="checkbox"/> Requires Review <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied Date: <i>S</i>
---	--	---	---

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

SIGNATURE OF APPLICANT	ADDRESS	DATE	PHONE
------------------------	---------	------	-------

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE	DATE	PHONE
---	------	-------

01 07 89

THIS IS NOT A PERMIT/CONSTRUCTION MAY NOT COMMENCE UNTIL THE PERMIT IS ISSUED

SIGNAGE APPLICATION

THIS IS NOT A PERMIT

CONSTRUCTION CANNOT NOT COMMENCE UNTIL THE PERMIT IS ISSUED

In the interest of processing your application in the quickest possible manner, please complete the information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: <u>446 Forest Ave</u>		
Total Square Footage of Proposed Structure <u>E01 = 32 E07 & E21 = 8.3 E09 = 32</u>	Square Footage of Lot	
Tax Assessor's Chart, Block & Lot Number Chart# <u>116</u> Block# <u>B</u> Lot# <u>001</u>	Owner: <u>Meridith Co, Marc Lamontagne</u>	Telephone #: <u>781-788-3342</u>
Lessee/Buyer's Name (If Applicable) <u>Fleet Bank</u>	Owner's/Purchaser/Lessee Address: <u>100 Federal ST BOSTON, MA 02102</u>	Cost Of Work: Fee: <u>\$ 5000.00</u>
Current use: <u>BANK</u>	Proposed use: <u>BANK</u>	
Project description: <u>ReFace E01 Pylon - REPLACE E09 WITH NEW PYLON</u> <u>Replace Two wall signs E07 and E21</u>		
Contractor's Name, Address & Telephone <u>Burr Signs</u> <u>10 BUTTERNUT ST PORTLAND, ME</u> <u>Carol Bugbee - 505 888 3933</u>		Rec'd By: <u>04/06</u>

32
8.3
8.3
32

\$16.12
Sett.
+ 30.00
Building
\$46.12
total

Please check off the following indicating that you have included the below items to expedite the process of this sign application:

- "Certification of Liability" listing the City additionally insured
- Letter of permission from the owner

A sketch plan indicating the following:

- Drawing of the property showing all dimensions of the lot
- Location of all buildings and property setbacks from all buildings
- Driveways and abutting streets showing street frontage and any right of ways
- Indicate on drawing the dimensions of all buildings on the lot
- Define in footage the frontage of your business front
- Indicate on drawing of existing signage and dimensions of each sign
- Indicate on drawing all proposed signage and dimension of each sign
- Sign area height and setback of each existing and proposed freestanding sign

paid
7/2

THIS IS NOT A PERMIT/CONSTRUCTION MAY NOT COMMENCE UNTIL THE PERMIT IS ISSUED

- Certification of flammability required for awning/canopy at time of application
- UL # required for lighted signs at the time of Final Inspection. Failure to provide this information will invalidate the Sign Permit.

The Provisions of Section 3102.0 of the City's Building Code "The BOCA National Building Code 1999 edition" shall govern the construction, alteration, repair and maintenance of outdoor signs together with the associated appurtenant and auxiliary devices in respect to structural and fire safety. In accordance to section 3102.4.4 of BOCA construction documents and owners consent is all follows; "Before any permit is issued for the erection of a sign, Construction Documents shall be filed with the code official showing the dimensions, materials and required details of construction, including loads, stresses and anchorage. The applications shall be accompanied by the written contract of the owner or lessees of the premises upon which the sign is to erected. NO PERMIT CAN OR WILL BE ISSUED UNLESS THIS INFORMATION IS SBUMMITTED AND APPROVED BY THE INSPECTIONS OFFICE.

ELECTRICAL SIGNAGE PERMITS/RESPONSIBILITIES

All sign companies or any persons engaged in the installation, interchange or maintenance of signage in the City of Portland must have the Electrician or Electrical Contractor who provided power to the sign(s) or associated equipment apply for an electrical permit in the Inspections Office.

It is the responsibility of your company to contact your sub-contractor or he owner to inform them of this policy. Whether your company does the final connections, which requires a valid Maine Electricians License or your sub contractor provides this service; permits and inspections shall be required.

Failure to comply with this procedure may result in the denial of sign permits by this office for your company or its representation to install or interchange any future signage in the City of Portland.

If the property is located in a historic district, a separate sketch is required indicating the design, dimensions, construction materials and source of illumination if any. A photograph of the building façade should be submitted, showing where each sign is to be installed.

Certification

I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: <i>Carl M. Boyer Agent</i>	Date: <i>6/13/2001</i>
--	------------------------

Sign Permit Fee: \$30.00 plus \$0.20 per square foot.

A building permit is also required for any awning based on cost of work-\$30.00 for the first \$1,000.00 and \$6.00 for each additional \$1,000.00

SIGNAGE PRE-APPLICATION

PLEASE ANSWER ALL QUESTIONS

ADDRESS: 446 Forest Ave ZONE: _____

OWNER: Meredith Co

APPLICANT: Carl Bugher Agent Elect Hunt

ASSESSOR NO _____

PLEASE CIRCLE APPROPRIATE ANSWER

SINGLE TENANT LOT? YES <input type="radio"/> NO <input checked="" type="radio"/>	MULTI-TENANT LOT? YES <input type="radio"/> NO <input checked="" type="radio"/>
FREESTANDING SIGN? (ex. Pole Sign) YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	DIMENSIONS <u>4' x 8'</u> HEIGHT <u>19' 6" = E01</u>
MORE THAN ONE SIGN? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	DIMENSIONS <u>4' x 8'</u> HEIGHT <u>16' = E09</u>
SIGN ATTACHED TO BLDG.? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	DIMENSIONS <u>19 3/4" x 5' 3" = 8.274φ = E07</u>
MORE THAN ONE SIGN? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	DIMENSIONS <u>19 3/4" x 5' 3" = 8.274φ = E21</u>
AWNING: YES <input type="checkbox"/> NO <input type="checkbox"/>	IS AWNING BACKLIT? YES <input type="checkbox"/> NO <input type="checkbox"/>
IS THERE ANY MESSAGE, TRADEMARK OR SYMBOL ON IT?	

LIST ALL EXISTING SIGNAGE AND THEIR DIMENSIONS: To be removed

*** TENANT BLDG. FRONTAGE (IN FEET): _____

*** REQUIRED INFORMATION

AREA FOR COMPUTATION

YOU SHALL PROVIDE:

A SITE SKETCH AND BUILDING SKETCH SHOWING EXACTLY WHERE EXISTING AND NEW SIGNAGE IS LOCATED MUST BE PROVIDED. SKETCHES AND/OR PICTURES OF PROPOSED ARE ALSO REQUIRED.

SIGNATURE OF APPLICANT: _____ DATE: _____

BUILDING PERMIT REPORT

DATE: 3 July 2001 ADDRESS: 442 Forest Ave. CBL: 116-13-001

REASON FOR PERMIT: Signage

BUILDING OWNER: CSC

PERMIT APPLICANT: _____ /CONTRACTOR Burn Signs

USE GROUP: _____ CONSTRUCTION TYPE: _____ CONSTRUCTION COST: _____ PERMIT FEES: \$147.30


The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments)
The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions shall be met: *1, *32

1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) **"ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."**
3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
6. Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.
7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B, H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7) **R-3 (ONE & TWO FAMILY DWELLINGS) GUARD HEIGHT IS 36" MINIMUM.**
12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/2" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
15. The Minimum required width of a corridor shall be determined by the most restrictive of the criteria under section 1011.3 but not less than 36".
16. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
17. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
18. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
22. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
25. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. **No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.**
29. All requirements must be met before a final Certificate of Occupancy is issued.
30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
32. Please read and implement the attached Land Use Zoning report requirements.
33. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
34. Bridging shall comply with Section 2305.16.
35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
36. All flashing shall comply with Section 1406.3.10.
- *37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).


 P. Saquet, Building Inspector
 Co. A. McDougall, PFD
 Marge Schmuckal, Zoning Administrator
 Michael Nugent, Inspection Service Manager

PSH 10/1/00

****This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.**

*****THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)**

******ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.**

*******CERTIFICATE OF OCCUPANCY FEE \$50.00**

Site Plan

Facility Name: Woodfords
Company: BankBoston

Facility Type: Branch

Address: 446 Forest Ave
City, State, Zip: Portland, ME

Facility No: 969

Site ID: 230318

Sign Recommendation Summary:

No.	Existing	Action	Recommend
E-02	Box/Wall	RO	None
E-03	Box/Wall	RO	None
E-04	Directional	RR	DPS-2
E-05	Directional	RR	DWF-2
E-06	other (poster case)	N/A	None
E-08	Plate Letters	RR	LMH-AB
E-08	Directional	RR	DWF-2
E-10	Directional	RR	DPS-2
E-11	Box/Wall	RR	DWF-2
E-12	Directional	RR	DPS-2
E-13	Box/Wall	RO	None
E-14	Directional	RR	DC3.1
E-15	Directional	RR	DC2.1
E-16	Directional	RR	DC2.1
E-17	Directional	RO	None
E-18	Poster Case	N/A	None
E-19	Directional	RR	DWF-2
E-20	Directional	RR	DPD-1
E-20	Directional	RR	LMH-AB
E-22	Directional	RR	DWF-2
E-23	None	NEW	DWC-2
EA-01	Universal Surround	N/A	NIS

ATM Recommendation Summary:

No.	Existing	Action	Recommend.
-----	----------	--------	------------

Symbol Key:


- EA-2 ATM Designer
- Photo Keys Signage Designer
- Signage Symbol
- ATM Symbol

Action Codes:

- RO Remove Only
- RB Refurbish
- NA No Action
- RR Remove and Replace
- RS Remove - Save Sign
- RP Reface
- RP Repaint
- NEW New Product
- RSL Remove - Save Log

"r" designates reface

"a" designates white backgrounds for directional sign types and alternative logo format for letter sets



Site ID: 230318

Facility No: 969

City, State, Zip: Portland, ME

Address: 446 Forest Ave

Company: BankBoston


Facility Name: Woodfords

Facility Type: Branch

Signage

Recommend.

Existing Signage



Proposed Signage

Custom Reface

Sign



REFACE EXISTING
BOX - SAME SIZE

NEW -

< 96" >

Item Number:

Sign Type:

Pylon

Height:

Width:

Sq Footage:

10

Depth:

Overall Height:

Illumination:

Internally Illuminated

of Faces:

Double Faced

Text (side a):

(logo) Fleet

Text (side b):

(logo) Fleet

Product:

Custom Reface

Action:

RR

Height:

N/A

Letter Height:

N/A

Width:

N/A

Depth:

N/A

Overall Height:

N/A

Sq. Footage:

N/A

Illumination:

Internally Illumina

of Faces:

Double Faced

Comments

VIF Required

"a" designates reface "r" designates white backgrounds for directional sign types and alternative logo format for letter sets

Signage

Facility Name: Woodfords
 Company: BankBoston

Facility Type: Branch

Address: 446 Forest Ave

City, State, Zip: Portland, ME

Facility No: 969


Site ID: 230318

Existing Signage



010

Proposed Signage



Item Number:

E-09

Sign Type:

Pylon

Height:

36

Width:

84

Sq Footage:

21,000

Depth:

40

Overall Height:

158 ÷ 12 = 13.17'

Illumination:

Internally illuminated

of Faces:

Double Faced

Text (side a):

(logo) Fleet

Text (side b):

N/A

Product:

RR

Action:

RR

Height:

N/A

Letter Height:

N/A

Width:

5.125 to 16

Depth:

5.125 to 16

Overall Height:

5.125 to 16

Sq. Footage:

5.125 to 16

Illumination:

Internally illuminated

of Faces:

Double Faced

Comments

VIF Required

Side A: Logo Fleet

Side B: Logo Fleet

"a" designates replace "a" designates white backgrounds for directional sign types and alternative logo format for letter sets

Signage

Facility Name: Woodfords
Company: BankBoston

Recommend.


Facility Type: Branch

Address: 446 Forest Ave


City, State, Zip: Portland, ME

Facility No: 969

Site ID: 230318



Existing Signage



Proposed Signage

Item Number:

E-21

Sign Type:

Plate Letters

Height:

27

Width:

68

Sq Footage:

12.750

Depth:

.5

Overall Height:

161

Illumination:

Non-Illuminated

of Faces:

Single Faced

Text (side a):

(logo)

Text (side b):

N/A

Product:

LMH-AB

Action:

RR

Height:

19.75

Letter Height:

12

Width:

60.25

Depth:

1

Overall Height:

N/A

Sq. Footage:

8.274 or ~~8.274~~

Illumination:

Non-Illuminated

of Faces:

Single Faced

Comments

VIF Required

Side B:

Side A:

Logo Fleet

"r" designates reface "a" designates white backgrounds for directional sign types and alternative logo format for letter set

Signage


Facility Name: Woodfords
 Company: BankBoston

Facility Type: Branch

Address: 446 Forest Ave

City, State, Zip: Portland, ME

Facility No: 969
 Site ID: 230318



Item Number:

E-07

Sign Type:

Plate Letters

Height:

27

Width:

68

Sq Footage:

12.750

Depth:

.5

Overall Height:

161

Illumination:

Non-Illuminated

of Faces:

Single Faced

Text (side a):

(Logo)/Fleet Bank

Text (side b):

N/A

Product:

LMH-AB

Action:

RR

Height:

19.75

Letter Height:

12

Width:

60.25

Depth:

1

Overall Height:

N/A

Sq. Footage:

8.274

Illumination:

Non-Illuminated

of Faces:

Single Faced

Comments

VIF Required

Side B:

Side A:

REV

010

"a" designates reface "a" designates white backgrounds for directional sign types and alternative logo format for letter sets

AUTHORIZATION AND CONSENT FORM

fax # 969

Landlord/Owner: Meredith Company, Inc.

Leased Premises: 446 Forest Avenue , Portland, ME

Landlord Contact: MARC LAMONTAGNE

Print Name: MARC LAMONTAGNE

Telephone Number: 773 9611 / 774 8909

RE: Fleet Signage Conversion

To Whom It May Concern:

I am a duly authorized representative of Meredith Company, Inc., the Landlord/Owner at the referenced lease premises.

In my capacity as Landlord's official representative, I do hereby authorize Fleet to perform all work associated with the re-branding program as referenced in the enclosed letter dated March 13, 2000. I further authorize Fleet or its representative to obtain in Landlord's name, and all permits for the sign conversion hereby consented to by Landlord. Costs associated with permit acquisition and signage replacement will be at Fleet's expense.

Landlord/Owner:

By: Marc Lamontagne

Dated: 3-21-01

CB

Certificate of Insurance

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON YOU THE CERTIFICATE HOLDER. THIS CERTIFICATE IS NOT AN INSURANCE POLICY AND DOES NOT AMEND, EXTEND, OR ALTER THE COVERAGE AFFORDED BY THE POLICIES LISTED BELOW.

This is to Certify that

FleetBoston Financial Corporation and its Subsidiaries c/o Fleet Corporate Risk Management 50 Kennedy Plaza, RI DE 03611D Providence, RI 02903-2393

Name and address of Insured.



Is, at the issue date of this certificate, insured by the Company under the policy(ies) listed below. The insurance afforded by the listed policy(ies) is subject to all their terms, exclusions and conditions and is not altered by any requirement, term or condition of any contract or other document with respect to which this certificate may be issued.

Table with columns: TYPE OF POLICY, EXP. DATE, POLICY NUMBER, LIMIT OF LIABILITY. Rows include WORKERS COMPENSATION, GENERAL LIABILITY, and AUTOMOBILE LIABILITY.

ADDITIONAL COMMENTS

*WA POLICY INCLUDES DEDUCTIBLE ENDORSEMENT WITH \$250,000 DEDUCTIBLE PER OCCURRENCE/CLAIMS (DISEASE) WITH THE PROVISION THAT LIBERTY MUTUAL WILL (MAY) ADVANCE PAYMENT OF THE DEDUCTIBLE AMOUNT. COVERAGE FOR THE STATE OF NY FOR THE FOLLOWING ENTITIES ONLY: Fleet National Bank FLEETBOSTON ROBERTSON STEPHENS, INC. / BANKBOSTON INTERNATIONAL / BANCOSTON FINANCIAL COMPANY

* If the certificate expiration date is continuous or extended term, you will be notified if coverage is terminated or reduced before the certificate expiration date. SPECIAL NOTICE-OHIO: ANY PERSON WHO, WITH INTENT TO DEFRAUD OR KNOWING THAT HE IS FACILITATING A FRAUD AGAINST AN INSURER, SUBMITS AN APPLICATION OR FILES A CLAIM CONTAINING A FALSE OR DECEPTIVE STATEMENT IS GUILTY OF INSURANCE FRAUD. IMPORTANT NOTICE TO FLORIDA POLICYHOLDERS AND CERTIFICATE HOLDERS: IN THE EVENT YOU HAVE ANY QUESTIONS OR NEED INFORMATION ABOUT THIS CERTIFICATE FOR ANY REASON, PLEASE CONTACT YOUR LOCAL SALES PRODUCER WHOSE NAME AND TELEPHONE NUMBER APPEARS IN THE LOWER RIGHT HAND CORNER OF THIS CERTIFICATE. THE APPROPRIATE LOCAL SALES OFFICE MAILING ADDRESS MAY ALSO BE OBTAINED BY CALLING THIS NUMBER. NOTICE OF CANCELLATION: (NOT APPLICABLE UNLESS A NUMBER OF DAYS IS ENTERED BELOW) BEFORE THE STATED EXPIRATION DATE THE COMPANY WILL NOT CANCEL OR REDUCE THE INSURANCE AFFORDED UNDER THE ABOVE POLICIES UNTIL AT LEAST 30 DAYS

CITY OF PORTLAND c/o Jones Lang LaSalle - Prjt. Mgmt Group 1025 Main St., MA DE 13601A Waltham, MA. 02451

102 A-1 Estelle Cohen AUTHORIZED REPRESENTATIVE Weston, MA (781) 891-8900 4/11/01 OFFICE PHONE NUMBER DATE ISSUED



CITY OF PORTLAND, MAINE

Department of Building Inspection

July 2ND 20 01

Received from TAGR Corp. / Carol Ryback a fee

of One hundred forty seven and 36/100 Dollars \$ 147.36

for permit to install
erect
alter Erect Signage

at move
demolish 511 Congress St \$33.34 Est. Cost \$ —
446 Forest Ave. \$46.12
39 Auburn St. 67.90

Check Total = 147.36

CK# 3878

Inspector of buildings

Per

THIS IS NOT A PERMIT

No work is to be started until PERMIT CARD is actually posted upon the premises. Acceptance of fee is no guarantee that permit will be granted. PRESERVE THIS RECEIPT. In case permit cannot be granted the amount of the fee will be refunded upon return of the receipt less \$5.00 or 10% whichever is greater.

WHITE - Applicant's Copy

YELLOW - Office Copy

PINK - Auditors Copy