City of Portland, Maine - Buildin	g or Use Permit Application	on 389 Congress	Street, 04101, Tel: (2)	07) 874-8703, FAX: 874-8716
Location of Construction: 51 FESSENDEN STREET	Owner: BRIAN WOO		Phone: 781-5977	Permo No: 0 0 1 5
Owner Address:	Lessee/Buyer's Name:	Phone:	BusinessName:	
Contractor Name: JOESEPH K. KINNEY ***	Address: *** 75 ARCADIA STREE	Phone:	776-2782	Permit Issued:
Past Use:	Proposed Use:	\$12,000.00	\$96.00	JA N 5
SINGLE FAMILY	SINGLE FAMILY	FIRE DEPT. □ A □ D Signature:	INSPECTION: Use Group R-3 T OCC 499 Signature:	Zone: CBL: 110-C-022
Proposed Project Description: ADD 2 BATHS, INSTALL SOME NEW HEADERS	WINDOWS W/ UPGRADED	PEDESTRIAN ACTION:	Approved Approved with Conditions: Denied	Special Zone or Reviews: Shoreland Wetland Flood Zone To Ke Malm
Permit Taken By: GAYLE	Date Applied For: JA	Signature: NUARY 4, 2000 GG	Date:	□ Subdivision A Smg(2 □ Site Plan maj □ minor aman □
 This permit application does not preclude the Building permits do not include plumbing, s Building permits are void if work is not starte tion may invalidate a building permit and store 	Zoning Appeal			
	AM	ENDMENT TO PERMIT	# 001254 PERMIT ISSUED WITH REQUIREME	Historic Preservation DNot in District or Landmark Does Not Require Review Requires Review
			PERMI DUREN	Action:
I hereby certify that I am the owner of record of the authorized by the owner to make this application if a permit for work described in the application is areas covered by such permit at any reasonable has been described.	as his authorized agent and I agree to s issued, I certify that the code official	conform to all applicable 's authorized representati	e owner or record and that I have laws of this jurisdiction. In a we shall have the authority to	addition,
		JANUARY 4, 2000		
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:	COMIT ISSUED TO
RESPONSIBLE PERSON IN CHARGE OF WOR	K, TITLE		PHONE:	CEO DISTRICT

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

BUILDING PERMIT REPORT

DATE: 4 January 2001 ADDRESS: 51 Fe s. senden ST. CBL: 116-C-022
DATE: 4 January 2001 ADDRESS: 51 Fe s. senden ST. CBL: 116-C-022 REASON FOR PERMIT: 1000 2 bathrooms, Window
BUILDING OWNER: Brian Woods
PERMIT APPLICANT: /CONTRACTOR JOSEPh K. KIDDEN
USE GROUP: B-3 CONSTRUCTION TYPE: 50 CONSTRUCTION COST! 1200 FERMIT FEES! 450
The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
CONDITION(S) OF APPROVAL
- XI X07 x29

This permit is being issued with the understanding that the following conditions shall be met:

1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

Refere concrete for foundation is placed approvals from the Development Review Coordinator and Inspection Services

Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A
24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."

- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
- 5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- 6. Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.
- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
- 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
- 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 13. Stair construction in <u>Use Group R-3 & R-4 is a minimum of 10" tread and 7 %" maximum rise.</u> All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- 15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
- 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
- 18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

- 19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
- 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 21. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
- 22. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
- 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
- 24. Section 25 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 26. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
- 27. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- 28. All requirements must be met before a final Certificate of Occupancy is issued.
- 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- '30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 31. Please read and implement the attached Land Use Zoning report requirements.

 22. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
- 33. Bridging shall comply with Section 2305.16.
- 434. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
- 35. All flashing shall comply with Section 1406.3.10.
- 36. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).

offses, Building Inspector

Marge Schmuckal, Zoning Administrator Michael Nugent, Inspection Service Manager

PSH 10/1/00

**This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.

***THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)

****ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Minor/Minor Site Review for New Detached Single Family Dwelling, Additions/Alterations/Accessory Structures, Multi-Family, Commercial Interior Rehab (other than additions), Change of Use

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or

	al estate or personal property taxes or user charges on any property within the nts must be made before permits of any kind are accepted.
	Pessenden St. Portland. Me.
Total Square Footage of Proposed Structure	Square Footage of Lot 75 x 100 (7500)
Tax Assessor's Chart, Block & Lot Number	Owner: 61:01 woods. Telephone#: 781-5977
Chart# \\ Block# C Lot#O3	12
Lessee/Buyer's Name (If Applicable)	Owner's/Purchaser/Lessee Address: Cost Of Work: Fee: \$ 12000 \$
	. Proposed use: Re5.
	Joseph J. Kinney 75 Arcadia St Portland Rec'd By:
Separate permits are required for	r Internal & External Plumbing, HVAC and Electrical installation.
7 7	compliance with the 1999 B.O.C.A. Building Code as amended by Section
All Electrical Installation must comply	npliance with the State of Maine Plumbing Code. with the 1999 National Electrical Code as amended by Section 6-Art III. Conditioning) installation must comply with the 1993 BOCA Mechanical
Code.	AM ENDME UT
OU MUST INCLUDE THE FOLLOWIN	NG WITH YOUR APPLICATION:
A Copy of Your Deed or Purchase and Sal A Plot Plan (Sample Attached)	le Agreement of purchased in this ast 365 days
l "minor/minor" site plan raviou is rec	quired for New Single Familia Homes Only (does not include

additions, alterations or accessory structures) prior to permit issuance. The Site plan must be prepared and sealed by a registered land surveyor. FOUR COPIES ARE REQUIRED FOR NEW SINGLE

FAMILY HOMES

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

A complete plot plan (Site Plan) includes:

- The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches, a bow windows cantilever sections and roof overhangs, as well as, sheds, pools, garages and any other accessory structures.
- Scale and North arrow; Zoning District & Setbacks
- First Floor sill elevation (based on mean sea level datum);
- · Location and dimensions of parking areas and driveways;
- Location and size of both existing utilities in the street and the proposed utilities serving the building;
- Location of areas on the site that will be used to dispose of surface water.
- Existing and proposed grade contours

Building Plans are required for all construction, including interior rehab (Sample Attached)

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and damp proofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant:	Date: 01/03/01

Minor/Minor Site Review Fee: \$300.00/Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.

AUTOCAD OR ADOBE FORMAT REQUIRED FOR ALL COMMERICAL PROJECTS


THE FOLLOWING CRITERIA MUST BE MET TO OBTAIN A BUILDING PERMIT:


All applications for building permits for new construction or additions shall be accompanied by plans showing the actual dimensions and shape of the lot to built upon; the exact size and location of the buildings already existing, if any: and the location and dimensions of the proposed buildings or alterations, including parking facilities and parking space dimensions. The application shall include such other information as lawfully may be required to determine conformance.

1. A neat legible scaled plot plan must be submitted. This plan must show all setbacks from all property lines from finished construction. This will include all existing buildings with dimensions and proposed additions/alterations/accessory structures with dimensions. If the property has any easements please scale that into the plot plan.


DO NOT ASSUME THAT YOU OWN UP TO THE SIDEWALK OR ROAD


- 2. The proposed construction measurements must be staked out for a site visit to confirm measurements on the plot plan. This includes all property pins in relation to proposed construction.
- 3. A detailed drawing showing all materials and application of materials in relation to the proposed structure. The detail must be shown from the footing to the roof. A detail of all stairs and handrails must also be given, showing materials and application of materials.





ZND Floor





FOR MORTGAGE LENDER USE ONLY

GENERAL MOTES: (I)DISTANCES SHOWN ARE TAKEN FROM PROVIDED TITLE REFERENCES SHOWN BELOW. (2)THIS INSPECTION EXAMINES
DWELLING AND ACCESSORY STRUCTURE COMPLIANCE WITH RESPECT TO MUNICIPAL ROVING SETBACK REQUIREMENTS ONLY. (3)A
STANDARD BOUNDARY SURFEY SHOULD BE PERFORMED TO RENDER A PROFESSIONAL OPINION AS TO ACTUAL PROPERTY LINE LOCATIONS.
(4)THIS INSPECTION DEPICTS ALL VISIBLE STRUCTURAL ENCHACHMENTS WITH RESPECT TO APPARENT PROPERTY LINES AND RECORDIES
ONLY TROSE EASEMENTS & RIGHTS OF WAYS STATED OR SHOWN IN BELOW PROVIDED TITLE REFERENCES AND DOES NOT REPARENCED FINA
CONFLICTS WITH ABUTTING DEEDS. (6)FLOOD HAZARD DETERMINATION IS MADE BY SCALING DISTANCES ON DELOW REFERENCED FINA
MAP. (8)THIS INSPECTION IS TO BE USED ONLY BY BELOW LISTED LENDER, TITLE COMPANY &/OR ATTORNEY AND ITS TITLE INSURER.

SEPTEMBER 26, 2000 51 FESSENDEN STREET INSPECTION DATE: ADDRESS: PORTLAND, MAINE 1" = 25' SCALE: (26) (28 (30) 50'± Garage' 29 side: 12 (29 - 215how (27) Porch (25) Drive 2.5 Story Dwelling 50°± FESSENDEN STREET To Forest Ave. -SEE PROVIDED TITLE REFERENCES FOR APPLICABLE APPURTENANCES, IF ANY. BRYAN WOOD APPLICANT: ___ REQUESTING PARTY: LEETE & LEMIEUX FREDERICK & NINETTE BATES OWNER. _ ATTORNEY: ____ JAMES R. LEMIEUX LENDER: FILE No. 2008678 FIELD BOOK _ TITLE REFERENCES: YOUR FILE #: ____ DRAWN BY: TPB DEED BOOK 6845 PAGE NADEAU & LODGE.

_ LOT: ___

PROFESSIONAL LAND SURVEYORS

844 STEVENS AVENUE 222 CLARES VOODS POAD

PLAN BOOK 4 PACE:

COUNTY: CUMBERLAND