



**DEXTRIOUS CREATIVE**

PORTLAND, ME 04102  
 TRACIE REED, ARCHITECT  
 NCARB, AIA, LEED AP BD+C  
 traciereed@dextrouscreative.com  
 207.409.0459 (cell)

**PROJECT TEAM**

**STRUCTURAL ENGINEER**  
 AL HODSON  
 RESURGENCE ENGINEERING  
 61 INDIA STREET, SUITE 7  
 PORTLAND, ME 04101  
 AL@RESURGENCEENGINEERING.COM  
 207.615.9985 (CELL)



IECC CLIMATE ZONE 6  
 U FACTOR: 0.35 OR HIGHER  
 SHGC: 0.4 V FACTOR: 0.6

ENSURE ALL WINDOWS MEET IBC-2009 REQUIREMENTS IN SECTION 2406, SAFETY GLAZING. REPLACE ANY EXISTING WINDOWS REQUIRING SAFETY GLAZING PER SECTION 2406 TO MEET CODE. NEW WINDOWS TO MEET IBC-2009 U-FACTORS AND SHGC RATINGS. NOTE THAT GLAZING IN SHOWER-AREAS MUST MEET SAFETY GLAZING STANDARD.

Window Types  
 1/4" = 1'-0"

A: DH 24x30 B: DH 38x60

No.	Description	Date

**ELEVATIONS**

Project No. 17-14\_61 Falmouth ST  
 Date 10.07.17  
 Drawn by TJR  
 Checked by TJR

**A-2.2**

Scale 1/4" = 1'-0"

