City of Portland, Maine – Building	or Use Permit Application	on 389 Congress	Street, 04101, Tel: (207)	8/4-8/03, FAX: 8/4-8/16
Location of Construction: 130 Dartmouth	Owner: Hodgdon, Ronald	1 & Patricia	Phone: 587-4541	Permit \$67 0 2 3 3
Owner Address: 49 Wast St., Freeport 04032	Lessee/Buyer's Name:	Phone:	BusinessName:	DEDMIT ISSUED
Contractor Name:	Address:	Phone		Permit Issued:
Past Use:	Proposed Use:	COST OF WORK	\$ 25.00	MAR 2 0 1997
4 XI Unit	2 Unit	FIRE DEPT. D	Approved INSPECTION: Use Group: *AType:	ZONE: CBL:
		Signature:	Signature: Address	* * * * * * * *
Proposed Project Description:		PEDESTRIAN ACTIVITIES DISTRICT (PA.D.)		
Change Use from illegal 4 unit to 2 unit		A	Approved Approved with Conditions: Denied	Special Zone or Reviews: Shoreland All Mark Wetland Flood Zone
		Signature:	Date:	☐ Subdivision
Permit Taken By:	Date Applied For:			☐ Site Plan maj ☐minor ☐mm □
Yicki Daver	3/	/18/97		Zoning Appeal
1. This permit application does not preclude the A	applicant(s) from meeting applicable S	State and Federal rules.		□ Variance
2. Building permits do not include plumbing, sep	otic or electrical work.			☐ Miscellaneous ☐ Conditional Use
3. Building permits are void if work is not started		ssuance. False informa-	· ·	□Interpretation
tion may invalidate a building permit and stop all work				☐ Approved☐ Denied☐
		•		
MAIL TO OWNER- FREEPORT ABORES	Historic Preservation ☐ Not in District or Landmark			
2				Des Not Require Review
			PEDIA	☐ Requires Review
			PERMIT ISSUED WITH REQUIREMEN	Action:
	│ □ Appoved			
I hereby certify that I am the owner of record of the				
authorized by the owner to make this application as if a permit for work described in the application is i	ssued, I certify that the code official's	s authorized representati	ve shall have the authority to enter	011,
areas covered by such permit at any reasonable hot	ur to enforce the provisions of the coo	de(s) applicable to such	permit	
		- 13 		The state of the s
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:	
Patricia	Hodgdon			
DESDONGINI E DEDGON DI CIVADGE OF WORK	THE		DUONE	- American
RESPONSIBLE PERSON IN CHARGE OF WORK	, IIILE		PHONE:	CEO DISTRICT
White-Per	mit Desk Green–Assessor's Ca	nary-D.P.W. Pink-Pul	blic File Ivory Card-Inspector	The state of the s

BUILDING PERMIT REPORT

DATE: 20/Mar/97 ADDRESS: 130 Dar Tmouth ST.						
REASON FOR PERMIT: Change of use 4 units To (2) Two dwd ling US						
BUILDING OWNER: Hoggdon						
CONTRACTOR: OWN EV						
PERMIT APPLICANT: // APPROVAL: * /*/ *7 *9 *9 */ [
D: 4 12×15						
CONDITION OF A PDDOVAL CONTRACTOR						

- This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
 - Before concrete for foundation is placed, approvals from the Development Review coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
 - 3. Precaution must be taken to protect concrete from freezing.
 - It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
 - 5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
- All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993) UL 103.
- Guardrail & Handrails A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
- £8. Headroom in habitable space is a minimum of 7'6".
- Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread. 7" maximum rise.
 - 10. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
- **₩**11. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
- 12. Each apartment shall have access to two (20 separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
 - 13. All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self closer's.
 - The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by 14. providing automatic extinguishment.
- <u>ال</u>مر 15. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's building code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and

I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

- 16. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
- 17. The Fire Alarm System shall be maintained to NFPA #72 Standard.
- 18. The Sprinkler System shall maintained to NFPA #13 Standard.
- 19. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
- <u>/ 20.</u> All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. Proof of such disposal must be furnished to the office of Inspection Services before final Certificate of Occupancy is issued or demolition permit is granted.
 - 21. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 22. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
 - 23. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's office.


24.	Ventilation shall meet the requirements of Chapter 12 Sections 1210, of the City's Building Code.
25.	Ventilation shall meet the requirements of Chapter 12 Sections 1210. of the City's Building Code. Please read and modament Term 5 = 6 and 9 of The attached
	Land-Use-Zoning report.
26.	
27	


Chief of Code Enforcement

cc: Lt. McDougall, PFD Marge Schmuckal

LAND USE - ZONING REPORT

ADDRESS: 130 DAV TMONTH ST DATE: 3/20/97						
REASON FOR PERMIT: Change from ellegal Aunit to 2 mit						
BUILDING OWNER: Royald PAtricia Hodges 117-1-24						
PERMIT APPLICANT: Owner						
APPROVED: With conditions DENIED:						
#6						
CONDITION(S) OF APPROVAL						
1. During its existence, all aspects of the Home Occupation criteria, Se maintained.	ection 14-410, shall be					
2. The footprint of the existing shall not be increased	ed during maintenance					
3. All the conditions placed on the original, previously approved, pern	reconstruction. All the conditions placed on the original, previously approved, permit issued on					
 are still in effect for this amendment. 4. Your present structure is legally nonconforming as to rear and side s 	setbacks. If you were					
to demolish the building on your own volition, you will <u>not</u> be able to maintain these same						
setbacks. Instead you would need to meet the zoning setbacks set forth in today's						
ordinances. In order to preserve these legally non-conforming setbacks, you may only						
rebuild the garage in place and in phases. 5. This property shall remain a single family dwelling. Any change of	use shall require a					
separate permit application for review and approval.						
6. Our records indicate that this property has a legal use of 1000	units. Any change					
in this approved use shall require a separate permit application for review and approval.						
 7. Separate permits shall be required for any signage. 8. Separate permits shall be required for future decks and/or garage. 1 						
Other requirements of condition There SMA (We No Dew Outsude						
yen the escapes or stanways						
	· · · · · · · · · · · · · · · · · · ·					
	1					
Marge Schmuckal, Z	oning Administrator,					
Asst. Chief or	f Code Enforcement					





2 NO Floor

BR (8'6"×//') BR (12×136) BR (14' x 14') Stairmase to 2nd Floor